

* Each section below to be filled out by whomever performing work. Must be owner or licensed contractor. Address, company name & phone must match

Application for Residential Building and Trades Permit

Owner's Name: H&H Constructors of Fayetteville, LLC. Date: 6/8/2020
Site Address: 561 Wood Point Drive Phone: 910-486-4864
Directions to job site from Lillington: _____

Subdivision: Woodshire Lot: 404
Description of Proposed Work: New Single Family Dwelling # of Bedrooms: 3
Heated SF: 1752 Unheated SF: 295 Finished Bonus Room? _____ Crawl Space: _____ Slab:

General Contractor Information

H&H Constructors of Fayetteville, LLC. 910-486-4864
Building Contractor's Company Name Telephone
2919 Breezewood Ave. Ste. 400 Fay., NC 28303 StacySimmons@hhhomes.com
Address Email Address
74158
License #

Electrical Contractor Information

Description of Work Residential Electrical Service Size: 200 Amps T-Pole: Yes No
JM Pope Electric, Inc. 919-776-5144
Electrical Contractor's Company Name Telephone
409 Chatham Street Sanford, NC 27330 electricpope@windstream.net
Address Email Address
21326
License #

Mechanical/HVAC Contractor Information

Description of Work Residential HVAC
Carolina Comfort Air, Inc. 919-934-1060
Mechanical Contractor's Company Name Telephone
5212 US Hwy 70 Business, Clayton, NC 27520 carolinacomfortair@yahoo.com
Address Email Address
29077 H-3-I
License #

Plumbing Contractor Information

Description of Work Residential Plumbing # Baths 2.5
Vance Johnson Plumbing 910-424-6712
Plumbing Contractor's Company Name Telephone
3242 Midpine Rd. Fay, NC 28306 _____
Address Email Address
7756-PL
License #

Insulation Contractor Information

Tricity Insulation, Inc. 418 Person St. Fay., NC 28301 910-486-8855
Insulation Contractor's Company Name & Address Telephone

*NOTE: General Contractor / owner must fill out and sign the second page of this application.



I hereby certify that I have the authority to make necessary application, that the application is correct and that the construction will conform to the regulations in the Building, Electrical, Plumbing and Mechanical codes, and the Harnett County Zoning Ordinance. I state the information on the above contractors is correct as known to me and that **by signing below I have obtained all subcontractors permission to obtain these permits** and if **any** changes occur including listed contractors, site plan, number of bedrooms, building and trade plans, Environmental Health permit changes or proposed use changes, I certify it is my responsibility to notify the Harnett County Central Permitting Department of any and all changes.

EXPIRED PERMIT FEES - 6 Months to 2 years permit re-issue fee is \$150.00. After 2 years re-issue fee is as per current fee schedule.

[Handwritten Signature]

Signature of Owner/Contractor/Officer(s) of Corporation

6/8/2020

Date

Affidavit for Worker's Compensation N.C.G.S. 87-14

The undersigned applicant being the:

- General Contractor Owner Officer/Agent of the Contractor or Owner

Do hereby confirm under penalties of perjury that the person(s), firm(s) or corporation(s) performing the work set forth in the permit:

- Has three (3) or more employees and has obtained workers' compensation insurance to cover them.
 Has one (1) or more subcontractors(s) and has obtained workers' compensation insurance to cover them.
 Has one (1) or more subcontractors(s) who has their own policy of workers' compensation insurance covering themselves.
 Has no more than two (2) employees and no subcontractors.

While working on the project for which this permit is sought it is understood that the Central Permitting Department issuing the permit may require certificates of coverage of worker's compensation insurance prior to issuance of the permit and at any time during the permitted work from any person, firm or corporation carrying out the work.

Sign w/Title: *[Handwritten Signature]* / *Permit Coordinator* Date: *6/8/2020*



Initial Application Date: 6/8/2020

Application # _____

CU# _____

COUNTY OF HARNETT RESIDENTIAL LAND USE APPLICATION

Central Permitting 108 E. Front Street, Lillington, NC 27546 Phone: (910) 893-7525 ext:2 Fax: (910) 893-2793 www.harnett.org/permits

A RECORDED SURVEY MAP, RECORDED DEED (OR OFFER TO PURCHASE) & SITE PLAN ARE REQUIRED WHEN SUBMITTING A LAND USE APPLICATION

LANDOWNER: H & H Constructors of Fayetteville, LLC Mailing Address: 2919 Breezewood Avenue, Suite 400

City: Fayetteville State: NC Zip: 28303 Contact No: 910-486-4864 x450 Email: stacysimmons@hhhomes.com

APPLICANT*: _____ Mailing Address: _____

City: _____ State: _____ Zip: _____ Contact No: _____ Email: _____

*Please fill out applicant information if different than landowner

CONTACT NAME APPLYING IN OFFICE: Stacy Simmons Phone # 910-486-4864 x450

ADDRESS: 561 Wood Point Drive - Woodshire PIN: 0506-17-1271

DEED OR OTP: 3752:0738

PROPOSED USE:

SFD: (Size 2841) # Bedrooms: 3 # Baths: 2.5 Basement(w/wo bath): Garage: Deck: Crawl Space: Slab: Monolithic Slab:
(Is the bonus room finished? () yes () no w/ a closet? () yes () no (if yes add in with # bedrooms)

Mod: (Size _____ x _____) # Bedrooms _____ # Baths _____ Basement (w/wo bath) Garage: Site Built Deck: On Frame Off Frame
(Is the second floor finished? () yes () no Any other site built additions? () yes () no

Manufactured Home: SW DW TW (Size _____ x _____) # Bedrooms: _____ Garage: site built? Deck: site built?

Duplex: (Size _____ x _____) No. Buildings: _____ No. Bedrooms Per Unit: _____

Home Occupation: # Rooms: _____ Use: _____ Hours of Operation: _____ #Employees: _____

Addition/Accessory/Other: (Size _____ x _____) Use: _____ Closets in addition? () yes () no

Water Supply: County _____ Existing Well _____ New Well (# of dwellings using well _____) *Must have operable water before final
(Need to Complete New Well Application at the same time as New Tank)

Sewage Supply: _____ New Septic Tank _____ Expansion _____ Relocation _____ Existing Septic Tank County Sewer
(Complete Environmental Health Checklist on other side of application if Septic)

Does owner of this tract of land, own land that contains a manufactured home within five hundred feet (500') of tract listed above? () yes () no

Does the property contain any easements whether underground or overhead () yes () no

Structures (existing or proposed): Single family dwellings: Proposed Manufactured Homes: _____ Other (specify): _____

If permits are granted I agree to conform to all ordinances and laws of the State of North Carolina regulating such work and the specifications of plans submitted. I hereby state that foregoing statements are accurate and correct to the best of my knowledge. Permit subject to revocation if false information is provided.

[Signature]
Signature of Owner or Owner's Agent

6/8/2020
Date

It is the owner/applicants responsibility to provide the county with any applicable information about the subject property, including but not limited to: boundary information, house location, underground or overhead easements, etc. The county or its employees are not responsible for any incorrect or missing information that is contained within these applications.

*This application expires 6 months from the initial date if permits have not been issued**

APPLICATION CONTINUES ON BACK

strong roots • new growth

Truss/Rafter to Wood Double Top Plates



| Model No. | Qty Req'd | Fasteners | | DF/SP Allowable Loads | | | | SPF Allowable Loads | | | |
|-----------|-----------|-------------------------------------|------------------------|-----------------------|-------|--|---|---------------------|-------|--|---|
| | | To Rafters | To Plates | Uplift | | Parallel to Plate (F ₁) (133/160) | Perp. to Plate (F ₂) (133/160) | Uplift | | Parallel to Plate (F ₁) (133/160) | Perp. to Plate (F ₂) (133/160) |
| | | | | (133) | (160) | | | (133) | (160) | | |
| H2.5 | 1 | 5-8d | 5-8d | 415 | 415 | 150 | 150 | 365 | 365 | 130 | 130 |
| H5A | 1 | 3-8d | 3-8d | 350 | 420 | 115 | 180 | 245 | 245 | 100 | 120 |
| HGA10 | 1 | 4-SDS $\frac{1}{4}$ x $\frac{1}{2}$ | 4-SDS $\frac{1}{4}$ x3 | 435 | 435 | 1165 | 940 | 375 | 375 | 870 | 815 |
| H5 | 1 | 4-8d | 4-8d | 455 | 465 | 115 | 200 | 265 | 265 | 100 | 170 |
| H1 | 1 | 6-8dx $\frac{1}{2}$ | 4-8d | 490 | 585 | 485 | 165 | 400 | 400 | 415 | 140 |
| H2.5A | 1 | 5-8d | 5-8d | 600 | 600 | 110 | 110 | 520 | 535 | 110 | 110 |
| LTS12 | 1 | 6-10dx $\frac{1}{2}$ | 6-10dx $\frac{1}{2}$ | 720 | 720 | 75 | 125 | 620 | 620 | 75 | 125 |
| H5 | 1 | 5-10dx $\frac{1}{2}$ | 5-10dx $\frac{1}{2}$ | 620 | 745 | — | — | 530 | 565 | — | — |
| H10-2 | 1 | 6-10d | 6-10d | 760 | 760 | 455 | 395 | 655 | 655 | 390 | 340 |
| H2.5 | 2 | 10-8d | 10-8d | 830 | 830 | 300 | 300 | 730 | 730 | 260 | 260 |
| H5 | 2 | 8-8d | 8-8d | 910 | 930 | 230 | 400 | 530 | 530 | 200 | 340 |
| H10 | 1 | 8-8dx $\frac{1}{2}$ | 8-8dx $\frac{1}{2}$ | 905 | 990 | 585 | 525 | 780 | 850 | 505 | 450 |
| MTS12 | 1 | 7-10dx $\frac{1}{2}$ | 7-10dx $\frac{1}{2}$ | 940 | 1000 | 75 | 125 | 730 | 860 | 75 | 125 |
| H1 | 2 | 12-8dx $\frac{1}{2}$ | 8-8d | 980 | 1170 | 970 | 330 | 800 | 800 | 830 | 280 |
| H2.5A | 2 | 10-8d | 10-8d | 1200 | 1200 | 220 | 220 | 1040 | 1070 | 220 | 220 |
| LTS12 | 2 | 12-10dx $\frac{1}{2}$ | 12-10dx $\frac{1}{2}$ | 1440 | 1440 | 150 | 250 | 1240 | 1240 | 150 | 250 |
| HTS20 | 1 | 12-10dx $\frac{1}{2}$ | 12-10dx $\frac{1}{2}$ | 1450 | 1450 | 75 | 125 | 1245 | 1245 | 75 | 125 |
| H16S | 1 | 2-10dx $\frac{1}{2}$ | 10-10dx $\frac{1}{2}$ | 1470 | 1470 | — | — | 1265 | 1265 | — | — |
| H16 | 1 | 2-10dx $\frac{1}{2}$ | 10-10dx $\frac{1}{2}$ | 1470 | 1470 | — | — | 1265 | 1265 | — | — |
| H10 | 2 | 16-8dx $\frac{1}{2}$ | 16-8dx $\frac{1}{2}$ | 1810 | 1980 | 1170 | 1050 | 1580 | 1700 | 1010 | 900 |
| MTS12 | 2 | 14-10dx $\frac{1}{2}$ | 14-10dx $\frac{1}{2}$ | 1580 | 2000 | 150 | 250 | 1460 | 1720 | 150 | 250 |


1. "—" in the tables indicates that the product has not been tested in the particular load direction listed.
2. For connections to single top plates, see page 12.
3. Fasten multiple members together to act as a single unit.



Hurricane Tie Installations to Achieve Twice the Load (Top View)



Install diagonally across from each other for minimum 2x truss.



Nailing into both sides of a single ply 2x truss may cause the wood to split. A minimum rafter thickness of 2 $\frac{1}{2}$ " must be used when connectors are installed on the same side.

