

Reaction Summary of Order



ROOF & FLOOR
TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0620-2800
ORDER DATE	06/19/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006801
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Dustin Blackwell	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Dustin Blackwell	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 606-4696	SALES AREA	Curtis Quick

SOLD TO	Weaver Development Co. Inc. 350 Wagoner Drive Fayetteville, NC 28303 (910) 433-0888	JOB NAME: Stewart Rd. Job MODEL: TAG: Lauren III / Elev. A / CP DELIVERY INSTRUCTIONS:	LOT # SUBDIV: JOB CATEGORY: Residential - Roof
	Weaver Development Harnett Co., NC	SPECIAL INSTRUCTIONS: Like Lot 143 Ashcroft (J0220-0687)	PLAN SEAL DATE: 11/7/18 BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ 06/19/20
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING CQ 06/19/20

ROOF TRUSSES

LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS					
		PLY	TOP			BOT	TOP	BOT	LEFT	RIGHT					
	5	6.00	3.00	PIGGYBACK A1	61-06-00 61-06-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 516.8 lbs. -12.5 lbs.	Joint 13 1886.6 lbs. -202.3 lbs.	Joint 18 2820.3 lbs. -240.2 lbs.			
	1	6.00	3.00	PIGGYBACK A1A	61-06-00 61-06-00	2 X 6	2 X 6		00-10-08	Joint 1 462.7 lbs. -11.0 lbs.	Joint 12 1886.2 lbs. -202.3 lbs.	Joint 17 2823.7 lbs. -240.7 lbs.			
	1	6.00	3.00	GABLE A1GE	61-06-00 61-06-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 175.2 lbs. -87.5 lbs.	Joint 36 195.6 lbs. -72.4 lbs.	Joint 38 316.0 lbs. -117.5 lbs.	Joint 39 91.2 lbs. -24.6 lbs.	Joint 40 181.3 lbs. -67.0 lbs.	
	3	6.00	3.00	PIGGYBACK A2	61-06-00 61-06-00	2 X 6	2 X 6		00-10-08	Joint 1 429.1 lbs. -32.7 lbs.	Joint 10 413.9 lbs. -70.0 lbs.	Joint 13 1707.3 lbs. -154.2 lbs.	Joint 17 2540.6 lbs. -169.3 lbs.		
	4	6.00	3.00	PIGGYBACK A3	59-00-00 59-00-00	2 X 6	2 X 6		00-10-08	Joint 1 415.4 lbs. -29.8 lbs.	Joint 9 728.8 lbs. -108.4 lbs.	Joint 13 1824.0 lbs. -91.2 lbs.	Joint 15 2077.4 lbs. -191.1 lbs.		
	2	6.00	0.00	PIGGYBACK A4	59-00-00 59-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 1394.8 lbs. -109.3 lbs.	Joint 10 692.5 lbs. -98.1 lbs.	Joint 14 2997.2 lbs. -20.7 lbs.			
	5	6.00	0.00	PIGGYBACK A4A	59-00-00 59-00-00	2 X 6	2 X 10	00-10-08	00-10-08	Joint 2 1218.9 lbs. -93.6 lbs.	Joint 10 522.6 lbs. -125.2 lbs.	Joint 14 3407.2 lbs. -48.2 lbs.			
	1	6.00	0.00	GABLE A4GE	59-00-00 59-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 162.3 lbs. -35.7 lbs.	Joint 36 118.7 lbs. 5.9 lbs.	Joint 38 138.9 lbs. -86.1 lbs.	Joint 39 163.8 lbs. -71.3 lbs.	Joint 40 159.3 lbs. -68.7 lbs.	
	4	6.00	0.00	COMMON P1	16-00-00 16-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 680.1 lbs. -142.1 lbs.	Joint 4 680.1 lbs. -142.1 lbs.				
	1	6.00	0.00	GABLE P1GE	16-00-00 16-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 680.1 lbs. -152.9 lbs.	Joint 4 680.1 lbs. -152.9 lbs.				

Reaction Summary of Order



ROOF & FLOOR
TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0620-2800
ORDER DATE	06/19/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006801
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Dustin Blackwell	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Dustin Blackwell	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 606-4696	SALES AREA	Curtis Quick

SOLD TO	Weaver Development Co. Inc. 350 Wagoner Drive Fayetteville, NC 28303 (910) 433-0888	JOB NAME: Stewart Rd. Job MODEL: TAG: Lauren III / Elev. A / CP DELIVERY INSTRUCTIONS:	LOT # SUBDIV: JOB CATEGORY: Residential - Roof
	Weaver Development Harnett Co., NC	SPECIAL INSTRUCTIONS: Like Lot 143 Ashcroft (J0220-0687)	PLAN SEAL DATE: 11/7/18 BY DATE

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
	END CUT	RETURN				LAYOUT	CQ 06/19/20
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING

ROOF TRUSSES

LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS					
		PLY	TOP			BOT	TOP	BOT	LEFT	RIGHT					
	20		6.00	0.00	PIGGYBACK PB1	13-06-13 13-06-13	2 X 4	2 X 4			Joint 2 290.6 lbs. -42.4 lbs.	Joint 4 290.6 lbs. -50.7 lbs.	Joint 6 586.2 lbs. 1.1 lbs.		
	2		6.00	0.00	GABLE PB1GE	13-06-13 13-06-13	2 X 4	2 X 4			Joint 2 141.1 lbs. -23.4 lbs.	Joint 8 141.1 lbs. -32.1 lbs.	Joint 10 221.8 lbs. -95.4 lbs.	Joint 11 147.8 lbs. -65.2 lbs.	Joint 12 146.0 lbs. 34.1 lbs.
	1		12.00	0.00	GABLE VA1	23-07-00 23-07-00	2 X 4	2 X 4			Joint 1 327.3 lbs. -166.8 lbs.	Joint 15 288.4 lbs. -109.2 lbs.	Joint 16 181.7 lbs. -132.6 lbs.	Joint 17 193.0 lbs. -141.3 lbs.	Joint 18 189.8 lbs. -137.4 lbs.
	1		12.00	0.00	VALLEY VA10	05-07-00 05-07-00	2 X 4	2 X 4			Joint 1 118.9 lbs. -21.2 lbs.	Joint 3 118.8 lbs. -21.2 lbs.	Joint 4 152.6 lbs. 20.1 lbs.		
	1		12.00	0.00	VALLEY VA11	03-07-00 03-07-00	2 X 4	2 X 4			Joint 1 115.2 lbs. -3.7 lbs.	Joint 3 115.2 lbs. -3.7 lbs.			
	1		12.00	0.00	VALLEY VA2	21-07-00 21-07-00	2 X 4	2 X 4			Joint 1 189.6 lbs. -90.0 lbs.	Joint 7 158.9 lbs. -49.0 lbs.	Joint 8 347.0 lbs. -144.2 lbs.	Joint 9 517.9 lbs. -182.8 lbs.	Joint 11 362.1 lbs. 72.6 lbs.
	1		12.00	0.00	VALLEY VA3	19-07-00 19-07-00	2 X 4	2 X 4			Joint 1 186.4 lbs. -125.5 lbs.	Joint 7 167.9 lbs. -88.6 lbs.	Joint 8 286.2 lbs. -131.9 lbs.	Joint 9 460.5 lbs. -184.6 lbs.	Joint 11 367.5 lbs. 69.6 lbs.
	1		12.00	0.00	VALLEY VA4	17-07-00 17-07-00	2 X 4	2 X 4			Joint 1 206.8 lbs. -23.1 lbs.	Joint 5 181.8 lbs. 10.1 lbs.	Joint 6 522.4 lbs. -213.0 lbs.	Joint 8 345.1 lbs. 62.3 lbs.	Joint 9 522.7 lbs. -213.2 lbs.
	1		12.00	0.00	VALLEY VA5	15-07-00 15-07-00	2 X 4	2 X 4			Joint 1 173.7 lbs. -29.3 lbs.	Joint 5 151.6 lbs. 0.0 lbs.	Joint 6 449.0 lbs. -186.1 lbs.	Joint 7 348.3 lbs. 60.7 lbs.	Joint 8 449.4 lbs. -186.2 lbs.
	1		12.00	0.00	VALLEY VA6	13-07-00 13-07-00	2 X 4	2 X 4			Joint 1 136.4 lbs. -37.8 lbs.	Joint 5 117.3 lbs. -12.4 lbs.	Joint 6 378.5 lbs. -166.1 lbs.	Joint 7 335.3 lbs. 58.0 lbs.	Joint 8 378.8 lbs. -166.2 lbs.

Reaction Summary of Order



ROOF & FLOOR
TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0620-2800
ORDER DATE	06/19/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006801
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Dustin Blackwell	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Dustin Blackwell	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 606-4696	SALES AREA	Curtis Quick

SOLD TO	Weaver Development Co. Inc. 350 Wagoner Drive Fayetteville, NC 28303 (910) 433-0888	JOB NAME: Stewart Rd. Job MODEL: TAG: Lauren III / Elev. A / CP DELIVERY INSTRUCTIONS:	LOT # SUBDIV: JOB CATEGORY: Residential - Roof
	Weaver Development Harnett Co., NC	SPECIAL INSTRUCTIONS: Like Lot 143 Ashcroft (J0220-0687)	PLAN SEAL DATE: 11/7/18

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ 06/19/20
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING CQ 06/19/20

ROOF TRUSSES

LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		PLY	TOP			BOT	TOP	BOT	LEFT	RIGHT	Joint 1	Joint 5	Joint 6	Joint 7
	1		12.00	0.00	VALLEY VA7 11-07-00 11-07-00	2 X 4	2 X 4			Joint 1 113.9 lbs. -76.6 lbs.	Joint 5 93.6 lbs. -55.2 lbs.	Joint 6 339.1 lbs. -161.4 lbs.	Joint 7 222.8 lbs. 54.1 lbs.	Joint 8 339.3 lbs. -161.5 lbs.
	1		12.00	0.00	VALLEY VA8 09-07-00 09-07-00	2 X 4	2 X 4			Joint 1 201.4 lbs. -26.4 lbs.	Joint 3 201.3 lbs. -26.4 lbs.	Joint 4 307.6 lbs. 12.4 lbs.		
	1		12.00	0.00	VALLEY VA9 07-07-00 07-07-00	2 X 4	2 X 4			Joint 1 167.6 lbs. -29.9 lbs.	Joint 3 167.5 lbs. -29.9 lbs.	Joint 4 215.2 lbs. 28.4 lbs.		
	1		6.00	0.00	VALLEY VP1 15-10-01 15-10-01	2 X 4	2 X 4			Joint 1 108.3 lbs. -3.4 lbs.	Joint 5 108.4 lbs. 1.4 lbs.	Joint 6 345.7 lbs. -77.1 lbs.	Joint 7 271.1 lbs. 33.3 lbs.	Joint 8 345.6 lbs. -77.2 lbs.
	1		6.00	0.00	VALLEY VP2 11-10-01 11-10-01	2 X 4	2 X 4			Joint 1 196.0 lbs. -25.9 lbs.	Joint 3 196.1 lbs. -31.8 lbs.	Joint 4 460.0 lbs. 0.4 lbs.		
	1		6.00	0.00	VALLEY VP3 07-10-01 07-10-01	2 X 4	2 X 4			Joint 1 134.3 lbs. -21.5 lbs.	Joint 3 134.4 lbs. -25.2 lbs.	Joint 4 259.5 lbs. 11.0 lbs.		
	1		6.00	0.00	VALLEY VP4 03-10-01 03-10-01	2 X 4	2 X 4			Joint 1 104.1 lbs. -6.3 lbs.	Joint 3 104.1 lbs. -6.3 lbs.			

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	06-00-00		BM1
2	LVL Beams (Sized)	LVL, 1-3/4" x 16" (S)	23-00-00		GDH