

nitial Application Date: 6-18-2020	Appli	ication#	
nitial Application Date:	7,551		
COUNTY OF HARN Central Permitting 108 E. Front Street, Lillington, NC 27	ETT RESIDENTIAL LAND USE APPLICA 7546 Phone: (910) 893-7525 ext:2	ATION	
A RECORDED SURVEY MAP, RECORDED DEED (OR OFFER	TO PURCHASE) & SITE PLAN ARE REQUIRED!	WHEN SUBMITTING A LAI	ND USE APPLICATION
LANDOWNER: H&H CONSTRUCTORS OF FAY	Y.LLC Mailing Address: 2919 BRE	EEZEWOOD A\	/E. STE. 400
City: FAYETTEVILLE State: NC Zip: 28	303 Contact No: 910-486-4864	_{Email:} stacysin	nmons@hhhom
APPLICANT*: Same as Above Mailin			
City: State: Zip; *Please fill out applicant information if different than landowner	Contact No:	Email:	
ADDRESS: 52 York Cow+ Lot 77	PIN: 0514-35	3505	
Zoning: Flood: Watershed:	Deed Book / Page:		
Setbacks – Front: 1000 Back: Side:	: Corner: 52-6		
	yes () no w/ a closet? () yes ()	no (if yes add in with #	bedrooms)
☐ Mod: (Sizex) # Bedrooms # Baths Bath	sement (w/wo bath) Garage:Sitons () no Any other site built addition		Frame Off Frame
☐ Manufactured Home:SWDWTW (Size	_x) # Bedrooms: Garage:	_(site built?) Deck:	(site built?)
Duplex: (Sizex) No. Buildings:			
☐ Home Occupation; # Rooms:Use:	Hours of Operation:		#Employees:
☐ Addition/Accessory/Other: (Sizex) Use:		Closets in a	addition? () yes () no
Water Supply: X County Existing Well New (Nee	ed to Complete New Well Application at the	e same time as ivew 18	e water before final ank)
Sewage Supply: New Septic Tank Expansion F (Complete Environmental Health Checklist on ot Does owner of this tract of land, own land that contains a manufacture.	ther side of application it Septici		'() yes (×) no
Does the property contain any easements whether underground	or overhead (yes () no		
Structures (existing or proposed): Single family dwellings:			
If permits are granted I agree to conform to all ordinances and la I hereby state that foregoing statements are accurate and correct	aws of the State of North Carolina regulatir at to the best of my knowledge. Permit suk	ng such work and the s oject to revocation if fals	pecifications of plans submit se information is provided.

It is the owner/applicants responsibility to provide the county with any applicable information about the subject property, including but not limited to: boundary information, house location, underground or overhead easements, etc. The county or its employees are not responsible for any incorrect or missing information that is contained within these applications.

*This application expires 6 months from the initial date if permits have not been issued.**

*This application expires 6 months from the initial date if permits have not been issued**

APPLICATION CONTINUES ON BACK



Application # _____

Harnett County Central Permitting PO Box 65 Lillington, NC 27546 910-893-7525 Fax 910-893-2793 www.harnett.org/permits

* Each section below to be filled out by whomever performing work. Must be owner or licensed contractor. Address, company name & phone must match information on license.

Application for Residential Building and Trades Permit

Owner's Name: H&H CONSTRUCTORS OF FAYETTEVILLE, LLC	Date: 6-18-202
	Phone: 910-486-4864
Site Address: 52 York Court	
Subdivision: COUNTRY SQUIRE ESTATES	Lot:
Description of Proposed Work: NEW SINGLE FAMILY RESIDENTIA	L
General Contractor Informati	<u>on</u>
H&H CONSTRUCTORS OF FAYETTEVILLE, LLC	910-486-4864
Building Contractor's Company Name	Telephone
2919 BREEZEWOOD AVE. STE 400 FAY. NC 28303	stacysimmons@hhhomes.com
Address	Email Address
74158	
License # Electrical Contractor Information	fion
Description of Work SINGLE FAMILY ELECTRIC Service Size	e: 200 Amps T-Pole: XYes No
JM POPE ELECTRIC, INC.	919-776-5144
Electrical Contractor's Company Name	Telephone
409 CHATHAM ST. SANFORD, NC 27330	electricpope@windstream.net_
Address	Email Address
21326	
License #	
Mechanical/HVAC Contractor Info	mation
Description of Work SINGLE FAMILY HVAC	040 004 4000
CAROLINA COMFORT AIR, INC.	910-891-1239
Mechanical Contractor's Company Name	Telephone
703 N. CLINTON AVE. DUNN, NC 28334	carolinacomfortair@yahoo.com Email Address
Address	Email Address
29077 H-3-1	
License # Plumbing Contractor Informa	tion
Description of Work SINGLE FAMILY PLUMBING	# Baths 2
VANCE JOHNSON PLUMBING	910-424-6712
Plumbing Contractor's Company Name	Telephone
3242 MIDPINE RD. FAY. NC 28306	per different (Processor en)
Address	Email Address
7756-PL	
License #	
Insulation Contractor Informa	
TRICITY INSULATION INC. 418 PERSON ST. FAY. NC 28301	910-486-8855
Insulation Contractor's Company Name & Address	Telephone

*NOTE: General Contractor I owner must fill out and sign the second page of this application.



I hereby certify that I have the authority to make necessary application, that the application is correct and that the construction will conform to the regulations in the Building, Electrical, Plumbing and Mechanical codes, and the Harnett County Zoning Ordinance. I state the information on the above contractors is correct as known to me and that <a href="https://doi.org/10.10/10.1

EXPIRED PERMIT FEES - 6 Months to 2 years permit re-issue fee is \$150.00. After 2 years re-issue fee

is as per current fee schedule.		
Hymis	6-18-2000	
ATV NVV	6-18-2020	_
Signature of Owner/Contractor/Officer(s) of Corporation	Date	

Affidavit for Worker's Compensation N.C.G.S. 87-14
The undersigned applicant being the:
General Contractor Owner Officer/Agent of the Contractor or Owner
Do hereby confirm under penalties of perjury that the person(s), firm(s) or corporation(s) performing the work set forth in the permit:
Has three (3) or more employees and has obtained workers' compensation insurance to cover them.
Has one (1) or more subcontractors(s) and has obtained workers' compensation insurance to cover them.
Has one (1) or more subcontractors(s) who has their own policy of workers' compensation insurance covering themselves.
Has no more than two (2) employees and no subcontractors.
While working on the project for which this permit is sought it is understood that the Central Permitting Department issuing the permit may require certificates of coverage of worker's compensation insurance prior to issuance of the permit and at any time during the permitted work from any person, firm or corporation carrying out the work. Sign w/Tite: Date: 618-2100

Thus Mafter to Wood Double Top Plates



Fastene		eners	DF/SP Allowable Loads				SPF Allowable Loads				
Model No.	Qiy Reqd	To Rafters	To Plates	(133)	plift (160	Parallel to Plate (F ₁) Plate (Fz	1200	Jplift) (160	Parallel to Plate (F ₁)	Plate (F
	1			1	1.	(199)100		(100	1 (ing	(100)100)	-
H2.5	1	5-8d	5-8d	415	415	150	150	365	365	130	130
H5A	1	3-8d	3-8d	350	420	115	160	245	245	100	120
HGA10	. 1	4-SDS1/x11/2	4-SDS1/4x3	435	435	1165	940	375	. 375	870	815
H5	i	4-8d	4-8d	455	465	115	200	265	265	100	170
H1	1	6-8dx11/2	4-8d	490	585	485	165	400	400	415	140
H2.5A	1	5-8d	5-8d	600	600	110	110	520	535	110	110
LTSjz	3.13	6-10dx1½	6-10dx11/2	,720	720	· 75:	. 125.	620	620.	75 . 1	125
H8 ::	1.1"	5-10dx1½	5-10dx11/2	620	7,45		1 2 2	530	, 565°	k, : ≤ 1. ·	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
H10-2	1	6-10d	6-10ਰ	760	760	455	395	655	655	390	340
H2.5	2	10-8d	10-8d	830	830	300	300	730	730	260	260
H5	. 2	8-8d	8-8d	910	930	230	400	530	530	. 200	. 340
H10	4.1.	8-8dx11/2	-8-8dx1½··		(99¢	585	:· 525 ·	780	850	505	450
MTS12	7	7-10dx11/2	7-10dx11/2	840	1000	75	125	730	860	75	125
Ні	2	12-8dx11/2	8-8d	980	1170	970	330	800	800	830	280
H2.5A	2	10-8d	10-8d	1200	1200	220	220	1040	1070	220	220
LJS12	. 2	12-10dx1½*	12-10dx11/2	1440 ;	1440	150	250	1240	1240	150	250
HTS20		12-10dx11/2	12-10dx1½	1450	1450	75	∵:125 [™]	:1245	1245	75	125
H16S	1	2-10dx11/2	10-10dx11/2	1470	1470	_	-	1265	1265	_	
H16	1	2-10dx11/2	10-10dx11/2	1470	1470		_	1265	1265		
110 199	2	16-8dx1½()	16-8dx1½	1810	1980	\$ 1170.5	7,050	1560	1700	1010	900
VITS12:	2	14-10dx11/2/	14-10dx1½	1680	2000	150	250	1460	1720	150	250

1. "-" in the tables indicates that the product has not been tested in the particular load direction listed.

For connections to single top plates, see page 12.
 Fasten multiple members together to acras a single unit.

Two

H2,5A

DE

DIO

MTS12

(LTS, HTS similar)



Hurricane Tle installations to Achieve Twice the Load (Top View)



Install diagonally across from each other for minimum 2x truss,



Nailing into both sides of a single ply 2x truss may cause the wood to split. A minimum rafter thickness of 21/2" must be used when connectors are installed on the









