North Carolina 2018 - R402.1.5 Total UA



OrganizationSouthern Energy Manager
Sara Caliendo

Inspection Status
Results are projected



Vision plan slab Template - H & H - Fayetteville - Vision Builder H&H Homes

Building UA

Elements	NC Reference	As Designed
Ceilings	27.0	24.2
Above-Grade Walls	134.9	113.5
Windows, Doors and Skylights	58.8	53.1
Slab Floor:	55.1	70.7
Framed Floors	11.8	13.8
Foundation Walls	0.0	0.0
Rim Joists	6.7	6.6
Overall UA (Design must be equal or lower):	294.3	281.9

Requirements

402.1.5	Total UA alternative for insulation and fenestration	
402.3.2 Glazed Fenestration SHGC	Average SHGC: 0.27; Max SHGC: 0.30	
R402.4.2.2	Air Leakage Testing	Air sealing is 0.22 CFM50 / ft² Shell Area. It must not exceed 0.30 CFM50 / ft² Shell Area.
R402.5	Area-weighted average fenestration SHGC	
R402.5	Area-weighted average fenestration U-Factor	
R404.1	Lighting Equipment Efficiency	
Mandatory Checklist	Mandatory code requirements that are not checked by Ekotrope must be met.	
R403.3	Duct Insulation	
403.3.3	Duct Testing	

Design exceeds requirements for North Carolina 2018 Prescriptive compliance by 4.2%.

Name:	Sara Caliendo	Signature:	Sara Caliendo
Organization:	Southern Energy Management	Digitally signed:	10/31/19 at 5:23 PM

Fuel Summary

Property , NC 28390 Model: Wayfare

Organization

Southern Energy Managemer

Sara Caliendo

Inspection StatusResults are projected



Vision plan slab Template - H & H - Fayetteville - Vision p Builder H&H Homes

Tilliadi Ellergy Coo	Annual	Energy	Cost
----------------------	--------	--------	------

Electric	\$1,530
Annual End-Use Cost	
Heating	\$311
Cooling	\$131
Water Heating	\$258
Lights & Appliances	\$530
Onsite Generation	-\$0
Service Charges	\$300
Total	\$1,530
Annual End-Use Consumption	
Heating [Electric kWh]	3,152.8
Cooling [Electric kWh]	1,211.5
Hot Water [Electric kWh]	2,518.9
Lights & Appliances [Electric kWh]	5,125.0
Total [Electric kWh]	12,008.2
Total Onsite Generation kWh	0.0
Peak Electric Consumption	
Peak Winter kW	2.70
Peak Summer kW	1.85
Utility Rates	
Electricity	SouthRiverEMC 5/14
Natural Gas	Dominion Gas 2019

Property , NC 28390 Model: Wayfare

Organization Southern Energy Management Sara Caliendo

Inspection Status Results are projected



Vision plan slab Template - H & H - Fayetteville - Vision plan slab CZ

General Building Informat	ion
Number Of Bedrooms	3
Number Of Floors	2
Conditioned Floor Area [sq. ft.]	1,501
Unconditioned, attached garage?	Yes
Conditioned Volume [cu. ft.]	12,658
Total Units in Building	1
Residence Type	Single family detached
Floor Number	-
Model	Wayfare
Community	
Climate Zone	4A
,	4A

Builder H&H Homes

E,	NIID	dat	ion	Wa	ш
Гυ	Juli	uai	1011	vva	ш

None Present

Foundation Wall Library List

None Present

ı	Slab								
ľ	Name	Library Type	e Perimete	r Floor Grade	Carpet R	Exposed Masonry Area	Surface Area	Location	Enclosing
	slab	Uninsulated	120	On Grade	1	0	646.0 ft²	Exposed Exterior	Conditioned Space

Slab Library	List						
Name	Wall Construction Type	Slab Completely Insulated?		Perimeter Insulation Depth [ft]		Thermal Break	Effective R-value
Uninsulated	Wood Frame / Other	No	0	0	0	No	0.00

Framed Floo	r				
Name	Library Type	Carpet R	Floor Grade	Surface Area	Location
over garage	R-19, 16"OC G3 Carpet	0	Above Grade	252.0 ft²	
					garage

Property , NC 28390 Model: Wayfare Organization Southern Energy Management Sara Caliendo Inspection Status Results are projected



Vision plan slab Template - H & H - Fayetteville - Vision plan slab CZ Builder H&H Homes

Framed Floor	Library List	
	Name	Effective R-value
R-19, 16"OC G3	Carpet	18.202

Rim Joist			
Name	Library Type	Surface Area	Location
1st floor ambient	R-19 G3, 16"OC	84.0 ft²	Exposed Exterior
1st floor garage	R-19 G3, 16"OC	36.0 ft²	Unconditioned, attached garage

Rim Joist Libr	ary List	
	Name	Effective Insulation R-value
R-19 G3	, 16"OC	13.20

			Wall
Surface Area	Surface Color	Library Type	Name
672.0 ft²	Medium	R 19 Adv. Framing G3 16" O.C	1st floor ambient
288.0 ft²	Medium	R 19 Adv. Framing G3 16" O.C	1st floor garage
960.0 ft²	Medium	R 19 Adv. Framing G3 16" O.C	2nd floor ambient
	672.0 ft² 288.0 ft²	Medium 672.0 ft ² Medium 288.0 ft ²	R 19 Adv. Framing G3 16" O.C Medium 672.0 ft ² R 19 Adv. Framing G3 16" O.C Medium 288.0 ft ²

Wall Library List	
Name	e Effective R-value
R 19 Adv. Framing G3 16" O.C	15.433

Property , NC 28390 Model: Wayfare Organization Southern Energy Management Sara Caliendo

Inspection Status Results are projected



Vision plan slab Template - H & H - Fayetteville - Vision plan slab CZ Builder H&H Homes

Name	Library Type	Wall Assignment	Foundation Wall Assignment	Overhang Depth	Overhang Ft To Top	Overhang Ft To Bottom	Orientation	Surface Area
front 2nd unshaded	35/27	2nd floor ambient		0	0	0	West	45.0 ft²
front shaded	35/27	1st floor ambient		4	1	6	West	15.0 ft²
left 2nd unshaded	35/27	2nd floor ambient		0	0	0	North	15.0 ft²
rear 2nd unshaded	35/27	2nd floor ambient		0	0	0	East	38.0 ft²
right 2nd unshaded	35/27	2nd floor ambient		0	0	0	South	2.0 ft²
right unshaded	35/27	1st floor ambient		0	0	0	South	15.0 ft²

Glazing Libra	ary List	
Name	Shgc	U-facto
35/27	0.27	0.350

S	ky	1	П	a	h	f
0	ĸу	4	H	ઝ	ш	4

None Present

Skylight Library List

None Present

Opaque Doo	r							
Name	Library Type	Wall Assignment	Foundation Wall Assignment		Solar Absorptance		Surface Area	Location
front door	Fiberglass R-5	1st floor ambient		0.9	0.75	Medium	20.0 ft²	Exposed Exterior
garage door	Fiberglass R-5	1st floor garage		0.9	0.75	Medium	18.0 ft²	Exposed Exterior

Property , NC 28390 Model: Wayfare Organization Southern Energy Management Sara Caliendo Inspection Status Results are projected



Vision plan slab Template - H & H - Fayetteville - Vision plan slab CZ

Builder lan slab CZ H&H Homes

Opaque Door Library List	
Name Effective U	J-factor
Fiberglass R-5	0.200

Roof Insulation									
Name	Library Type /	Attic Exterior Area [s.f.]	Clay or Concrete Roof Tiles		Surface Area	Location			
Attic	R-38 Attic BLOWN FG G1 2x10 24"OC w/	1,188	No	Dark	900.0 ft²	Attic			

Roof Insulation Li	ibrary List	
Name	Has Radiant Barrier	Effective R-value
R-38 Attic BLOWN FG G1 2x10 24"OC W/	Yes	37.246

Whole House	e Infiltration	
Infiltration	Measurement Type	Shelter Class
844 CFM at 50 Pa	Blower-door tested	4

Mechanical Ventilation None Present

	Lighting					
ı	% Interior Fluorescent Lighting	% Interior LED Lighting	% Exterior Fluorescent Lighting		% Garage Fluorescent Lighting	% Garage LED Lighting
ı	75	0	0	0	0	0

Property , NC 28390 Model: Wayfare

woder, wayrare

Organization Southern Energy Management Sara Caliendo Inspection Status Results are projected



Vision plan slab Template - H & H - Fayetteville - Vision plan slab CZ Builder H&H Homes

Onsite Generation

None Present

Onsite Generation Library List

None Present

Solar Generation

None Present

Solar Generation Library List

None Present

Conditioning	• •	Hastina Bassari I asa	On the Property of		
Name	Library Type	Heating Percent Load	Cooling Percent Load	Hot Water Percent Load	Location
Water Heating	Z 50 gal. 0.91EF elec	0%	0%	100%	Unspecified
whole house heat pump	z 30k 14 Seer 8.0hspf	100%	100%	0%	Unspecified

Equipment Type: Z 50 gal. 0.91EF elec		
Fuel Type	Electric	
Distribution Type	Hydronic Delivery	
Hot Water Efficiency	0.91 Energy Factor	
Tank Capacity (gal.)	50	
Hot Water Capacity [kBtu/h]	40	
Recovery Efficiency	0.98	

Property , NC 28390 Model: Wayfare Organization Southern Energy Management Sara Caliendo Inspection Status Results are projected



Vision plan slab Template - H & H - Fayetteville - Vision plan slab CZ

Builder H&H Homes

Equipment Type: z 30k 14 Seer 8.0hspf		
Fuel Type	Electric	
Distribution Type	Forced Air	
Motor Type	PSC (Single Speed)	
Heating Efficiency	8 HSPF	
Heating Capacity [kBtu/h]	36	
Cooling Efficiency	14 SEER	
Cooling Capacity [kBtu/h]	30	

Distribution System	
Distribution Type	Forced Air
Heating Equipment	whole house heat pump
Cooling Equipment	whole house heat pump
Sq. Feet Served	1501
# Return Grilles	2
Supply Duct R Value	8
Return Duct R Value	8
Supply Duct Area [ft²]	405.27
Return Duct Area [ft²]	150.1
Leakage to Outdoors	60 CFM @ 25Pa (4 / 100 s.f.)
Total Leakage	60 CFM25
Total Leakage Duct Test Conditions	Post-Construction
Use Default Flow Rate	Yes
Duct 1	
Duct Location	Attic (well vented, radiant barrier)
Percent Supply Area	70
Percent Return Area	70
Duct 2	
Duct Location	Conditioned Space
Percent Supply Area	30
Percent Return Area	30
Duct 3	
Duct Location	Conditioned Space
Percent Supply Area	0
Percent Return Area	0
Duct 4	
Duct Location	Conditioned Space
Percent Supply Area	0
Percent Return Area	0
Duct 5	
Duct Location	Conditioned Space
Percent Supply Area	0
Percent Return Area	0
Duct 6	
Duct Location	Conditioned Space
Percent Supply Area	0
Percent Return Area	0

Ceiling Fan		
Has Ceiling Fan Cfm Per Watt	Yes 100	

Property , NC 28390 Model: Wayfare

Organization Southern Energy Management Sara Caliendo

Inspection Status Results are projected



Vision plan slab Template - H & H - Fayetteville - Vision plan slab CZ

Standard
No
72
No
No
10
No

Builder H&H Homes

Clothes Dryer	
Fuel Type	Electric
Cef	2.617
Field Utilization	Timer Controls

Clothes Washer	
Label Energy Rating	151 kWh/Year
Electric Rate	\$0.11/kWh
Annual Gas Cost	\$12.00
Gas Rate	\$1.22/Therm
Capacity	3.31
Imef	2.15474

Appliances and Control	S
Programmable thermostat?	Yes
Dishwasher Size	Standard
Dishwasher Efficiency	0.65 EF
Range/Oven Fuel	Electric
Convection Oven?	No
Induction Range?	No
Refrigerator Consumption	700 kWh/Year

Notes

-updated JS 11/28/18

- -wall insulation modeled to Grade 3
- -confirm attic insulation and hvac specs -ventilation modeled as none

- -confirm cfl lighting % -modeled to worst case orientation