

Avery Pond
Lot #115


3-Bedroom Home (360 gal./day)

<u>LINE #</u>	<u>COLOR</u>	<u>BS</u>	<u>HI</u>	<u>FS</u>	<u>ELEVATION</u>	<u>LINE LENGTH</u>	<u>Design Length</u>
TBM		2.0		100.0		<u>in field</u>	<u>installation</u>
INST. 1			102.0				
1	White			3.1	98.9	50	45
2	Red			3.2	98.8	50	45
3	Orange			3.3	98.7	50	45
4	Pink			3.4	98.6	50	45
5	Yellow			3.5	98.5	50	45
6	White			3.5	98.5	50	45
7	Red			3.6	98.4	50	45
8	Orange			3.7	98.3	50	45
9	Pink			3.8	98.2	50	45
10	Yellow			3.8	98.2	50	45

Total

	<u>System</u>	<u>Repair</u>
	Lines 6-10	Lines 1-5
System Type	Accepted Status System EZ-FLOW	Accepted Status System EZ-FLOW
Suggested Soil LTAR	0.400	0.400
Total Line Length	225	225
Square Footage	675	675
Proposed Trench Bottom	21-24"	21-24"
Distribution Method	Pump to D-Box	Pump to D-Box

Avery Pond 3-Bedroom Septic Proposal Lot #115



System: Pump to D-Box
 Lines: 6-10 (225')
 0.4 LTAR
 21-24" Trench Bottom
 Accepted Status System
 Repair: Pump to D-Box
 Lines: 1-5 (225')
 0.4 LTAR
 21-24" Trench Bottom
 Accepted Status System

Lahinch Drive

GRAPHIC SCALE
 1" = 50'



Adams
 Soil Consulting
 919-414-6761
 Job #708