Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Dover Homes, LLC	PROPERTY LOCATION: 197 Farrah-Shea Way (Harnett-Central Rosultation Brian Keith Meadows Lot # 7
NEW REPAIR EXPANSION	Site Improvements required prior to Construction Authorization Issuance:
Type of Structure: 40x40 sfd, 4 beds 3 baths crawl	
Proposed Wastewater System Type: 25% Reduction Sys.	
Projected Daily Flow: 480 GPD	
	max
Basement Yes No	
Pump Required: Yes No May be required based on final lo	
Type of Water Supply: Community Public Well Distant	
Permit conditions:	No expiration
Authorized State Agent:	Date: 07/29/2020 SEE ATTACHED SITE SKETCH
	permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This
site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement I the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.	Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of
Constru	uction Authorization
	uired for Building Permit)
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, with the attached system layout.	1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance
ISSUED TO: Dover Homes, LLC	PROPERTY LOCATION: 197 Farrah-Shea Way (Harnett-Central)
	SUBDIVISION Brian Keith Meadows LOT # 7
Facility Type: 40x40 sfd, 4 beds 3 baths New	☐ Expansion ☐ Repair
Basement? Yes No Basement Fixtures? Yes	□ No
Type of Wastewater System** 25% Reduction System	(Initial) Wastewater Flow: 480 GPD
(See note below, if applicable)	
25% Reduction System	(Repair)
Installation Requirements/Conditions Number of trench	es <u>4</u>
Septic Tank Size 1000 gallons Exact length of ea	ach trench 100 feet Trench Spacing: 9 Feet on Center
Pump Tank Sizegallons Trenches shall be	installed on contour at a Soil Cover: 6inches
Maximum Trench	Depth of: 18inches (Maximum soil cover shall not exceed
	hall be level to +/-1/4" 36" above the trench bottom)
in all directions)	
Pump Requirements: ft. TDH vsGPM	NA inches below pipe
	Aggregate Depth: NA inches above pipe
Conditions: Gravity to D-Box Equal Distribution - I	Keep Sys, Uphill NA inches total
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM AN	Y PART OF SEPTIC SYSTEM OR REPAIR AREA.
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA	
**If applicable: <u>I</u> understand the system type specified is different from th	be type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature:	Date:
	anges. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This
Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH	
Authorized State Agent:	Date: 07/29/2020
ANDRAW CORRED CONSTR	action Authorization Expiration Date: 07/29/2025

Harnett County Department of Public Health Site Sketch

Property Location: 197 Farrah-Shea Way (Harnett-Central Road - SR 1403) Issued To: Dover Homes, LLC Subdivision Brian Keith Meadows Lot # 7 Authorized State Agent: _ Date: 07/29/2020 HAMS SETT, CESTRAL NESS 36 XGANUITY TO D-BOX * INSTALL STS. AS HIGH UPHILL AS CONTOUR ALLOWS * FIRST LINE WILL BE 2 SHORT LITE (2 40/60) W/ STEPDOWN @ MIDPOINT ADDITIONAL TREE CLEANING REGUIRZD 11 SYS. FLAGGED UNSITE 0/2 138 This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations. CANIAH - SHEA