Application # _____

Harnett County Central Permitting
PO Box 65 Lillington, NC 27546
910-893-7525 Fax 910-893-2793 www.harnett.org/permits

* Each section below to be filled out by whomever performing work. Must be owner or licensed contractor. Address, company name & phone must match

Application for Residential Building and Trades Permit

Owner's Name: H&H Constructors of Fayetteville, LLC.	Date: 7/23/2020
000 (1101)	Phone: 910-486-4864
Directions to job site from Lillington: Hwy 27 to Nursery Road, Turn left,	Tollow to Kay Koau, turn left and
follow to Anderson Creek Drive.	
Subdivision: Anderson Creek Club	Lot: 1132
Description of Proposed Work: SFD	# of Bedrooms: 3
Heated SF: 2852 Unheated SF: 648 Finished Bonus Room?	
H&H Constructors of Fayetteville, LLC. Building Contractor's Company Name	910-486-4864 Telephone
2919 Breezewood Avenue Ste. 400, Fay, NC 28303 Address	stacysimmons@hhhomes.com Email Address
74158 License #	
Description of Work Residential Service Size: 200 A	<u>n</u> mps T-Pole: <u>X</u> Yes _No
JM Pope Electric LLC. Electrical Contractor's Company Name	919-776-5144 Telephone
409 Chatham Street Sanford, NC 27330 Address	electricpope@windstream.net.com Email Address
21326 License #	
Wechanical/HVAC Contractor Inform	ation
Description of Work Residential	
Carolina Comfort Air, Inc. Mechanical Contractor's Company Name	919-934-1060 Telephone
5212 US Hwy 70 Business, Clayton,NC 27520 Address	<u>carolinacomfortair@yahoo.com</u> Email Address
29077 License #	
Plumbing Contractor Information	2 7
Description of Work Residential # Baths	·
	<u>910-424-6712</u> Telephone
3242 Midpine Dr. Fayetteville, NC 28306 Address	<u>etcepfer@vjplumbing.com</u> Email Address
07756-P-L	
License #	
Insulation Contractor Information	- ;
Tri-City Insulation 418 Person St. Fay. NC 28301 Insulation Contractor's Company Name & Address	910-486-8855 Telephone



I hereby certify that I have the authority to make necessary application, that the application is correct and that the construction will conform to the regulations in the Building, Electrical, Plumbing and Mechanical codes, and the Harnett County Zoning Ordinance. I state the information on the above contractors is correct as known to me and that <u>by signing below I have obtained all subcontractors permission to obtain these permits</u> and if <u>any</u> changes occur including listed contractors, site plan, number of bedrooms, building and trade plans, Environmental Health permit changes or proposed use changes, I certify it is my responsibility to notify the Harnett County Central Permitting Department of any and all changes.

EXPIRED PERMIT FEES - 6 Months to 2 years permit re-issue fee is \$150.00. After 2 years re-issue fee

7/23/2020 Date

is as per current fee schedule.

Signature of Owner/Contractor/Officer(s) of Corporation

Affidavit for Worker's Compensation N.C.G.S. 87-14 The undersigned applicant being the: General Contractor Owner Owner Officer/Agent of the Contractor or Owner						
Do hereby confirm under penalties of perjury that the person(s), firm(s) or corporation(s) performing the work set forth in the permit:						
Has three (3) or more employees and has obtained workers' compensation insurance to cover them.						
Has one (1) or more subcontractors(s) and has obtained workers' compensation insurance to cover them.						
Has one (1) or more subcontractors(s) who has their own policy of workers' compensation insurance covering themselves.						
Has no more than two (2) employees and no subcontractors.						
While working on the project for which this permit is sought it is understood that the Central Permitting Department issuing the permit may require certificates of coverage of worker's compensation insurance prior to issuance of the permit and at any time during the permitted work from any person, firm or corporation carrying out the work. Sign w/Title: Date: 1/23/2020						



Initial Application Date: 723 2020

NORTH CAROLINA	
A 1! -	
ADDIIC	ation #

COUNTY OF HARNETT RESIDENTIAL LAND USE APPLICATION Central Permitting 108 E. Front Street, Lillington, NC 27546 Phone: (910) 893-7525 ext:2 Fax: (910) 893-2793 www.harnett.org/permits
A RECORDED SURVEY MAP, RECORDED DEED (OR OFFER TO PURCHASE) & SITE PLAN ARE REQUIRED WHEN SUBMITTING A LAND USE APPLICATION
LANDOWNER: H&H Constructors of Fayetteville, LLC. Mailing Address: 2919 Breezewood Ave. Ste. 400 City: Fayetteville State: NC Zip: 28303 Contact No: 910-486-4864 Email: Stateysimmons@hhhomes.com
APPLICANT*: Same As Above Mailing Address: Same As Above
City: Fayetteville State: NC Zip: 28303 Contact No: 910-486-4864 Email: Stacysimmons@hhhomes.com
CONTACT NAME APPLYING IN OFFICE: Stacy Simmons Phone # 910-486-4864 ADDRESS: 252 Ship Sid Inv ACA 1132 PIN: 0505-77-8183 DEED OR OTP: 3833-0576
PROPOSED USE:
SFD: (Size 31 x 40) # Bedrooms # Baths 25 Basement(w/wo bath): Garage: Deck: Crawl Space: Slab: Monolithic Slab: S
☐ Mod: (Sizex) # Bedrooms # Baths Basement (w/wo bath) ☐ Garage: ☐ Site Built Deck: ☐ On Frame ☐ Off Frame ☐ (Is the second floor finished? (☐) yes (☐) no Any other site built additions? (☐) yes (☐) no
Manufactured Home: SW DW TW (Size x) # Bedrooms: Garage: site built? Deck: site built?
Duplex: (Sizex) No. Buildings: No. Bedrooms Per Unit:
Home Occupation: # Rooms:Use:Hours of Operation:#Employees:
Addition/Accessory/Other: (Sizex) Use:Closets in addition? () yes () no
Water Supply: County Existing Well New Well (# of dwellings using well) *Must have operable water before final (Need to Complete New Well Application at the same time as New Tank) Sewage Supply: New Septic Tank Expansion Relocation Existing Septic Tank County Sewer (Complete Environmental Health Checklist on other side of application if Septic) Does owner of this tract of land, own land that contains a manufactured home within five hundred feet (500') of tract listed above? () yes () no
Does the property contain any easements whether underground or overhead () yes () no
Structures (existing or proposed): Single family dwellings: Proposed Manufactured Homes: Other (specify):
If permits are granted I agree to conform to all ordinances and laws of the State of North Carolina regulating such work and the specifications of plans submitted. I hereby state that foregoing statements are accurate and correct to the best of my knowledge. Permit subject to revocation if false information is provided.
It is the owner/applicants responsibility to provide the county with any applicable information about the subject property, including but not limited to: boundary information, house location, underground or overhead easements, etc. The county or its employees are not responsible for any incorrect or missing information that is contained within these applications.

*This application expires 6 months from the initial date if permits have not been issued**


APPLICATION CONTINUES ON BACK

strong roots · new growth

THESARCHORN WOOD DOUD ENTON PARES

SIMESON	
Stringing	

· 12		Fasteners		DF/SP Allowable Loads					SPF Allowable Loads			
Model No.	I Qty Reg		To	Uplift		Parallel			Uplift	Parallel		
10.	neq	Rafters	Plates	(133	3) (160	Plate (F- (133/160			3) (16	0) Platé (F- (133/16)		
H2.5	1	5-8d	5-8d	415	415	150	150	368	368	5 130	130	
H5A	i.	3-8d	3-8d	350	420	115	180	248	5. 248	5 100	120	
HGA10	1 . 1	4-SDS1/x11/2	4-SDS1/4x3	435	435	1165	940	375	. 378	5 870	815	
H5	1	· 4-8d	4-8d	455	465	115	200	265	265	5 100	170	
H1	1	6-8dx11/2	4-8d	490	585	485	165	400	400	415	140	
H2.5A	1	5-8d	5-8d	600	600	110	110	520	535	110	110	
LTS12	i jid e	6-10dx1½	6-10dx11/2	,720	720	. 75	. 125.	620	620		125	
H8:42.	di"	5-10dx1½	5-10dx11/2	620	7,45		:	530	565			
H10-2	1	6-10d	6-10d	760	760	455	395	655	655	390	340	
H2.5	2	10-8d	10-8d	830	830	300	300	730	730	260	260	
H5	2	8-8d	8-8d	910	930	230	400	530	530	. 200	. 340	
H10	1.1.	8-8dx11/2	_B-8dx11/2	·: 905=	990	: .585 · · ·	. 525	780	850	505	450	
MTS12	1	7-10dx11/2	7-10dx1½	840	1000	75	125	730	860	75	125	
H1	2	12-8dx11/2	8-8d	980	1170	970	330	800	800	830	280	
H2.5A	2	10-8d	10-8d	1200	1200	220	220	1040	1070	220	220	
LTS12	. 2	12-10dx1½	12-10dx11/2	1440	1440	150	250	1240	1240	150	250 ∴	
HTS20	. 1	12-10dx1½	12-10dx11/2	1450	1450	75	125	1245	1245	75	125	
H16S	1	2-10dx11/2	10-10dx11/2	1470	1470	_	_	1265	1265			
H16	1	2-10dx11/2	10-10dx1½	1470	1470	-		1265	1265	0.000	_	
Hjorro (2	16,8dx 1/2	16-8dx12	, of st	1980	1170	1050	1560	17.00	\$\$1010±3	900	
MTS12	2	14-10-0x112-1-	14-10dx1½	1680	2000,	150	250	1460	1720	150 (11)	250	




MTS12 (LTS,

HTS similar)

H10

H5A



Two

H2.5A



Hurricane Tie Installations to Achieve Twice the Load (Top View)





Install diagonally across from each other for minimum 2x truss.



Nailing into both sides of a single ply 2x truss may cause the wood to split. A minimum rafter thickness of 2½" must be used when connectors are installed on the same side.

















H8











