

# Reaction Summary of Order



**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0720-3359
ORDER DATE	07/22/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Shaun Garderner	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Allen Peterson	SALES REP	Neil Baggett
JOBSITE PHONE #	(704) 451-4444	SALES AREA	Neil Baggett

SHEET NO.	<b>Precision Custom Homes</b> 256 Briar Hill Rd. Raeford, NC 28376 (910) 988-8172	<b>JOB NAME:</b> Lot 45 Summerlin <b>MODEL:</b> Roof <b>TAG:</b> PCH-2122/GR <b>DELIVERY INSTRUCTIONS:</b> 54 miles round trip	<b>LOT #</b> 45 <b>SUBDIV:</b> Summerlin <b>JOB CATEGORY:</b> Residential - Roof
	<b>Precision Custom Homes and</b> Lot 45 Summerlin Sanford, NC	<b>SPECIAL INSTRUCTIONS:</b> Like Lot 18 Pinedale Ct.	<b>PLAN SEAL DATE:</b> 6/1/17 BY      DATE

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-04-05	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	/ /
Roof Order	<b>END CUT</b>	<b>RETURN</b>				<b>LAYOUT</b>	NB 09/15/20
	<b>PLUMB</b>	<b>GABLE STUDS</b>	24 IN. OC	<b>JOBSITE</b>	1	<b>CUTTING</b>	NB 07/22/20

<b>ROOF TRUSSES</b>	<b>LOADING INFORMATION</b>	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	<b>ROOF TRUSS SPACING:</b> 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT	Joint 1	Joint 7	Joint 19	Joint 20	Joint 21
	2	8.00	0.00	COMMON A1-GE	30-00-00 30-00-00	2 X 4	2 X 6		01-02-08	Joint 1 175.1 lbs. -58.1 lbs.	Joint 17 202.0 lbs. -12.5 lbs.	Joint 19 250.7 lbs. -133.7 lbs.	Joint 20 152.4 lbs. -75.7 lbs.	Joint 21 182.4 lbs. -90.0 lbs.
	10	8.00	0.00	FINK A2	30-00-00 30-00-00	2 X 4	2 X 6		01-02-08	Joint 1 1345.8 lbs. -62.3 lbs.	Joint 7 1423.9 lbs. -81.4 lbs.			
	2	8.00	0.00	FINK A3	30-00-00 30-00-00	2 X 4	2 X 6		01-02-08	Joint 1 1354.6 lbs. -62.0 lbs.	Joint 7 1432.4 lbs. -81.4 lbs.			
	2	8.00	0.00	FINK A4	30-00-00 30-00-00	2 X 4	2 X 6	01-02-08	01-02-08	Joint 2 1431.3 lbs. -81.2 lbs.	Joint 8 1431.3 lbs. -81.2 lbs.			
	5	8.00	0.00	FINK A5	30-00-00 30-00-00	2 X 4	2 X 6		01-02-08	Joint 1 1356.1 lbs. -62.3 lbs.	Joint 7 1434.2 lbs. -81.4 lbs.			
	1	8.00	0.00	GABLE B1-GE	21-00-00 21-00-00	2 X 4	2 X 6	01-02-08	01-02-08	Joint 2 189.5 lbs. -39.6 lbs.	Joint 12 188.5 lbs. -6.0 lbs.	Joint 14 208.3 lbs. -110.1 lbs.	Joint 15 168.0 lbs. -82.9 lbs.	Joint 16 177.9 lbs. -90.6 lbs.
	2	8.00	0.00	QUEENPOST B2	21-00-00 21-00-00	2 X 4	2 X 6	01-02-08	01-02-08	Joint 2 908.8 lbs. -62.2 lbs.	Joint 6 908.8 lbs. -62.2 lbs.			
	1 2 Ply	8.00	0.00	FINK B3-2PLY	21-00-00 21-00-00	2 X 4	2 X 10			Joint 1 6753.5 lbs. -396.1 lbs.	Joint 5 7402.6 lbs. -433.1 lbs.			
	1	8.00	0.00	COMMON C1-GE	12-00-00 12-00-00	2 X 4	2 X 6	01-02-08	01-02-08	Joint 2 177.5 lbs. -23.0 lbs.	Joint 8 177.5 lbs. -21.0 lbs.	Joint 10 165.9 lbs. -85.4 lbs.	Joint 11 188.2 lbs. -93.9 lbs.	Joint 12 134.1 lbs. 34.3 lbs.
	1 2 Ply	8.00	0.00	COMMON C2-2PLY	12-00-00 12-00-00	2 X 4	2 X 6			Joint 1 3570.2 lbs. -209.1 lbs.	Joint 3 3623.1 lbs. -212.2 lbs.			
	1	4.00	0.00	GABLE M1-GE	04-00-00 04-00-00	2 X 4	2 X 4	01-02-08		Joint 2 240.5 lbs. -152.0 lbs.	Joint 4 131.2 lbs. -79.6 lbs.			

# Reaction Summary of Order











**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0720-3359
ORDER DATE	07/22/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Shaun Garderner	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Allen Peterson	SALES REP	Neil Baggett
JOBSITE PHONE #	(704) 451-4444	SALES AREA	Neil Baggett

SOLD TO	<b>Precision Custom Homes</b> 256 Briar Hill Rd. Raeford, NC 28376 (910) 988-8172	<b>JOB NAME:</b> Lot 45 Summerlin <b>MODEL:</b> Roof <b>TAG:</b> PCH-2122/GR <b>DELIVERY INSTRUCTIONS:</b> 54 miles round trip	<b>LOT #</b> 45 <b>SUBDIV:</b> Summerlin <b>JOB CATEGORY:</b> Residential - Roof
	<b>Precision Custom Homes and</b> Lot 45 Summerlin Sanford, NC	<b>SPECIAL INSTRUCTIONS:</b> Like Lot 18 Pinedale Ct.	<b>PLAN SEAL DATE:</b> 6/1/17 BY      DATE

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-04-05	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	/ /
Roof Order	END CUT	RETURN					
	PLUMB		<b>GABLE STUDS</b>	24 IN. OC	JOBSITE 1	JOBSITE 1	<b>CUTTING</b>
							NB 09/15/20
							NB 07/22/20

<b>ROOF TRUSSES</b>	<b>LOADING INFORMATION</b>	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	<b>ROOF TRUSS SPACING:</b> 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		TOP	BOT			TOP	BOT	LEFT	RIGHT	
	5	4.00	0.00	MONOPITCH M2	04-00-00 04-00-00	2 X 4	2 X 4	01-02-08		Joint 2      Joint 4 240.5 lbs.      131.2 lbs. -106.6 lbs.      -54.1 lbs.
	4	4.00	0.00	MONOPITCH M3	05-00-00 05-00-00	2 X 4	2 X 4	01-02-08		Joint 2      Joint 4 277.3 lbs.      174.4 lbs. -118.2 lbs.      -73.4 lbs.
	1	8.00	0.00	GABLE VB1	17-06-00 17-06-00	2 X 4	2 X 4			Joint 1      Joint 5      Joint 6      Joint 8      Joint 9 81.5 lbs.      55.6 lbs.      493.3 lbs.      576.2 lbs.      493.4 lbs. -52.8 lbs.      -26.9 lbs.      -140.6 lbs.      52.6 lbs.      -140.7 lbs.
	1	8.00	0.00	GABLE VB2	13-06-00 13-06-00	2 X 4	2 X 4			Joint 1      Joint 3      Joint 4 248.7 lbs.      248.7 lbs.      505.5 lbs. -31.0 lbs.      -40.8 lbs.      8.6 lbs.
	1	8.00	0.00	VALLEY VB3	09-06-00 09-06-00	2 X 4	2 X 4			Joint 1      Joint 3      Joint 4 169.4 lbs.      169.4 lbs.      344.2 lbs. -21.1 lbs.      -27.8 lbs.      5.8 lbs.
	1	8.00	0.00	VALLEY VB4	05-06-00 05-06-00	2 X 4	2 X 4			Joint 1      Joint 3 181.5 lbs.      181.5 lbs. -9.7 lbs.      -9.7 lbs.
	1	8.00	0.00	VALLEY VC1	08-06-00 08-06-00	2 X 4	2 X 4			Joint 1      Joint 3      Joint 4 163.7 lbs.      163.7 lbs.      275.4 lbs. -25.9 lbs.      -31.7 lbs.      19.6 lbs.
	1	8.00	0.00	VALLEY VC2	04-06-00 04-06-00	2 X 4	2 X 4			Joint 1      Joint 3 141.5 lbs.      141.5 lbs. -7.5 lbs.      -7.5 lbs.

<b>ITEMS</b>					
QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
15	Hangers, USP	HUS 26			SIMPSON (HUS26)

# Reaction Summary of Order






























**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0221-1205
ORDER DATE	02/25/21	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Allen Peterson	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Allen Peterson	SALES REP	Neil Baggett
JOBSITE PHONE #	(704) 451-4444	SALES AREA	Neil Baggett

SOLD TO	<b>Precision Custom Homes</b> 256 Briar Hill Rd. Raeford, NC 28376 (910) 988-8172	<b>JOB NAME:</b> Lot 45 Summerlin <b>MODEL:</b> Floor <b>TAG:</b> PCH-2122/GR <b>DELIVERY INSTRUCTIONS:</b> 54 miles round trip	<b>LOT #</b> 45 <b>SUBDIV:</b> Summerlin <b>JOB CATEGORY:</b> Residential - Floor
	SHIPP TO	<b>Precision Custom Homes and</b> Lot 45 Summerlin Sanford, NC	<b>SPECIAL INSTRUCTIONS:</b> Like Lot 18 Pinedale Ct.

BUILDING DEPARTMENT Floor Order	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
	END CUT	RETURN				LAYOUT	NB 02/25/21
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING NB 02/25/21

<b>FLOOR TRUSSES</b>	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	FLOOR TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		40.0,10.0,0.0,5.0	1.00	

FLOOR PROFILE	QTY PLY	DEPTH ID	BASE SPAN	O/A SPAN	END TYPE		INT BEARING		REACTIONS				
					LEFT	RIGHT	SIZE	LOCATION					
	1	01-02-00 ET1	20-11-00	20-11-00					Joint 19 55.8 lbs.	Joint 20 143.4 lbs.	Joint 21 147.7 lbs.	Joint 22 146.4 lbs.	Joint 23 146.9 lbs.
	2	01-02-00 ET2	14-07-08	14-07-08					Joint 13 53.8 lbs.	Joint 14 140.2 lbs.	Joint 15 148.5 lbs.	Joint 16 146.2 lbs.	Joint 17 146.8 lbs.
	1	01-02-00 ET3	11-11-00	11-11-00					Joint 12 50.3 lbs.	Joint 13 172.4 lbs.	Joint 14 176.3 lbs.	Joint 15 192.4 lbs.	Joint 16 127.5 lbs.
	12	01-02-00 F1	20-11-00	20-11-00					Joint 16 903.7 lbs.	Joint 26 903.7 lbs.			
	15	01-02-00 F2	14-07-08	14-07-08					Joint 9 784.4 lbs.	Joint 14 784.4 lbs.			
	1	01-02-00 F3	15-03-00	15-03-00					Joint 10 818.8 lbs.	Joint 16 825.0 lbs.			
	3	01-02-00 F4	15-06-08	15-06-08					Joint 10 603.3 lbs.	Joint 13 1139.0 lbs.	Joint 16 341.1 lbs.		
	1	01-02-00 F4-GR	15-06-08	15-06-08					Joint 10 579.3 lbs.	Joint 13 1471.1 lbs.	Joint 16 476.4 lbs.		
	4	01-02-00 F5	11-11-00	11-11-00					Joint 7 635.4 lbs.	Joint 10 635.4 lbs.			

# Reaction Summary of Order















**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0221-1205
ORDER DATE	02/25/21	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Allen Peterson	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Allen Peterson	SALES REP	Neil Baggett
JOBSITE PHONE #	(704) 451-4444	SALES AREA	Neil Baggett

SOLD TO	<b>Precision Custom Homes</b> 256 Briar Hill Rd. Raeford, NC 28376 (910) 988-8172	<b>JOB NAME:</b> Lot 45 Summerlin <b>MODEL:</b> Floor <b>TAG:</b> PCH-2122/GR <b>DELIVERY INSTRUCTIONS:</b> 54 miles round trip	<b>LOT #</b> 45 <b>SUBDIV:</b> Summerlin <b>JOB CATEGORY:</b> Residential - Floor
	SHIPP TO	<b>Precision Custom Homes and</b> Lot 45 Summerlin Sanford, NC	<b>SPECIAL INSTRUCTIONS:</b> Like Lot 18 Pinedale Ct.

BUILDING DEPARTMENT Floor Order	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
	END CUT	RETURN				LAYOUT	NB 02/25/21
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING NB 02/25/21

<b>FLOOR TRUSSES</b>	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	FLOOR TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		40.0,10.0,0.0,5.0	1.00	

FLOOR PROFILE	QTY PLY	DEPTH ID	BASE SPAN	O/A SPAN	END TYPE		INT BEARING		REACTIONS	
					LEFT	RIGHT	SIZE	LOCATION		
	1	01-02-00 F6-GR	14-07-08	14-07-08					Joint 10 872.7 lbs. 483.6 lbs.	Joint 15 1388.6 lbs. 1069.3 lbs.
	2	01-02-00 F7	12-06-00	12-06-00					Joint 8 667.5 lbs. 297.6 lbs.	Joint 12 673.7 lbs. 396.0 lbs.
	1	01-02-00 F8-GR	15-02-15	15-02-15					Joint 11 929.8 lbs. 536.1 lbs.	Joint 18 1399.7 lbs. 1045.5 lbs.
	1	01-02-00 F9-GR	04-02-12	04-02-12					Joint 5 792.6 lbs.	Joint 8 792.6 lbs.

<b>ITEMS</b>						
QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES	
4	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	06-00-00		BM2 & BM3	
2	LVL Beams (Sized)	LVL, 1-3/4" x 14" (S)	21-00-00		GDH	
5	Hangers, USP	MSH422			SIMPSON (THA422)	