

SOUTHEASTERN SOIL & ENVIRONMENTAL ASSOC., INC.

PROPOSED SUBSURFACE WASTE DISPOSAL SYSTEM DETAIL SHEET

SUBDIVISION: Summerlin
INITIAL SYSTEM: Pump to APPROVED 25% RECUCTION

DISTRIBUTION: SERIAL

BENCHMARK: 100.0

NO. BEDROUIMIS: 4

LOT 47
REPAIR Pump to APPROVED 25% Reduction

DISTRIBUTION SERIAL

LOCATION BC Lot IRON 47/48

LIAR 0.49pd / ft²

LINE	FLAG COLOR	ELEVATION	LENGTH
1	P	96.75	40
2	W	95.67	55
3	P	95.08	70
4	W	94.75	80
5a	P	94.33	55
			<u>300</u>
5b	P	94.33	40
6	W	93.42	100
7	P	92.75	40
8	W	92.33	40
9	P	91.67	40
10	W	91.08	40
			<u>300</u>

BY B.C. Raynor

DATE 07/16/2018

TYPICAL PROFILE
0-20 LS vFBI gran
20-36 sCL firm 3BK
CR 2 > 36"

THERE SHALL BE NO GRADING,
CUTTING, LOGGING OR OTHER SOIL
DISTURBANCE IN SEPTIC AREA

