
HARNETT DEPARTMENT OF PUBLIC HEALTH PERMIT TO CONSTRUCT A DRINKING WATER SUPPLY WELL

IN #: 1537-41*6163.000 Parcel #: 021537 0124 03 Application #: SFD2007-0083 Subdivision: Travis Ray Adams Lot #: 3
icant Name: Brian Barefoot ess: 114 E Main St Benson, NC 283347
Type of Facility Served by Well: SFD
ewage System: 25% Reduction System
ermit Conditions: 1030 W. Strickland Road (SR 1789)
 Drinking water supply well construction must meet 15A NCAC 02C.100 rules The permitted drinking water supply well shall be located in accordance with the SITE PLAN ANY ALTERATION of the site of the site (including location of structures and appurtenance) or modification in use of the well, resubject this Permit to revocation
Authorized State Agent Sulfall College Of Date Of 20/20/2020
Grouting Inspection Witnessed Date No Date No Date No Date Date No Date No Date Date Date Date Date No Date
ee attachment for construction sketch
WELL CERTIFICATE OF COMPLETION
icant Name: Brian Barefootess: 114 E Main St Benson, NC 283347 Directions to Site: 1030 W. Strickland Road (SR 1789
Jse of Well: Date Drilled: Total Depth: Replacement Well? Yes No static Water Level: Top of Casing is in. above surface. Yield: gpm at ft.
Vater Zone (depth) Casing Grout from _ To _
nspector: On Hold Date: Release Date:
temarks:
Vell Head Information Casing Height: 12 in + (above finished grade) Access Port: Vent Stack: Vell ID Tag: Pump ID Tag: Sampling Tap: Backflow Preventer: Sample Taken? No Well Head properly sealed:
arks:
Authorized State Agent Date 63 (cro/208)

See Attachment for completion sketch



WELL CONSTRUCTION RECORD (GW-1)	For Internal Use Only:
1. Well Contractor Information:	
Larry Williford Tr	14. WATER ZONES
Well Convactor Name	FROM TO DESCRIPTION
N 5018	20th 22th tan sand
OG ON O H	ft. ft.
NC Well Contractor Certification Number	15. OUTER CASING (for multi-cased wells) OR LINER (if applicable) FROM TO DIAMETER THICKNESS MATERIAL
Willitord's Well Drilling	ti n. 20th a in Schylo PVC
Company Name	16. INNER CASING OR TUBING (geothermal closed-loop)
2. Well Construction Permit #:	FROM TO DIAMETER THICKNESS MATERIAL ft. ft. in.
List all applicable well construction permits (i.e. UIC, County, State, Variance, etc.)	ft. ft. in.
3. Well Use (check well use):	17. SCREEN
Water Supply Well:	FROM TO DIAMETER SLOT SIZE THICKNESS MATERIAL
Agricultural Municipal/Public	20th 22th 2 in ,014 schilo PVZ
Geothermal (Heating/Cooling Supply) Residential Water Supply (single)	ft. ft. in.
Industrial/Commercial Residential Water Supply (shared)	18. GROUT FROM TO MATERIAL EMPLACEMENT METHOD & AMOUNT
Irrigation Non-Water Supply Well:	of 120 11. Bertonike 2 bogs pour
Monitoring	ft. ft.
Injection Well:	ft. ft.
Aquifer Recharge Groundwater Remediation	19. SAND/GRAVEL PACK (if applicable)
Aquifer Storage and Recovery Salinity Barrier	FROM TO MATERIAL EMPLACEMENT METHOD
Aquifer Test Stormwater Drainage	20 th 24 th #2 sand pour
Experimental Technology Subsidence Control	ft. ft.
Geothermal (Closed Loop)	20. DRILLING LOG (attach additional sheets if necessary) FROM
Geothermal (Heating/Cooling Return) Other (explain under #21 Remarks)	i) ft. 3 ft. toosoi
4. Date Well(s) Completed: 12 - 4-20 Well ID#	TO ft. of ft.
5a. Well Location:	8 th 20th tan white clay
Brian Barefoot	
Facility/Owner Name Facility ID# (if applicable)	22 th 24 th black clay
1030 W. Strickland Rd Dunn NC	
Physical Address, City, and Zip	
Marnut 1537-41-6143	21. REMARKS
County Parcel Identification No. (PIN)	Casing 23-26
5b. Latitude and longitude in degrees/minutes/seconds or decimal degrees:	
(if well field, one lat/long is sufficient)	22. Certification:
35.318400 N 78.548021 W	Larry willford or 12-4-20
6. Is(are) the well(s) Permanent or Temporary	Signature of Certified Well Convactor Date
	By signing this form, I hereby certify that the well(s) was (were) constructed in accordance
7. Is this a repair to an existing well: Yes or No If this is a repair, fill out known well construction information and explain the nature of the	with 15A NCAC 02C .0100 or 15A NCAC 02C .0200 Well Construction Standards and that a copy of this record has been provided to the well owner.
repair under #21 remarks section or on the back of this form.	
8. For Geoprobe/DPT or Closed-Loop Geothermal Wells having the same	23. Site diagram or additional well details: You may use the back of this page to provide additional well site details or well
construction, only 1 GW-1 is needed. Indicate TOTAL NUMBER of wells	construction details. You may also attach additional pages if necessary.
drilled:	SUBMITTAL INSTRUCTIONS
9. Total well depth below land surface:	24a. For All Wells: Submit this form within 30 days of completion of well
For multiple wells list all depths if different (example-3@200' and 2@100')	construction to the following:
10. Static water level below top of casing: (ft.)	Division of Water Resources, Information Processing Unit,
If water level is above casing, use "+"	1617 Mail Service Center, Raleigh, NC 27699-1617
11. Borehole diameter:(in.)	24b. For Injection Wells: In addition to sending the form to the address in 24a
12. Well construction method: Myd Rotary	above, also submit one copy of this form within 30 days of completion of well
(i.e. auger, rotary, cable, direct push, etc.)	construction to the following:
FOR WATER SUPPLY WELLS ONLY:	Division of Water Resources, Underground Injection Control Program, 1636 Mail Service Center, Raleigh, NC 27699-1636
1 200000100	
13a. Yield (gpm) Method of test: VINOIN	24c. For Water Supply & Injection Wells: In addition to sending the form to the address(es) above, also submit one copy of this form within 30 days of
13b. Disinfection type: MTH Amount: /4 Cup	completion of well construction to the county health department of the county
	where constructed.