Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Dan Ryan Builders - North Carolina, L SUBDIVISION C	
NEW REPAIR EXPANSION Type of Structure: 37x51 sfd, 3 beds 2.5 baths	Site Improvements required prior to Construction Authorization Issuance:
Proposed Wastewater System Type: 25% Reduction System	
Projected Daily Flow: 360 GPD Number of bedrooms: 3 Number of Occupants: 6 max	
Number of bedrooms: 3Number of Occupants: Omax Basement Tes Number of Occupants: Dmax	
Pump Required: Yes No May be required based on final location and eleva	itions of facilities
Type of Water Supply: Community Note: Well Distance from well Note: Community Note:	A feet Permit valid for: 🔀 Five years 🔲 No expiration
Termit conditions.	
A David	20/11/2
Authorized State Agent: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits, The permit is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.	
<u>Construction Au</u>	thorization
(Required for Buildi	
The construction and installation requirements of Rules 1950, 1952, 1954, 1955, 1956, 1957, 1958, and 1959 ar with the attached system layout.	e incorporated by references into this permit and shall be met. Systems shall be installed in accordance
	LOCATION: 35 Wood Spring Ct. (Rawls Ch. Rd SF ON Olde Mill Village LOT # 32
Facility Type: 37x51 sfd, 3 beds 2.5 bat New Expans	ion Repair
Basement? Yes No Basement Fixtures? Yes No	360
Type of Wastewater System** <u>25% Reduction System</u>	(Initial) Wastewater Flow: 480 (AL) GPD
(See note below, if applicable)	(6 - 1)
25% Reduction System Installation Requirements/Conditions Number of trenches 3	_(Repair)
Installation Requirements/Conditions Number of trenches 3 Septic Tank Size 1000 gallons Exact length of each trench 10	ofeet Trench Spacing: 9 Feet on Center
Pump Tank Sizegallons	
Maximum Trench Depth of: 24	200000000000000000000000000000000000000
(Trench bottoms shall be level t	* * * * * * * * * * * * * * * * * * *
in all directions)	
Pump Requirements:ft. TDH vsGPM	NA inches below pipe
	Aggregate Depth: NA inches above pipe
Conditions: Gravity to D-Box Equal Distribution; Proposal b	ov Adams Soil Const NA inches total
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF S NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.	EPTIC SYSTEM OR REPAIR AREA.
**If applicable: I understand the system type specified is different from the type specifie	ed on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature:	Date:
This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construc	ARE ARRIVALED FOR AUGUST
Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and	d Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH
Authorized State Agent:	Date: 09/24/2020
ANONAN WINN Construction Author	ization Expiration Date: 09/24/2020

Harnett County Department of Public Health Site Sketch

Property Location: 35 Wood Spring Ct. (Rawls Ch. Rd. - SR 1415)


Issued To: Dan Ryan Builders - North Carolina, LLC Subdivision Olde Mill Village Lot # 32

Authorized State Agent: Date: 69/24/2020

* GRAVITY TO D-BOX EGVAL DISTRIBUTIONS


* PROPOSAL BY ADAMS SOIL CONSULTING

CORIGINALLY 4-BEDZOEN]



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.

Olde Mill Village 4-Bedroom Septic Proposal Lot #32



If plumbing is not sufficient a pump and tank may be required to septic drain field.

> *Preliminary Design Not a Permit

24" Trench Bottom
Accepted Status System
Repair: Pressure Manifold
Lines: 4-6 (405')
0.3 LTAR

24" Trench Bottom Accepted Status System

System: Gravity to D-Box Lines: 1-3 (400') 0.3 LTAR

Village Bend Drive 50' Public R/W

Adams Soil Consulting 919-414-6761 Job #699