
## Harnett County Department of Public Health

## Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 6216 Ponderosa Rd, Sanford NC ISSUED TO: Greg Hobbs EXPANSION Site Improvements required prior to Construction Authorization Issuance: NEW X Type of Structure: SFR Proposed Wastewater System Type: Conventional Projected Daily Flow: 480 Number of Occupants: 8 max Number of bedrooms: 4 Basement Yes X No Pump Required: Yes No May be required based on final location and elevations of facilities Type of Water Supply: Community Public Well Distance from well X Five years No expiration Permit conditions: Drain lines to be laid out after the power lines are removed from the initial septic and repair area Authorized State Agent :: Man HE15 Date: 12-22-2020 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit... Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. Grag Hobbs PROPERTY LOCATION: 62/6 Ponderosa Rd, San Ford NC Facility Type: SFR Repair Expansion Basement? Yes No Basement Fixtures? Yes **CO**NVENTIONAL (Initial) Wastewater Flow: 480 GPD Type of Wastewater System\*\* (See note below, if applicable ) CONVENTIONAL feet Trench Spacing: 9 Feet on Center Number of trenches Installation Requirements/Conditions Exact length of each trench 60 Septic Tank Size 1000 gallons Trenches shall be installed on contour at a gallons Pump Tank Size Maximum Trench Depth of: 18"-20" inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: \_\_\_\_\_\_ft. TDH vs. \_\_\_\_\_GPM WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation il the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization 15 subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Date: 3-/7-2/ Construction Authorization Expiration Date: 3 - 17 - 26

## Harnett County Department of Public Health Site Sketch

Property Location: 6216 Ponderosa Rd, S	anford NC		
Issued To: Greg Hobbs	Subdivision		Lot #
Authorized State Agent: Mak	the REHS	Date:	12-22-2020
			3-17-21



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.