

Reaction Summary of Order



ROOF & FLOOR
TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

| | | | |
|-----------------|---------------|-----------------|------------------|
| REQ. QUOTE DATE | / / | ORDER # | J1120-5148 |
| ORDER DATE | 11/04/20 | QUOTE # | |
| DELIVERY DATE | / / | CUSTOMER ACCT # | 0000006897 |
| DATE OF INVOICE | / / | CUSTOMER PO # | |
| ORDERED BY | Chris Sherrod | INVOICE # | |
| COUNTY | Harnett | TERMS | Net 10 Days |
| SUPERINTENDANT | | SALES REP | Anthony Williams |
| JOBSITE PHONE # | | SALES AREA | Hampton Horrocks |

| | | | | | |
|-----------------------|--|---|-------------|-----------------|----------------------------------|
| SIGNED | Signature Home Builders, Inc. 1209 N. Main Street Fayetteville, NC 27546 (910) 892-9299 | JOB NAME: Lot 3122 Old Stage Road | LOT # | SUBDIV: | |
| | SHH TO | Signature Home Builders 3122 Old Stage Road Erwin, NC | MODEL: Roof | TAG: Beaufort | JOB CATEGORY: Residential - Roof |
| | | DELIVERY INSTRUCTIONS: Overheight | | | |
| SPECIAL INSTRUCTIONS: | | | | PLAN SEAL DATE: | |

| | | | | | | | | |
|---------------------|---------------|-------------|-------------|--------------|------------------|---------|---------|----------|
| BUILDING DEPARTMENT | OVERHANG INFO | HEEL HEIGHT | 00-06-08 | REQ. LAYOUTS | REQ. ENGINEERING | QUOTE | HH | 11/05/20 |
| Roof Order | END CUT | RETURN | | | | LAYOUT | | / / |
| | NO | | GABLE STUDS | 16 IN. OC | JOBSITE | 1 | JOBSITE | 1 |
| | | | | | | CUTTING | HH | 11/05/20 |

| | | | | |
|---------------------|---------------------|---------------------|--------------|--|
| ROOF TRUSSES | LOADING INFORMATION | TCLL-TCDL-BCLL-BCDL | STRESS INCR. | ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) |
| | | 20.0,10.0,0.0,10.0 | 1.15 | |

| PROFILE | QTY | PITCH | | TYPE ID | BASE O/A | LUMBER | | OVERHANG | | REACTIONS | | | | |
|---------|-----|-------|------|---------------|----------------------|--------|--------|----------|----------|---------------------------------------|--|--|--|-------------------------------------|
| | | TOP | BOT | | | TOP | BOT | LEFT | RIGHT | | | | | |
| | 9 | 7.00 | 0.00 | PIGGYBACK A1 | 45-09-00 45-09-00 | 2 X 6 | 2 X 6 | 00-11-00 | 00-11-00 | Joint 2 434.0 lbs. -54.0 lbs. | Joint 12 2135.8 lbs. -15.6 lbs. | Joint 17 1863.9 lbs. -58.0 lbs. | | |
| | 1 | 7.00 | 0.00 | GABLE A1GE | 45-09-00 45-09-00 | 2 X 6 | 2 X 6 | 00-11-00 | 00-11-00 | Joint 2 231.3 lbs. -273.9 lbs. | Joint 12 1936.0 lbs. -284.3 lbs. | Joint 15 363.1 lbs. 5.3 lbs. | Joint 18 2314.1 lbs. -422.2 lbs. | |
| | 5 | 7.00 | 0.00 | PIGGYBACK A2 | 45-09-00 45-09-00 | 2 X 6 | 2 X 6 | 00-11-00 | 00-11-00 | Joint 2 1889.3 lbs. -18.2 lbs. | Joint 12 2564.9 lbs. 13.9 lbs. | | | |
| | 2 | 7.00 | 0.00 | PIGGYBACK A3 | 36-08-00 36-06-08 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 1846.2 lbs. -5.4 lbs. | Joint 9 1791.1 lbs. 39.4 lbs. | | | |
| | 2 | 7.00 | 0.00 | PIGGYBACK A4 | 31-10-08 31-10-08 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 687.3 lbs. 54.5 lbs. | Joint 14 1726.0 lbs. 76.2 lbs. | Joint 15 1511.6 lbs. -76.7 lbs. | | |
| | 2 | 7.00 | 0.00 | PIGGYBACK A4A | 31-10-08 31-10-08 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 611.2 lbs. 61.3 lbs. | Joint 15 1675.4 lbs. 62.3 lbs. | Joint 16 1597.6 lbs. -92.7 lbs. | | |
| | 3 | 7.00 | 0.00 | PIGGYBACK A5 | 36-08-00 36-06-08 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 1235.0 lbs. 152.6 lbs. | Joint 13 617.2 lbs. -29.7 lbs. | Joint 16 3581.8 lbs. 116.3 lbs. | Joint 17 3106.1 lbs. -193.0 lbs. | |
| | 1 | 7.00 | 0.00 | PIGGYBACK A6 | 31-10-08 31-10-08 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 682.8 lbs. 59.1 lbs. | Joint 12 1258.4 lbs. 15.2 lbs. | Joint 14 1011.0 lbs. -150.4 lbs. | | |
| | 1 | 7.00 | 0.00 | PIGGYBACK A6A | 31-10-08 31-10-08 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 602.0 lbs. 60.0 lbs. | Joint 13 1182.6 lbs. 14.4 lbs. | Joint 17 854.9 lbs. -152.4 lbs. | | |
| | 1 | 7.00 | 0.00 | GABLE A6GE | 31-10-08 31-10-08 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 212.2 lbs. -19.7 lbs. | Joint 11 137.5 lbs. -49.8 lbs. | Joint 20 34.2 lbs. -7.6 lbs. | Joint 21 152.6 lbs. -73.4 lbs. | Joint 22 143.3 lbs. -2.6 lbs. |
| | 2 | 12.00 | 0.00 | PIGGYBACK B1 | 22-07-00 22-07-00 | 2 X 6 | 2 X 10 | 00-11-00 | 00-11-00 | Joint 12 1520.4 lbs. 231.9 lbs. | Joint 16 1520.4 lbs. 231.9 lbs. | | | |

Reaction Summary of Order



ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

| | | | |
|-----------------|---------------|-----------------|------------------|
| REQ. QUOTE DATE | / / | ORDER # | J1120-5148 |
| ORDER DATE | 11/04/20 | QUOTE # | |
| DELIVERY DATE | / / | CUSTOMER ACCT # | 0000006897 |
| DATE OF INVOICE | / / | CUSTOMER PO # | |
| ORDERED BY | Chris Sherrod | INVOICE # | |
| COUNTY | Harnett | TERMS | Net 10 Days |
| SUPERINTENDANT | | SALES REP | Anthony Williams |
| JOBSITE PHONE # | | SALES AREA | Hampton Horrocks |

| | | | | | |
|-----------------------|--|---|-------------|---------------|----------------------------------|
| SIGNED | Signature Home Builders, Inc. 1209 N. Main Street Fayetteville, NC 27546 (910) 892-9299 | JOB NAME: Lot 3122 Old Stage Road | LOT # | SUBDIV: | |
| | SHEET | Signature Home Builders 3122 Old Stage Road Erwin, NC | MODEL: Roof | TAG: Beaufort | JOB CATEGORY: Residential - Roof |
| | | DELIVERY INSTRUCTIONS: Overheight | | | |
| SPECIAL INSTRUCTIONS: | | | | | |
| PLAN SEAL DATE: | | | | | |
| BY DATE | | | | | |

| | | | | | | | | |
|---------------------|---------------|-------------|-------------|--------------|------------------|-----------|---------|-------------|
| BUILDING DEPARTMENT | OVERHANG INFO | HEEL HEIGHT | 00-06-08 | REQ. LAYOUTS | REQ. ENGINEERING | QUOTE | HH | 11/05/20 |
| Roof Order | END CUT | RETURN | | | | LAYOUT | | / / |
| | NO | | GABLE STUDS | 16 IN. OC | JOBSITE 1 | JOBSITE 1 | CUTTING | HH 11/05/20 |

| | | | | |
|---------------------|---------------------|---------------------|--------------|--|
| ROOF TRUSSES | LOADING INFORMATION | TCLL-TCDL-BCLL-BCDL | STRESS INCR. | ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) |
| | | 20.0,10.0,0.0,10.0 | 1.15 | |

| PROFILE | QTY | PITCH | | TYPE ID | BASE O/A | LUMBER | | OVERHANG | | REACTIONS | | | | | |
|---------|------------|-------|------|-----------------|----------------------|--------|--------|----------|----------|--|---------------------------------------|--|--|--------------------------------------|--|
| | | TOP | BOT | | | TOP | BOT | LEFT | RIGHT | | | | | | |
| | 1 | 12.00 | 0.00 | GABLE B1GE | 22-07-00 22-07-00 | 2 X 6 | 2 X 10 | 00-11-00 | 00-11-00 | Joint 15 805.7 lbs. -30.6 lbs. | Joint 16 42.3 lbs. -482.9 lbs. | Joint 17 1107.9 lbs. -104.2 lbs. | Joint 19 1112.1 lbs. -106.0 lbs. | Joint 20 42.3 lbs. -482.9 lbs. | |
| | 4 | 12.00 | 0.00 | PIGGYBACK B2 | 22-07-00 22-07-00 | 2 X 6 | 2 X 10 | | 00-11-00 | Joint 11 1521.6 lbs. 232.7 lbs. | Joint 15 1467.7 lbs. 241.0 lbs. | | | | |
| | 1 3 Ply | 12.00 | 0.00 | PIGGYBACK B2GRD | 22-07-00 22-07-00 | 2 X 6 | 2 X 10 | | | Joint 10 9669.0 lbs. 1229.2 lbs. | Joint 14 7030.7 lbs. 604.3 lbs. | | | | |
| | 5 | 7.00 | 0.00 | COMMON C1 | 21-03-00 21-03-00 | 2 X 6 | 2 X 6 | 00-11-00 | 00-11-00 | Joint 2 893.5 lbs. -12.3 lbs. | Joint 6 893.5 lbs. -12.3 lbs. | | | | |
| | 1 | 7.00 | 0.00 | COMMON C1GE | 21-03-00 21-03-00 | 2 X 6 | 2 X 6 | 00-11-00 | 00-11-00 | Joint 2 158.7 lbs. -20.9 lbs. | Joint 12 155.3 lbs. 10.6 lbs. | Joint 14 221.4 lbs. -83.0 lbs. | Joint 15 153.6 lbs. -53.4 lbs. | Joint 16 174.0 lbs. -66.4 lbs. | |
| | 25 | 7.00 | 0.00 | PIGGYBACK PB1 | 08-03-11 08-03-11 | 2 X 4 | 2 X 4 | | | Joint 2 210.3 lbs. -23.5 lbs. | Joint 4 210.3 lbs. -29.0 lbs. | Joint 6 310.8 lbs. 32.7 lbs. | | | |
| | 2 | 7.00 | 0.00 | GABLE PB1GE | 08-03-11 08-03-11 | 2 X 4 | 2 X 4 | | | Joint 1 44.7 lbs. -40.1 lbs. | Joint 2 152.0 lbs. -49.5 lbs. | Joint 6 139.8 lbs. -35.4 lbs. | Joint 7 16.5 lbs. -11.4 lbs. | Joint 8 201.1 lbs. -69.7 lbs. | |
| | 7 | 12.00 | 0.00 | GABLE PB3 | 04-06-05 04-06-05 | 2 X 4 | 2 X 4 | | | Joint 1 87.4 lbs. -122.3 lbs. | Joint 2 256.6 lbs. -102.6 lbs. | Joint 4 231.8 lbs. -86.2 lbs. | Joint 5 66.7 lbs. -91.2 lbs. | Joint 6 137.0 lbs. 31.8 lbs. | |
| | 1 | 12.00 | 0.00 | PIGGYBACK PB3A | 04-06-05 04-06-05 | 2 X 4 | 2 X 4 | | | Joint 2 133.7 lbs. -13.9 lbs. | Joint 4 133.6 lbs. -17.3 lbs. | Joint 6 140.3 lbs. 25.2 lbs. | | | |
| | 3 | 12.00 | 0.00 | PIGGYBACK PB4 | 05-07-01 05-07-01 | 2 X 4 | 2 X 4 | | | Joint 1 119.0 lbs. -13.5 lbs. | Joint 3 119.0 lbs. -13.5 lbs. | Joint 4 152.9 lbs. 25.3 lbs. | | | |
| | 1 | 12.00 | 0.00 | GABLE VA1 | 19-00-07 19-00-07 | 2 X 4 | 2 X 4 | | | Joint 1 194.4 lbs. -24.5 lbs. | Joint 11 192.7 lbs. -20.4 lbs. | Joint 12 214.0 lbs. -75.8 lbs. | Joint 14 154.5 lbs. -55.7 lbs. | Joint 15 230.1 lbs. -81.0 lbs. | |

Reaction Summary of Order



| | | | |
|-----------------|---------------|-----------------|------------------|
| REQ. QUOTE DATE | / / | ORDER # | J1120-5148 |
| ORDER DATE | 11/04/20 | QUOTE # | |
| DELIVERY DATE | / / | CUSTOMER ACCT # | 0000006897 |
| DATE OF INVOICE | / / | CUSTOMER PO # | |
| ORDERED BY | Chris Sherrod | INVOICE # | |
| COUNTY | Harnett | TERMS | Net 10 Days |
| SUPERINTENDANT | | SALES REP | Anthony Williams |
| JOBSITE PHONE # | | SALES AREA | Hampton Horrocks |

| | | | |
|---------|---|--|--|
| SHPHOTO | Signature Home Builders, Inc. 1209 N. Main Street Fayetteville, NC 27546 (910) 892-9299 | JOB NAME: Lot 3122 Old Stage Road MODEL: Roof TAG: Beaufort DELIVERY INSTRUCTIONS: Overheight | LOT # SUBDIV: JOB CATEGORY: Residential - Roof |
| | | SPECIAL INSTRUCTIONS: | |
| | | PLAN SEAL DATE: BY DATE | |

| | | | | | | | | |
|----------------------------|----------------------|--------------------|--------------------|---------------------|-------------------------|--------------|----------------|-------------|
| BUILDING DEPARTMENT | OVERHANG INFO | HEEL HEIGHT | 00-06-08 | REQ. LAYOUTS | REQ. ENGINEERING | QUOTE | HH | 11/05/20 |
| Roof Order | END CUT | RETURN | | | | LAYOUT | | / / |
| | NO | | GABLE STUDS | 16 IN. OC | JOBSITE 1 | JOBSITE 1 | CUTTING | HH 11/05/20 |

| ROOF TRUSSES | | LOADING INFORMATION | | TCLL-TCDL-BCLL-BCDL | | STRESS INCR. | | ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) | | | | | | |
|--------------|-----|---------------------|------|---------------------|----------------------|--------------|-------|--|-------|-------------|------------|-------------|------------|-------------|
| PROFILE | QTY | PITCH | | TYPE ID | BASE O/A | LUMBER | | OVERHANG | | REACTIONS | | | | |
| | | TOP | BOT | | | TOP | BOT | LEFT | RIGHT | | | | | |
| | 1 | 12.00 | 0.00 | GABLE VA2 | 16-08-07 16-08-07 | 2 X 4 | 2 X 4 | | | Joint 1 | Joint 5 | Joint 6 | Joint 8 | Joint 9 |
| | | | | | | | | | | 148.8 lbs. | 126.2 lbs. | 621.6 lbs. | 595.7 lbs. | 621.8 lbs. |
| | | | | | | | | | | -106.3 lbs. | -79.5 lbs. | -191.0 lbs. | 86.0 lbs. | -191.0 lbs. |
| | 1 | 12.00 | 0.00 | GABLE VA3 | 14-04-07 14-04-07 | 2 X 4 | 2 X 4 | | | Joint 1 | Joint 3 | Joint 4 | | |
| | | | | | | | | | | 331.6 lbs. | 331.6 lbs. | 734.4 lbs. | | |
| | | | | | | | | | | -22.3 lbs. | -22.3 lbs. | 40.1 lbs. | | |
| | 1 | 12.00 | 0.00 | GABLE VA4 | 12-00-07 12-00-07 | 2 X 4 | 2 X 4 | | | Joint 1 | Joint 3 | Joint 4 | | |
| | | | | | | | | | | 257.0 lbs. | 257.0 lbs. | 392.6 lbs. | | |
| | | | | | | | | | | -18.5 lbs. | -18.5 lbs. | 33.3 lbs. | | |
| | 1 | 12.00 | 0.00 | VALLEY VA5 | 09-08-07 09-08-07 | 2 X 4 | 2 X 4 | | | Joint 1 | Joint 3 | Joint 4 | | |
| | | | | | | | | | | 204.1 lbs. | 204.1 lbs. | 311.8 lbs. | | |
| | | | | | | | | | | -14.7 lbs. | -14.7 lbs. | 26.4 lbs. | | |
| | 1 | 12.00 | 0.00 | VALLEY VA6 | 07-04-07 07-04-07 | 2 X 4 | 2 X 4 | | | Joint 1 | Joint 3 | Joint 4 | | |
| | | | | | | | | | | 162.4 lbs. | 162.3 lbs. | 208.5 lbs. | | |
| | | | | | | | | | | -18.4 lbs. | -18.4 lbs. | 34.5 lbs. | | |
| | 1 | 12.00 | 0.00 | VALLEY VA7 | 05-00-07 05-00-07 | 2 X 4 | 2 X 4 | | | Joint 1 | Joint 3 | Joint 4 | | |
| | | | | | | | | | | 105.5 lbs. | 105.5 lbs. | 135.5 lbs. | | |
| | | | | | | | | | | -11.9 lbs. | -11.9 lbs. | 22.4 lbs. | | |

| ITEMS | | | | | |
|-------|-------------------|---------------------------|--------------------|-------------|-----------------|
| QTY | ITEM TYPE | SIZE | LENGTH FT-IN-16 | PART NUMBER | NOTES |
| 5 | Hangers, USP | HUS 26 | | | SIMPSON (HUS26) |
| 2 | LVL Beams (Sized) | LVL, 1-3/4" x 9-1/4" (S) | 10-00-00 | | BM1 |
| 2 | LVL Beams (Sized) | LVL, 1-3/4" x 9-1/4" (S) | 07-00-00 | | BM2 |
| 2 | LVL Beams (Sized) | LVL, 1-3/4" x 9-1/4" (S) | 07-00-00 | | BM3 |
| 2 | LVL Beams (Sized) | LVL, 1-3/4" x 11-7/8" (S) | 23-00-00 | | GDH |