



Products				
PlotID	Length	Product	Plies	Net Qty
J-37	37' 2"	14" BCI@ 4500s-1.8	1	6
J-37-2	37' 2"	14" BCI@ 4500s-1.8	2	4
J-36	36' 10"	14" BCI@ 4500s-1.8	1	4
J-36-2	36' 10"	14" BCI@ 4500s-1.8	2	4
J-23	23' 3"	14" BCI@ 4500s-1.8	1	1
J-20	20' 10 1/2"	14" BCI@ 4500s-1.8	1	1
J-20-2	20' 10 1/2"	14" BCI@ 4500s-1.8	2	2
J-19	19' 0 1/2"	14" BCI@ 4500s-1.8	1	6
J-17	17' 6"	14" BCI@ 4500s-1.8	1	5
J-17-2	17' 3 1/2"	14" BCI@ 4500s-1.8	1	8
J-17-2	17' 3 1/2"	14" BCI@ 4500s-1.8	2	2
J-16	16' 7"	14" BCI@ 4500s-1.8	1	1
J-15	15' 7 1/2"	14" BCI@ 4500s-1.8	1	5
J-12-2	12' 11 1/2"	14" BCI@ 4500s-1.8	2	2
J-9-2	9' 9"	14" BCI@ 4500s-1.8	2	2
J-3	3' 9"	14" BCI@ 4500s-1.8	1	1
DB1-2	8' 0"	1-3/4" x 9-1/4" VERSA-LAM@ 2.0 3100 SP	2	2
FB1-2	12' 0"	1-3/4" x 14" VERSA-LAM@ 2.0 3100 SP	2	2
FB2-2	8' 0"	1-3/4" x 14" VERSA-LAM@ 2.0 3100 SP	2	2
GDH	20' 0"	1-3/4" x 18" VERSA-LAM@ 2.0 3100 SP	3	3
RIM1	12' 0"	1" x 14" BC RIM BOARD OSB	1	14
BK	2' 0"	14" BCI@ 4500s-1.8	1	14

Hangers			
PlotID	Qty	Manuf	Product
H1	5	Simpson	HU11
H2	21	Simpson	IUS 1.81/14
H3	2	Simpson	IUS 3.56/14
H4	1	Simpson	MIU 3.56/14

**Builders FirstSource**  
Engineered Wood Products

www.BLDR.com

1135 Robeson St.  
Fayetteville, NC 28305  
V (910) 485-1111  
F (910) 485-6475

7601 BOEING DRIVE  
GREENSBORO, NC 27409  
V: 336.884.5454

3189 NC HIGHWAY5  
ABERDEEN NC 28315  
V: 910.944.2516

This layout and associated materials list has been prepared based on project plans and/or information provided to Builders FirstSource (BFS). It remains the responsibility of the builder, architect, designer, or other responsible persons to review this information to assure that it is appropriate, accurate, complete and complies with applicable building codes.

**GENERAL NOTES**

- 1.) READ THE INSTALLATION GUIDE BEFORE FRAMING.
- 2.) ALL WALL SHOWN ARE LOAD BEARING UNLESS NOTES OTHERWISE WALLS NOT SHOWN HAVE BEEN CONSIDERED NON-LOAD BEARING.
- 3.) UNLESS STATED OTHERWISE ALL CEILING & ROOF LOADS BRACE DIRECTLY TO LOAD BEARING WALLS SUPPORTED BY FOUNDATION.
- 4.) CONTACT YOUR LOCAL BUILDERS FIRSTSOURCE LOCATION BEFORE MAKING ANY ALTERATION & ADJUSTMENTS. FAILURE MAY RESULT IN COSTLY REPAIRS.

<b>H &amp; H HOMES</b>	<b>PRELUDE GL</b>	2nd FLOOR EWP PLACEMENT PLAN	JOB #
	Builders FirstSource, Central Carolina Markets	DATE: 3-27-18	SCALE: NTS
DRAWN BY: LEE ATKINS			

---

MINIMUM DESIGN DATA

LIVE LOAD 40 PSF  
DEAD LOAD 10 PSF

---

TOTAL LOAD 50 PSF

STRESS DURATION = 100%

DEFLECTION CRITERIA  
L/480 (MINIMUM)

---

ARCHITECTURAL PLAN DATE  
11-16-17

REVISED ARCH. PLAN DATE  
XX-XX-XX

SEALED PLAN DATE  
12-27-17

**Sheet**

1 of 1