


U.S. LUMBER

Important Notes | WARNING: Failure to follow proper procedures for handling, storage and installation could result in unsatisfactory performance, unsafe

structures and possible collapse. These instructions are offered as a guide to good practice in the handling, storage and installation of LP® SolidStart® I-Joists, LP SolidStart LVL & LP SolidStart LSL beams. They are, however, solely general recommendations and, in some instances, other or additional precautions may be desirable. In all cases, the procedures used should be as specified by the architect/engineer responsible for the entire building.

- This is not intended as a manual for selecting products and assumes that components and details have been specified correctly.
- Consult the LP SolidStart I-Joist, LP SolidStart LVL & LP SolidStart LSL brochures or contact your LP SolidStart products distributor for assistance.
- All rim joists, blocking, connections and temporary bracing must be installed before erectors are allowed on the structure.
- No loads other than the weight of the erectors are to be imposed on the structure before it is permanently sheathed.
- After sheathing, do not overload joists with construction materials exceeding design loads.
- LP SolidStart I-Joists, LP SolidStart LVL & LP SolidStart LSL beams must be used under dry, covered and well ventilated interior conditions in which the equivalent moisture content in lumber will not exceed 16%.



Customer Name:

BRAD CUMMINGS

Job Name: BURGESS/SPRING HILL CHURCH RD.

> Designer: **Tony Huneycutt**

Salesman:


EDDIE BAUER

Scale:1/4" = 1'

Date:10/13/20

1ST FLOOR






Toe nail 8d or 10d box nail to plate

B3 BLOCKING AT INTERIOR SUPPORT

CANTILEVER DETAIL
No reinforcement required

Note: Sheathing shall not span greater than rating

Blocking is not required if no wall above unless I-Joists end at support. Blocking may be required at interior supports by project designer or by code for seismic design




Fab Type

Products

Product

Length






U.S. LUMBER

Important Notes | WARNING: Failure to follow proper procedures for handling, storage and installation could result in unsatisfactory performance, unsafe

structures and possible collapse. These instructions are offered as a guide to good practice in the handling, storage and installation of LP® SolidStart® I-Joists, LP SolidStart LVL & LP SolidStart LSL beams. They are, however, solely general recommendations and, in some instances, other or additional precautions may be desirable. In all cases, the procedures used should be as specified by the architect/engineer responsible for the entire building.

- This is not intended as a manual for selecting products and assumes that components and details have been specified correctly.
- Consult the LP SolidStart I-Joist, LP SolidStart LVL & LP SolidStart LSL brochures or contact your LP SolidStart products distributor for assistance.
- All rim joists, blocking, connections and temporary bracing must be installed before erectors are allowed on the structure.
- No loads other than the weight of the erectors are to be imposed on the structure
- before it is permanently sheathed.
- After sheathing, do not overload joists with construction materials exceeding design loads.
- LP SolidStart I-Joists, LP SolidStart LVL & LP SolidStart LSL beams must be used under dry, covered and well ventilated interior conditions in which the equivalent moisture content in lumber will not exceed 16%.



Customer Name:

BRAD CUMMINGS

Job Name: BURGESS/SPRING HILL CHURCH RD.

> Designer: **Tony Huneycutt**

Salesman:


EDDIE BAUER

Scale:1/4" = 1'


Date:10/13/20

2ND FLOOR










U.S. LUMBER

Important Notes WARNING: Failure to follow proper procedures for handling, storage and installation could result in unsatisfactory performance, unsafe

structures and possible collapse.

These instructions are offered as a guide to good practice in the handling, storage and installation of LP® SolidStart® I-Joists, LP SolidStart LVL & LP SolidStart LSL beams. They are, however, solely general recommendations and, in some instances, other or additional precautions may be desirable. In all cases, the procedures used should be as specified by the architect/engineer responsible for the entire building.

- This is not intended as a manual for selecting products and assumes that components and details have been specified correctly.
- Consult the LP SolidStart I-Joist, LP SolidStart LVL & LP SolidStart LSL brochures or contact your LP SolidStart products distributor for assistance.
 All rim joists, blocking, connections and temporary bracing must be installed before
- erectors are allowed on the structure.
- No loads other than the weight of the erectors are to be imposed on the structure before it is permanently sheathed.
- After sheathing, do not overload joists with construction materials exceeding design loads.
- After sheathing, do not overload joists with construction materials exceeding design loads.
 LP SolidStart I-Joists, LP SolidStart LVL & LP SolidStart LSL beams must be used under dry, covered and well ventilated interior conditions in which the equivalent moisture content in lumber will not exceed 16%.



Customer Name:

BRAD CUMMINGS

Job Name: BURGESS/SPRING HILL CHURCH RD.

Designer:
Tony Huneycutt

Salesman:

EDDIE BAUER

Scale:1/4" = 1'

Date:10/13/20

1ST FLOOR



FIRST FLOOR FRAMING

1642	LF	12IJ	11-7/8" LPI 20Plus JOISTS		17/30' 15/24'		' 2/22	' 8/16'	3	4926	
						33/14'	2/12'	5/10'	+ 64' BLKG		
20	PCS	12RIM12	1-1/8" x 11-7/8" x 12' RIM BOARD						43.3	866	

5792

BONUS ROOM EWP

528	LF	16IJHD	16" LPI 42Plus JOISTS	22/24'		4.5	2376
7	PCS	16RIM12	1-1/8" x 16" x 12' RIM BO	DARD		58.8	411.6
120	LF	9LVL	1-3/4" x 9-1/4" LVL	2/30' 2/20' 2	/10'	4.2	504
116	LF	14LVL	1-3/4" x 14" LVL	2/20' 2/14' 4	/12'	6.4	742.4

4034