


THIS LAYOUT IS INTENDED FOR THE PURPOSE OF TRUSS LOCATION AND PLACEMENT ONLY. REFER TO THE BUILDING PLANS FOR ACTUAL BUILDING CONSTRUCTION.



Products					
PlotID	Length	Product	Plies	Net Qty	Fab Type
BM1	26-00-00	1-3/4" x 9-1/4" VERSA-LAM@ 2.0 3100 SP	2	2	MFD
GDH	26-00-00	1-3/4" x 11-7/8" VERSA-LAM@ 2.0 3100 SP	3	3	MFD
HR2	8-00-00	1-3/4" x 11-7/8" VERSA-LAM@ 2.0 3100 SP	2	2	MFD
HR1	6-00-00	1-3/4" x 11-7/8" VERSA-LAM@ 2.0 3100 SP	2	2	MFD
FB2	16-00-00	1-3/4" x 14" VERSA-LAM@ 2.0 3100 SP	2	2	MFD
FB3	16-00-00	1-3/4" x 14" VERSA-LAM@ 2.0 3100 SP	2	2	MFD
FB6	14-00-00	1-3/4" x 14" VERSA-LAM@ 2.0 3100 SP	2	2	MFD
FB4	12-00-00	1-3/4" x 14" VERSA-LAM@ 2.0 3100 SP	2	2	MFD
FB5	10-00-00	1-3/4" x 14" VERSA-LAM@ 2.0 3100 SP	2	4	MFD
FB7	10-00-00	1-3/4" x 14" VERSA-LAM@ 2.0 3100 SP	2	2	MFD
FB8	4-00-00	1-3/4" x 14" VERSA-LAM@ 2.0 3100 SP	2	2	MFD
FB1	26-00-00	1-3/4" x 24" VERSA-LAM@ 2.0 3100 SP	4	4	MFD

Crawl Level Floor Area	1st Level Floor Area	2nd Level Floor Area
0	1079.6	0



DEDICATED TO QUALITY AND EXCELLENCE  
 200 EMMETT ROAD  
 DUNN, NORTH CAROLINA 28334  
 PHONE: 910-892-8400

PROJECT:	WELLONS - BREEDEN		
CUSTOMER:	Wellon Homes		
MODEL:	Breedren 2nd Floor		
QUOTE #:	2000471	PRINT DATE:	10/16/2017
		DRAWN BY:	Rodney Evans
		SCALE:	N.T.S

TOP LIVE LOAD:	40.0 lb/ft <sup>2</sup>
TOP DEAD LOAD:	10.0 lb/ft <sup>2</sup>
BOTTOM LIVE LOAD:	
BOTTOM DEAD LOAD:	5.0 lb/ft <sup>2</sup>

GENERAL NOTES:  
 - DO NOT CUT OR MODIFY TRUSSES  
 - TRUSSES ARE SPACED 24" ON CENTER UNLESS OTHERWISE NOTED  
 - REFER TO THE INDIVIDUAL TRUSS DESIGN DRAWINGS FOR THE LOCATION OF LATERAL BRACING AND MULTI-PLY CONNECTION REQUIREMENTS.  
 - PER ANSI TPI 1-2002 THE TRUSS ENGINEER IS RESPONSIBLE FOR TRUSS TO TRUSS CONNECTIONS AND TRUSS PLY TO PLY CONNECTIONS. THIS TRUSS PLAN RECOMMENDS TRUSS TO BEARING CONNECTIONS AND TRUSS TO BEAM CONNECTIONS WHICH SHALL BE REVIEWED BY THE BUILDING DESIGNER. IT IS THE RESPONSIBILITY OF THE BUILDING DESIGNER TO RESOLVE ALL ROOF FORCES ADEQUATELY TO THE FOUNDATION.