

RE: J0920-4173  
 Lot 54 Sierra Villas

Trenco  
 818 Soundside Rd  
 Edenton, NC 27932

**Site Information:**

Customer: Project Name: J0920-4173  
 Lot/Block: Model:  
 Address: Subdivision:  
 City: State:


**General Truss Engineering Criteria & Design Loads (Individual Truss Design Drawings Show Special Loading Conditions):**

Design Code: IRC2015/TPI2014 Design Program: MiTek 20/20 8.3  
 Wind Code: N/A Wind Speed: N/A mph  
 Roof Load: N/A psf Floor Load: 55.0 psf

This package includes 11 individual, dated Truss Design Drawings and 0 Additional Drawings.

No.	Seal#	Truss Name	Date
1	E14489187	ET1	9/18/2020
2	E14489188	ET2	9/18/2020
3	E14489189	ET3	9/18/2020
4	E14489190	F1	9/18/2020
5	E14489191	F1A	9/18/2020
6	E14489192	F2	9/18/2020
7	E14489193	F3	9/18/2020
8	E14489194	F4	9/18/2020
9	E14489195	F5	9/18/2020
10	E14489196	F6	9/18/2020
11	E14489197	FG1	9/18/2020

The truss drawing(s) referenced above have been prepared by Truss Engineering Co. under my direct supervision based on the parameters provided by Comtech, Inc - Fayetteville.  
 Truss Design Engineer's Name: Gilbert, Eric  
 My license renewal date for the state of North Carolina is December 31, 2020.  
 North Carolina COA: C-0844



**IMPORTANT NOTE:** The seal on these truss component designs is a certification that the engineer named is licensed in the jurisdiction(s) identified and that the designs comply with ANSI/TPI 1. These designs are based upon parameters shown (e.g., loads, supports, dimensions, shapes and design codes), which were given to TRENCO. Any project specific information included is for TRENCO customers file reference purpose only, and was not taken into account in the preparation of these designs. TRENCO has not independently verified the applicability of the design parameters or the designs for any particular building. Before use, the building designer should verify applicability of design parameters and properly incorporate these designs into the overall building design per ANSI/TPI 1, Chapter 2.

September 18, 2020


Job	Truss	Truss Type	Qty	Ply	Lot 54 Sierra Villas	E14489187
J0920-4173	ET1	Floor Supported Gable	1	1	Job Reference (optional)	

Comtech, Inc., Fayetteville, NC - 28314,

8.330 s May 6 2020 MiTek Industries, Inc. Tue Jun 9 10:03:38 2020 Page 1  
ID:d6E6lizSYcm5g\_caniilVuiz8loe-sdTja5BGnU3K46qyaAnbA0NTEndnkeBrzSxbJFz82Sp

0-1-8

Scale = 1:61.3



36-6-12  
36-6-12

Plate Offsets (X,Y)-- [1:Edge,0-1-8], [7:0-1-8,Edge], [25:0-1-8,Edge], [39:0-1-8,Edge], [55:0-1-8,Edge], [62:Edge,0-1-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	in (loc)	l/defl	L/d	PLATES	GRIP
TCLL 40.0	2-0-0	TC 0.06	Vert(LL)	n/a	-	n/a	MT20	244/190
TCDL 10.0	Plate Grip DOL 1.00	BC 0.01	Vert(CT)	n/a	-	n/a		
BCLL 0.0	Lumber DOL 1.00	WB 0.03	Horz(CT)	-0.00	39	n/a		
BCDL 5.0	Rep Stress Incr YES	Matrix-S						
	Code IRC2015/TPI2014						Weight: 163 lb	FT = 20%F, 11%E


**LUMBER-**  
TOP CHORD 2x4 SP No.1 (flat)  
BOT CHORD 2x4 SP No.1 (flat)  
WEBS 2x4 SP No.3 (flat)  
OTHERS 2x4 SP No.3 (flat)

**BRACING-**  
TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.  
BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

**REACTIONS.** All bearings 36-6-12.  
(lb) - Max Grav All reactions 250 lb or less at joint(s) 62, 32, 61, 60, 59, 58, 57, 56, 55, 54, 53, 51, 50, 49, 48, 47, 46, 45, 44, 43, 41, 40, 39, 38, 37, 36, 35, 34, 33

**FORCES.** (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

- NOTES-**
- 1) All plates are 1.5x3 MT20 unless otherwise indicated.
  - 2) Plates checked for a plus or minus 1 degree rotation about its center.
  - 3) Gable requires continuous bottom chord bearing.
  - 4) Truss to be fully sheathed from one face or securely braced against lateral movement (i.e. diagonal web).
  - 5) Gable studs spaced at 1-4-0 oc.
  - 6) Recommend 2x6 strongbacks, on edge, spaced at 10-0-0 oc and fastened to each truss with 3-10d (0.131" X 3") nails. Strongbacks to be attached to walls at their outer ends or restrained by other means.
  - 7) CAUTION, Do not erect truss backwards.



June 9, 2020

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601

ENGINEERING BY  
**TRENCO**  
A MiTek Affiliate

818 Soundside Road  
Edenton, NC 27932

Job	Truss	Truss Type	Qty	Ply	Lot 54 Sierra Villas	E14489188
J0920-4173	ET2	Floor Supported Gable	1	1	Job Reference (optional)	

Comtech, Inc., Fayetteville, NC - 28314,

8.330 s May 6 2020 MiTek Industries, Inc. Tue Jun 9 10:03:39 2020 Page 1  
ID:d6E6lizSYcm5g\_caniilVuiZ8loe-Kp15oRCuYoBAiGP98ulqiEwe?BZ0T5R\_C6h8rhz82So

0-1/8

0-1/8

Scale = 1:45.8




Plate Offsets (X,Y)-- [5:0-1-8,Edge], [19:0-1-8,Edge], [29:0-1-8,Edge], [41:0-1-8,Edge]

LOADING (psf)	SPACING-	2-0-0	CSI.	DEFL.	in (loc)	l/defl	L/d	PLATES	GRIP
TCLL 40.0	Plate Grip DOL	1.00	TC 0.06	Vert(LL)	n/a	-	n/a	MT20	244/190
TCDL 10.0	Lumber DOL	1.00	BC 0.01	Vert(CT)	n/a	-	n/a		
BCLL 0.0	Rep Stress Incr	YES	WB 0.03	Horz(CT)	-0.00	29	n/a		
BCDL 5.0	Code IRC2015/TPI2014		Matrix-S					Weight: 124 lb	FT = 20%F, 11%E


**LUMBER-**  
TOP CHORD 2x4 SP No.1 (flat)  
BOT CHORD 2x4 SP No.1 (flat)  
WEBS 2x4 SP No.3 (flat)  
OTHERS 2x4 SP No.3 (flat)

**BRACING-**  
TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.  
BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

**REACTIONS.** All bearings 27-5-0.  
(lb) - Max Grav All reactions 250 lb or less at joint(s) 46, 24, 45, 44, 43, 42, 41, 40, 39, 38, 36, 35, 34, 33, 32, 31, 30, 29, 28, 27, 26, 25

**FORCES.** (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

- NOTES-**
- 1) All plates are 1.5x3 MT20 unless otherwise indicated.
  - 2) Plates checked for a plus or minus 1 degree rotation about its center.
  - 3) Gable requires continuous bottom chord bearing.
  - 4) Truss to be fully sheathed from one face or securely braced against lateral movement (i.e. diagonal web).
  - 5) Gable studs spaced at 1-4-0 oc.
  - 6) Recommend 2x6 strongbacks, on edge, spaced at 10-0-0 oc and fastened to each truss with 3-10d (0.131" X 3") nails. Strongbacks to be attached to walls at their outer ends or restrained by other means.



June 9, 2020

Job	Truss	Truss Type	Qty	Ply	Lot 54 Sierra Villas	E14489189
J0920-4173	ET3	Floor Supported Gable	1	1	Job Reference (optional)	

Comtech, Inc., Fayetteville, NC - 28314,

8.330 s May 6 2020 MiTek Industries, Inc. Tue Jun 9 10:03:40 2020 Page 1  
ID:d6E6lizSYcm5g\_caniVuiZ8loe-p0bU?nDWJ6J1JP\_Libp3FRSpibvFCYg8RmQhN7z82Sn

0'-1'-8"

Scale = 1:16.8




Plate Offsets (X,Y)-- [1:Edge,0-1-8], [5:0-1-8,Edge], [13:0-1-8,Edge], [16:Edge,0-1-8], [17:0-1-8,0-1-8]

LOADING (psf)	SPACING-	2-0-0	CSI.	DEFL.	in (loc)	l/defl	L/d	PLATES	GRIP
TCLL 40.0	Plate Grip DOL	1.00	TC 0.06	Vert(LL)	n/a	-	n/a	MT20	244/190
TCDL 10.0	Lumber DOL	1.00	BC 0.01	Vert(CT)	n/a	-	n/a		
BCLL 0.0	Rep Stress Incr	YES	WB 0.03	Horz(CT)	0.00	9	n/a		
BCDL 5.0	Code	IRC2015/TPI2014	Matrix-S					Weight: 45 lb	FT = 20%F, 11%E

**LUMBER-**  
TOP CHORD 2x4 SP No.1 (flat)  
BOT CHORD 2x4 SP No.1 (flat)  
WEBS 2x4 SP No.3 (flat)  
OTHERS 2x4 SP No.3 (flat)

**BRACING-**  
TOP CHORD Structural wood sheathing directly applied or 6'-0-0 oc purlins, except end verticals.  
BOT CHORD Rigid ceiling directly applied or 10'-0-0 oc bracing.

**REACTIONS.** All bearings 9-1-12.  
(lb) - Max Grav All reactions 250 lb or less at joint(s) 16, 9, 15, 14, 13, 12, 11, 10

**FORCES.** (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

- NOTES-**
- 1) All plates are 1.5x3 MT20 unless otherwise indicated.
  - 2) Plates checked for a plus or minus 1 degree rotation about its center.
  - 3) Gable requires continuous bottom chord bearing.
  - 4) Truss to be fully sheathed from one face or securely braced against lateral movement (i.e. diagonal web).
  - 5) Gable studs spaced at 1'-4-0 oc.
  - 6) Recommend 2x6 strongbacks, on edge, spaced at 10'-0-0 oc and fastened to each truss with 3-10d (0.131" X 3") nails. Strongbacks to be attached to walls at their outer ends or restrained by other means.
  - 7) CAUTION, Do not erect truss backwards.



June 9, 2020

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601


ENGINEERING BY  
**TRENCO**  
A MiTek Affiliate

818 Soundside Road  
Edenton, NC 27932

Job	Truss	Truss Type	Qty	Ply	Lot 54 Sierra Villas	E14489190
J0920-4173	F1	Floor	5	1	Job Reference (optional)	

Comtech, Inc., Fayetteville, NC - 28314,

8.330 s May 6 2020 MiTek Industries, Inc. Tue Jun 9 10:03:42 2020 Page 1  
ID:d6E6lizSYcm5g\_caniI/Vuiz8loe-IOJEqSEmrijZlZj8jp0sXKsYwJOO8glQQu4voS0z82SI



Scale = 1:61.5




Plate Offsets (X,Y)-- [1:Edge,0-1-8], [7:0-1-8,Edge], [27:0-1-8,Edge], [38:0-1-8,Edge]

LOADING (psf)	SPACING-	2-0-0	CSI.	DEFL.	in (loc)	l/defl	L/d	PLATES	GRIP
TCLL 40.0	Plate Grip DOL	1.00	TC 0.95	Vert(LL)	-0.26 38-39	>760	480	MT20	244/190
TCDL 10.0	Lumber DOL	1.00	BC 0.88	Vert(CT)	-0.35 38-39	>566	360	M18SHS	244/190
BCLL 0.0	Rep Stress Incr	YES	WB 0.66	Horz(CT)	0.06 24	n/a	n/a		
BCDL 5.0	Code IRC2015/TPI2014		Matrix-S						
								Weight: 190 lb	FT = 20%F, 11%E

**LUMBER-**

TOP CHORD 2x4 SP No.1 (flat)  
BOT CHORD 2x4 SP 2400F 2.0E(flat)  
WEBS 2x4 SP No.3(flat)

**BRACING-**

TOP CHORD Structural wood sheathing directly applied or 2-2-0 oc purlins, except end verticals.  
BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

**REACTIONS.**


(size) 41=Mechanical, 33=0-3-8, 24=0-3-8  
Max Grav 41=826(LC 3), 33=2343(LC 1), 24=949(LC 4)

**FORCES.** (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

TOP CHORD 2-3=-1447/0, 3-4=-2338/0, 4-5=-2338/0, 5-6=-2423/216, 6-7=-2423/216, 7-9=-1785/630,  
9-10=-562/1212, 10-11=0/2612, 11-12=0/2612, 12-13=-281/575, 13-14=-1941/20,  
14-15=-1941/20, 15-17=-2942/0, 17-18=-3375/0, 18-19=-3375/0, 19-20=-2877/0,  
20-21=-2877/0, 21-22=-1729/0  
BOT CHORD 40-41=0/880, 39-40=0/2001, 38-39=0/2509, 37-38=-216/2423, 36-37=-216/2423,  
34-36=-920/1281, 33-34=-1592/0, 32-33=-1326/0, 31-32=-281/1210, 29-31=0/2561,  
28-29=0/3375, 27-28=0/3375, 26-27=0/3205, 25-26=0/2405, 24-25=0/1027  
WEBS 2-41=-1171/0, 2-40=0/789, 3-40=-770/0, 3-39=-31/459, 10-33=-1582/0, 10-34=0/1175,  
9-34=-1116/0, 9-36=0/859, 7-36=-1183/0, 5-38=-547/0, 7-37=0/417, 22-24=-1365/0,  
22-25=0/976, 21-25=-941/0, 21-26=0/640, 12-33=-1768/0, 12-32=0/1379, 13-32=-1353/0,  
13-31=0/1057, 15-31=-888/0, 15-29=0/644, 19-26=-446/0, 19-27=-188/429,  
17-29=-876/0, 17-28=-43/263

**NOTES-**

- 1) Unbalanced floor live loads have been considered for this design.
- 2) All plates are MT20 plates unless otherwise indicated.
- 3) All plates are 3x4 MT20 unless otherwise indicated.
- 4) Plates checked for a plus or minus 1 degree rotation about its center.
- 5) Refer to girder(s) for truss to truss connections.
- 6) Recommend 2x6 strongbacks, on edge, spaced at 10-0-0 oc and fastened to each truss with 3-10d (0.131" X 3") nails. Strongbacks to be attached to walls at their outer ends or restrained by other means.
- 7) CAUTION, Do not erect truss backwards.



June 9, 2020

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



818 Soundside Road  
Edenton, NC 27932

Job	Truss	Truss Type	Qty	Ply	Lot 54 Sierra Villas	E14489191
J0920-4173	F1A	Floor	2	1	Job Reference (optional)	

Comtech, Inc., Fayetteville, NC - 28314,

8.330 s May 6 2020 MiTek Industries, Inc. Tue Jun 9 10:03:44 2020 Page 1  
ID:d6E6lizSYcm5g\_caniVuiZ8loe-hnr\_r8G1NKpTo1H6xRu?PHdJKC4W886jMOOvWvz82Sj





Plate Offsets (X,Y)--	[1:Edge,0-1-8], [7:0-1-8,Edge], [14:0-3-0,Edge], [18:0-1-8,Edge], [28:0-1-8,Edge], [40:0-3-0,0-0-0]
-----------------------	---

LOADING (psf)	SPACING-	CSI.	DEFL.	in (loc)	l/defl	L/d	PLATES	GRIP
TCLL 40.0	Plate Grip DOL 1.00	TC 0.72	Vert(LL) -0.34	29-30	>689	480	MT20	244/190
TCDL 10.0	Lumber DOL 1.00	BC 0.82	Vert(CT) -0.45	29-30	>523	360	M18SHS	244/190
BCLL 0.0	Rep Stress Incr NO	WB 0.90	Horz(CT) 0.05	25	n/a	n/a		
BCDL 5.0	Code IRC2015/TPI2014	Matrix-S						
							Weight: 223 lb	FT = 20%F, 11%E


LUMBER-	BRACING-
TOP CHORD 2x4 SP 2400F 2.0E(flat)	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
BOT CHORD 2x4 SP 2400F 2.0E(flat)	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SP No.3(flat)	

**REACTIONS.** (size) 45=Mechanical, 35=0-3-8, 25=0-3-8  
Max Uplift 45=-96(LC 4)  
Max Grav 45=623(LC 3), 35=4065(LC 1), 25=1104(LC 4)

**FORCES.** (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.  
**TOP CHORD** 2-3=-1038/316, 3-4=-1593/708, 4-5=-1593/708, 5-6=-974/1802, 6-7=-974/1802, 7-9=0/2762, 9-10=0/3680, 10-11=0/5687, 11-12=0/5686, 12-13=-863/0, 13-14=-878/0, 14-15=-3835/0, 15-16=-3832/0, 16-18=-4469/0, 18-19=-4543/0, 19-20=-4543/0, 20-21=-3527/0, 21-22=-3527/0, 22-23=-2069/0  
**BOT CHORD** 43-45=-136/655, 42-43=-480/1435, 41-42=-1182/1413, 40-41=-1802/974, 39-40=-1802/974, 37-39=-3215/0, 35-37=-4181/0, 34-35=-2640/0, 33-34=0/3271, 32-33=0/3271, 30-32=0/4299, 29-30=0/4543, 28-29=0/4543, 27-28=0/4042, 26-27=0/2892, 25-26=0/1206  
**WEBS** 2-45=-872/181, 2-43=-244/520, 3-43=-539/222, 3-42=-303/209, 10-35=-2120/0, 10-37=0/1433, 9-37=-1374/0, 9-39=0/1068, 7-39=-1994/0, 5-42=0/628, 5-41=-1011/0, 7-40=0/1005, 12-35=-4080/0, 12-34=0/3778, 13-34=-302/0, 14-34=-3316/0, 14-32=0/816, 16-32=-681/0, 16-30=-72/344, 18-30=-358/214, 23-25=-1603/0, 23-26=0/1201, 22-26=-1145/0, 22-27=0/863, 20-27=-699/0, 20-28=0/867, 19-28=-403/0

- NOTES-**
- 1) Unbalanced floor live loads have been considered for this design.
  - 2) All plates are MT20 plates unless otherwise indicated.
  - 3) All plates are 3x4 MT20 unless otherwise indicated.
  - 4) Plates checked for a plus or minus 1 degree rotation about its center.
  - 5) Refer to girder(s) for truss to truss connections.
  - 6) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 96 lb uplift at joint 45.
  - 7) Recommend 2x6 strongbacks, on edge, spaced at 10-0-0 oc and fastened to each truss with 3-10d (0.131" X 3") nails. Strongbacks to be attached to walls at their outer ends or restrained by other means.
  - 8) CAUTION, Do not erect truss backwards.
  - 9) Hanger(s) or other connection device(s) shall be provided sufficient to support concentrated load(s) 1742 lb down at 20-6-12 on top chord. The design/selection of such connection device(s) is the responsibility of others.
  - 10) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

**LOAD CASE(S)** Standard



Continued on page 2

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**  
 Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601

**TRENCO**  
ENGINEERING BY  
A MiTek Affiliate  
818 Soundside Road  
Edenton, NC 27932

Job	Truss	Truss Type	Qty	Ply	Lot 54 Sierra Villas	E14489191
J0920-4173	F1A	Floor	2	1	Job Reference (optional)	

Comtech, Inc. Fayetteville, NC - 28314,

8.330 s May 6 2020 MiTek Industries, Inc. Tue Jun 9 10:03:44 2020 Page 2  
 ID:d6E6lizSYcm5g\_canilVuiZ8loe-hnr\_r8G1NKpTo1H6xRu?PHdJKC4W886jMOOvWvz82Sj

**LOAD CASE(S)** Standard

- 1) Dead + Floor Live (balanced): Lumber Increase=1.00, Plate Increase=1.00
  - Uniform Loads (plf)
    - Vert: 25-45=-10, 1-24=-100
  - Concentrated Loads (lb)
    - Vert: 14=-1662(B)

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



818 Soundside Road  
 Edenton, NC 27932

Job	Truss	Truss Type	Qty	Ply	Lot 54 Sierra Villas	E14489192
J0920-4173	F2	Floor	5	1	Job Reference (optional)	

Comtech, Inc., Fayetteville, NC - 28314,

8.330 s May 6 2020 MiTek Industries, Inc. Tue Jun 9 10:03:45 2020 Page 1  
ID:d6E6lizSYcm5g\_caniVuiZ8loe-9zON2UHf8exKQBslV8PEyVAX9cRathmta28S2Lz82Si




Plate Offsets (X,Y)-- [1:0-3-0,Edge], [6:0-1-8,Edge]

LOADING (psf)	SPACING-	CSI.	DEFL.	in (loc)	l/defl	L/d	PLATES	GRIP
TCLL 40.0	2-0-0	TC 0.53	Vert(LL)	-0.19 15-16	>995	480	MT20	244/190
TCDL 10.0	Plate Grip DOL 1.00	BC 0.76	Vert(CT)	-0.24 15-16	>791	360		
BCLL 0.0	Lumber DOL 1.00	WB 0.55	Horz(CT)	0.02 11	n/a	n/a		
BCDL 5.0	Rep Stress Incr YES	Matrix-S					Weight: 85 lb	FT = 20%F, 11%E
	Code IRC2015/TPI2014							

LUMBER-	BRACING-
TOP CHORD 2x4 SP No.1 (flat)	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
BOT CHORD 2x4 SP No.1 (flat)	BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.
WEBS 2x4 SP No.3 (flat)	

**REACTIONS.** (size) 11=0-3-8, 1=0-3-8  
Max Grav 11=853(LC 1), 1=859(LC 1)

**FORCES.** (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.  
TOP CHORD 1-2=-897/0, 2-3=-894/0, 3-4=-2061/0, 4-5=-2734/0, 5-6=-2734/0, 6-8=-2422/0, 8-9=-1527/0  
BOT CHORD 16-17=0/1611, 15-16=0/2484, 14-15=0/2734, 13-14=0/2734, 12-13=0/2107, 11-12=0/917  
WEBS 1-17=0/1163, 3-17=-976/0, 3-16=0/625, 4-16=-588/0, 4-15=0/605, 9-11=-1218/0, 9-12=0/849, 8-12=-807/0, 8-13=0/499, 6-13=-608/0, 5-15=-285/0

- NOTES-**
- 1) Unbalanced floor live loads have been considered for this design.
  - 2) All plates are 3x4 MT20 unless otherwise indicated.
  - 3) Plates checked for a plus or minus 1 degree rotation about its center.
  - 4) Recommend 2x6 strongbacks, on edge, spaced at 10-0-0 oc and fastened to each truss with 3-10d (0.131" X 3") nails. Strongbacks to be attached to walls at their outer ends or restrained by other means.
  - 5) Gap between inside of top chord bearing and first diagonal or vertical web shall not exceed 0.500in.
  - 6) CAUTION, Do not erect truss backwards.



June 9, 2020



Job	Truss	Truss Type	Qty	Ply	Lot 54 Sierra Villas	E14489193
J0920-4173	F3	Floor	5	1	Job Reference (optional)	

Comtech, Inc., Fayetteville, NC - 28314,

8.330 s May 6 2020 MiTek Industries, Inc. Tue Jun 9 10:03:46 2020 Page 1  
ID:d6E6lizSYcm5g\_caniIvUiz8loe-d9yIGqHHvy3B1KRv2swTViIH0pzcAkOpit0bnz82Sh

1-3-0

2-4-8

0-1-8

Scale = 1:28.5




Plate Offsets (X,Y)-- [1:Edge,0-1-8], [7:0-1-8,Edge], [16:0-1-8,Edge]

LOADING (psf)	SPACING-	CSI.	DEFL.	in (loc)	l/defl	L/d	PLATES	GRIP
TCLL 40.0	Plate Grip DOL 1.00	TC 0.63	Vert(LL)	-0.24 16-18	>851	480	MT20	244/190
TCDL 10.0	Lumber DOL 1.00	BC 0.63	Vert(CT)	-0.31 16-18	>645	360	M18SHS	244/190
BCLL 0.0	Rep Stress Incr YES	WB 0.44	Horz(CT)	0.04 12	n/a	n/a		
BCDL 5.0	Code IRC2015/TPI2014	Matrix-S						
							Weight: 88 lb	FT = 20%F, 11%E

**LUMBER-**  
TOP CHORD 2x4 SP No.1 (flat)  
BOT CHORD 2x4 SP 2400F 2.0E(flat)  
WEBS 2x4 SP No.3(flat)

**BRACING-**  
TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.  
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

**REACTIONS.** (size) 20=Mechanical, 12=0-3-8  
Max Grav 20=921(LC 1), 12=915(LC 1)

**FORCES.** (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.  
TOP CHORD 2-3=-1656/0, 3-4=-2736/0, 4-5=-2736/0, 5-6=-3131/0, 6-7=-3131/0, 7-9=-2685/0, 9-10=-1661/0  
BOT CHORD 19-20=0/989, 18-19=0/2300, 16-18=0/3024, 15-16=0/3131, 14-15=0/3131, 13-14=0/2295, 12-13=0/990  
WEBS 2-20=-1317/0, 2-19=0/927, 3-19=-895/0, 3-18=0/593, 10-12=-1316/0, 10-13=0/932, 9-13=-882/0, 9-14=0/582, 7-14=-769/0, 5-18=-393/0, 5-16=-135/488

- NOTES-**
- 1) Unbalanced floor live loads have been considered for this design.
  - 2) All plates are MT20 plates unless otherwise indicated.
  - 3) All plates are 3x6 MT20 unless otherwise indicated.
  - 4) Plates checked for a plus or minus 1 degree rotation about its center.
  - 5) Refer to girder(s) for truss to truss connections.
  - 6) Recommend 2x6 strongbacks, on edge, spaced at 10-0-0 oc and fastened to each truss with 3-10d (0.131" X 3") nails. Strongbacks to be attached to walls at their outer ends or restrained by other means.
  - 7) CAUTION, Do not erect truss backwards.



June 9,2020

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**  
Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



Job	Truss	Truss Type	Qty	Ply	Lot 54 Sierra Villas	E14489194
J0920-4173	F4	Floor	3	1	Job Reference (optional)	

Comtech, Inc., Fayetteville, NC - 28314,

8.330 s May 6 2020 MiTek Industries, Inc. Tue Jun 9 10:03:47 2020 Page 1  
ID:d6E6lizSYcm5g\_caniIvuz8loe-5MW7TAlvgFB2fU0hcZRi1wFwgP9xLb9A2MdZ7Dz82Sg

1-3-0

1-7-12

0-1-8

Scale = 1:33.6




Plate Offsets (X,Y)-- [1:Edge,0-1-8], [6:0-1-8,Edge], [7:0-1-8,Edge]

LOADING (psf)	SPACING-	2-0-0	CSI.	DEFL.	in (loc)	l/defl	L/d	PLATES	GRIP
TCLL 40.0	Plate Grip DOL	1.00	TC 0.33	Vert(LL)	-0.28 18-19	>862	480	MT20	244/190
TCDL 10.0	Lumber DOL	1.00	BC 0.58	Vert(CT)	-0.38 18-19	>626	360	M18SHS	244/190
BCLL 0.0	Rep Stress Incr	YES	WB 0.56	Horz(CT)	0.07 14	n/a	n/a		
BCDL 5.0	Code IRC2015/TPI2014		Matrix-S						
								Weight: 107 lb	FT = 20%F, 11%E

**LUMBER-**

TOP CHORD 2x4 SP 2400F 2.0E(flat)  
BOT CHORD 2x4 SP 2400F 2.0E(flat)  
WEBS 2x4 SP No.3(flat)

**BRACING-**

TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.  
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

**REACTIONS.**

(size) 24=Mechanical, 14=0-3-8  
Max Grav 24=1094(LC 1), 14=1088(LC 1)

**FORCES.** (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

TOP CHORD 2-3=-2033/0, 3-4=-3462/0, 4-5=-3462/0, 5-6=-4241/0, 6-7=-4487/0, 7-9=-4241/0, 9-10=-3462/0, 10-11=-3462/0, 11-12=-2032/0  
BOT CHORD 23-24=0/1186, 22-23=0/2850, 20-22=0/3985, 19-20=0/4487, 18-19=0/4487, 17-18=0/4487, 16-17=0/3985, 15-16=0/2850, 14-15=0/1186  
WEBS 2-24=-1579/0, 2-23=0/1177, 3-23=-1136/0, 3-22=0/833, 12-14=-1576/0, 12-15=0/1178, 11-15=-1137/0, 11-16=0/833, 9-16=-710/0, 9-17=0/491, 5-22=-710/0, 5-20=0/491, 6-20=-611/82, 7-17=-611/82

**NOTES-**

- 1) Unbalanced floor live loads have been considered for this design.
- 2) All plates are MT20 plates unless otherwise indicated.
- 3) All plates are 3x4 MT20 unless otherwise indicated.
- 4) Plates checked for a plus or minus 1 degree rotation about its center.
- 5) Refer to girder(s) for truss to truss connections.
- 6) Recommend 2x6 strongbacks, on edge, spaced at 10-0-0 oc and fastened to each truss with 3-10d (0.131" X 3") nails. Strongbacks to be attached to walls at their outer ends or restrained by other means.
- 7) CAUTION, Do not erect truss backwards.



June 9, 2020

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601




818 Soundside Road  
Edenton, NC 27932

Job	Truss	Truss Type	Qty	Ply	Lot 54 Sierra Villas	E14489195
J0920-4173	F5	Floor	3	1		

Comtech, Inc., Fayetteville, NC - 28314,

8.330 s May 6 2020 MiTek Industries, Inc. Tue Jun 9 10:03:48 2020 Page 1  
ID:d6E6lizSYcm5g\_caniIvUiz8Ioe-aY4VgWJXQZJvHebtAHyxa7n73pb?48vJH0M7fgz82Sf

0-1-8



Scale = 1:13.0




Plate Offsets (X,Y)-- [2:0-1-8,Edge], [3:0-1-8,Edge], [9:0-1-8,0-1-8]

LOADING (psf)	SPACING-	2-0-0	CSI.	DEFL.	in (loc)	l/defl	L/d	PLATES	GRIP
TCLL 40.0	Plate Grip DOL	1.00	TC 0.23	Vert(LL)	-0.03	6	>999	MT20	244/190
TCDL 10.0	Lumber DOL	1.00	BC 0.21	Vert(CT)	-0.03	5-6	>999		
BCLL 0.0	Rep Stress Incr	YES	WB 0.14	Horz(CT)	0.00	5	n/a		
BCDL 5.0	Code	IRC2015/TPI2014	Matrix-S					Weight: 37 lb	FT = 20%F, 11%E


**LUMBER-**  
 TOP CHORD 2x4 SP No.1 (flat)  
 BOT CHORD 2x4 SP No.1 (flat)  
 WEBS 2x4 SP No.3 (flat)

**BRACING-**  
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.  
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

**REACTIONS.** (size) 8=0-3-8, 5=Mechanical  
 Max Grav 8=364(LC 1), 5=370(LC 1)

**FORCES.** (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.  
 TOP CHORD 2-3=494/0  
 BOT CHORD 7-8=0/494, 6-7=0/494, 5-6=0/494  
 WEBS 2-8=-560/0, 3-5=-565/0

- NOTES-**
- 1) Unbalanced floor live loads have been considered for this design.
  - 2) Plates checked for a plus or minus 1 degree rotation about its center.
  - 3) Refer to girder(s) for truss to truss connections.
  - 4) Recommend 2x6 strongbacks, on edge, spaced at 10-0-0 oc and fastened to each truss with 3-10d (0.131" X 3") nails. Strongbacks to be attached to walls at their outer ends or restrained by other means.
  - 5) CAUTION, Do not erect truss backwards.



June 9, 2020

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**  
 Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



Job	Truss	Truss Type	Qty	Ply	Lot 54 Sierra Villas	E14489196
J0920-4173	F6	Floor	4	1	Job Reference (optional)	

Comtech, Inc., Fayetteville, NC - 28314,

8.330 s May 6 2020 MiTek Industries, Inc. Tue Jun 9 10:03:49 2020 Page 1  
ID:d6E6lizSYcm5g\_caniIvuiZ8loe-2ketusK9BtRmuoA4k\_UA6KK9oDpLpUgSVg6gB6z82Se




Plate Offsets (X,Y)-- [2:0-1-8,Edge], [3:0-1-8,Edge], [10:0-1-8,Edge], [11:0-1-8,Edge]

LOADING (psf)	SPACING-	CSI.	DEFL.	in (loc)	l/defl	L/d	PLATES	GRIP
TCLL 40.0	Plate Grip DOL 1.00	TC 0.81	Vert(LL) -0.31	21	>781	480	MT20	244/190
TCDL 10.0	Lumber DOL 1.00	BC 0.71	Vert(CT) -0.43	21	>570	360	M18SHS	244/190
BCLL 0.0	Rep Stress Incr YES	WB 0.62	Horz(CT) 0.06	17	n/a	n/a		
BCDL 5.0	Code IRC2015/TPI2014	Matrix-S						
							Weight: 141 lb	FT = 20%F, 11%E

**LUMBER-**  
TOP CHORD 2x4 SP No.1 (flat)  
BOT CHORD 2x4 SP 2400F 2.0E(flat)  
WEBS 2x4 SP No.3(flat)

**BRACING-**  
TOP CHORD Structural wood sheathing directly applied or 5-9-13 oc purlins, except end verticals.  
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing, Except: 6-0-0 oc bracing: 29-30,28-29,27-28.

**REACTIONS.** (size) 30=0-3-8, 27=0-5-8, 17=0-3-8  
Max Uplift 30=67(LC 4)  
Max Grav 30=323(LC 3), 27=1729(LC 8), 17=1058(LC 7)

**FORCES.** (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.  
TOP CHORD 2-3=-371/339, 3-4=0/1124, 4-5=0/1123, 5-6=-1364/0, 6-7=-2936/0, 7-8=-2936/0, 8-10=-3860/0, 10-11=-4227/0, 11-12=-4052/0, 12-13=-3332/0, 13-14=-3332/0, 14-15=-1969/0  
BOT CHORD 29-30=-339/371, 28-29=-339/371, 27-28=-339/371, 26-27=0/441, 25-26=0/2248, 23-25=0/3522, 22-23=0/4227, 21-22=0/4227, 20-21=0/4227, 19-20=0/3831, 18-19=0/2755, 17-18=0/1152  
WEBS 2-30=-418/391, 3-27=-1162/0, 15-17=-1531/0, 15-18=0/1136, 14-18=-1094/0, 14-19=0/784, 12-19=-679/0, 12-20=0/436, 5-27=-1744/0, 5-26=0/1308, 6-26=-1258/0, 6-25=0/959, 8-25=-817/0, 8-23=0/568, 10-23=-757/0, 11-20=-543/157, 10-22=-142/273

- NOTES-**
- 1) Unbalanced floor live loads have been considered for this design.
  - 2) All plates are MT20 plates unless otherwise indicated.
  - 3) All plates are 1.5x3 MT20 unless otherwise indicated.
  - 4) Plates checked for a plus or minus 1 degree rotation about its center.
  - 5) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 67 lb uplift at joint 30.
  - 6) Recommend 2x6 strongbacks, on edge, spaced at 10-0-0 oc and fastened to each truss with 3-10d (0.131" X 3") nails. Strongbacks to be attached to walls at their outer ends or restrained by other means.
  - 7) CAUTION, Do not erect truss backwards.



June 9,2020

Job	Truss	Truss Type	Qty	Ply	Lot 54 Sierra Villas	E14489197
J0920-4173	FG1	Floor Girder	1	1		

Comtech, Inc., Fayetteville, NC - 28314,

8.330 s May 6 2020 MiTek Industries, Inc. Tue Jun 9 10:03:51 2020 Page 1  
ID:d6E6lizSYcm5g\_caniIvUiz8Ioe-\_7meJXLQjUiU86KSrPWeCIPUg1UIHPqz\_bnG?z82Sc



Scale = 1:18.2




Plate Offsets (X,Y)-- [1:Edge,0-1-8], [2:0-1-8,Edge], [3:0-1-8,Edge], [7:0-1-8,Edge], [11:Edge,0-1-8], [15:0-1-8,Edge]

LOADING (psf)	SPACING-	2-0-0	CSI.	DEFL.	in (loc)	l/defl	L/d	PLATES	GRIP
TCLL 40.0	Plate Grip DOL	1.00	TC 0.84	Vert(LL)	-0.08 13-14	>999	480	MT20	244/190
TCDL 10.0	Lumber DOL	1.00	BC 0.72	Vert(CT)	-0.11 13-14	>852	360		
BCLL 0.0	Rep Stress Incr	NO	WB 0.52	Horz(CT)	0.02 11	n/a	n/a		
BCDL 5.0	Code IRC2015/TPI2014		Matrix-S					Weight: 71 lb	FT = 20%F, 11%E

LUMBER-	BRACING-
TOP CHORD 2x4 SP 2400F 2.0E(flat)	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
BOT CHORD 2x4 SP 2400F 2.0E(flat)	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SP No.3(flat)	

**REACTIONS.** (size) 20=Mechanical, 11=Mechanical, 17=0-3-8  
Max Grav 20=127(LC 10), 11=1762(LC 7), 17=3123(LC 8)

**FORCES.** (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.  
TOP CHORD 3-4=0/858, 4-5=0/858, 5-6=3281/0, 6-7=3281/0, 7-8=3160/0, 8-9=3119/0  
BOT CHORD 16-17=0/1538, 15-16=0/1538, 14-15=0/3281, 13-14=0/3281, 12-13=0/1886, 11-12=0/1885  
WEBS 4-17=-654/0, 3-17=-1168/0, 5-17=-2860/0, 5-15=0/2170, 6-15=-967/0, 7-14=-278/0, 8-13=-717/0, 9-13=0/1550, 9-11=-2518/0


- NOTES-**
- Unbalanced floor live loads have been considered for this design.
  - Plates checked for a plus or minus 1 degree rotation about its center.
  - Refer to girder(s) for truss to truss connections.
  - Recommend 2x6 strongbacks, on edge, spaced at 10-0-0 oc and fastened to each truss with 3-10d (0.131" X 3") nails. Strongbacks to be attached to walls at their outer ends or restrained by other means.
  - CAUTION, Do not erect truss backwards.

**LOAD CASE(S)** Standard  
1) Dead + Floor Live (balanced): Lumber Increase=1.00, Plate Increase=1.00  
Uniform Loads (plf)  
Vert: 11-20=-10, 1-10=-100  
Concentrated Loads (lb)  
Vert: 3=-759 6=-759 9=-759 21=-759 22=-759




# Symbols

## PLATE LOCATION AND ORIENTATION



Center plate on joint unless x, y offsets are indicated. Dimensions are in ft-in-sixteenths. Apply plates to both sides of truss and fully embed teeth.



For 4 x 2 orientation, locate plates 0- 1/16" from outside edge of truss.



This symbol indicates the required direction of slots in connector plates.

\* Plate location details available in **MITek 20/20 software** or upon request.

## PLATE SIZE

4 X 4

The first dimension is the plate width measured perpendicular to slots. Second dimension is the length parallel to slots.

## LATERAL BRACING LOCATION



Indicated by symbol shown and/or by text in the bracing section of the output. Use T or I bracing if indicated.

## BEARING




Indicates location where bearings (supports) occur. Icons vary but reaction section indicates joint number where bearings occur. Min size shown is for crushing only.

## Industry Standards:

ANSI/TP1: National Design Specification for Metal Plate Connected Wood Truss Construction.  
DSB-89: Design Standard for Bracing, Building Component Safety Information, Guide to Good Practice for Handling, Installing & Bracing of Metal Plate Connected Wood Trusses.

# Numbering System

6-4-8  
dimensions shown in ft-in-sixteenths  
(Drawings not to scale)



**JOINTS ARE GENERALLY NUMBERED/LETTERED CLOCKWISE AROUND THE TRUSS STARTING AT THE JOINT FARTHEST TO THE LEFT.**

**CHORDS AND WEBS ARE IDENTIFIED BY END JOINT NUMBERS/LETTERS.**

## PRODUCT CODE APPROVALS

ICC-ES Reports:

ESR-1311, ESR-1352, ESR1988  
ER-3907, ESR-2362, ESR-1397, ESR-3282

Trusses are designed for wind loads in the plane of the truss unless otherwise shown.

Lumber design values are in accordance with ANSI/TP1 section 6.3 These truss designs rely on lumber values established by others.

© 2012 MITteK® All Rights Reserved



MITek Engineering Reference Sheet: Mill-7473 rev. 5/19/2020



# General Safety Notes

## Failure to Follow Could Cause Property Damage or Personal Injury

1. Additional stability bracing for truss system, e.g. diagonal or X-bracing, is always required. See BCSI.
2. Truss bracing must be designed by an engineer. For wide truss spacing, individual lateral braces themselves may require bracing, or alternative T or I bracing should be considered.
3. Never exceed the design loading shown and never stack materials on inadequately braced trusses.
4. Provide copies of this truss design to the building designer, erection supervisor, property owner and all other interested parties.
5. Cut members to bear tightly against each other.
6. Place plates on each face of truss at each joint and embed fully. Knots and wane at joint locations are regulated by ANSI/TP1 1.
7. Design assumes trusses will be suitably protected from the environment in accord with ANSI/TP1 1.
8. Unless otherwise noted, moisture content of lumber shall not exceed 19% at time of fabrication.
9. Unless expressly noted, this design is not applicable for use with fire retardant, preservative treated, or green lumber.
10. Camber is a non-structural consideration and is the responsibility of truss fabricator. General practice is to camber for dead load deflection.
11. Plate type, size, orientation and location dimensions indicated are minimum plating requirements.
12. Lumber used shall be of the species and size, and in all respects, equal to or better than that specified.
13. Top chords must be sheathed or purlins provided at spacing indicated on design.
14. Bottom chords require lateral bracing at 10 ft. spacing, or less, if no ceiling is installed, unless otherwise noted.
15. Connections not shown are the responsibility of others.
16. Do not cut or alter truss member or plate without prior approval of an engineer.
17. Install and load vertically unless indicated otherwise.
18. Use of green or treated lumber may pose unacceptable environmental, health or performance risks. Consult with project engineer before use.
19. Review all portions of this design (front, back, words and pictures) before use. Reviewing pictures alone is not sufficient.
20. Design assumes manufacture in accordance with ANSI/TP1 1 Quality Criteria.
21. The design does not take into account any dynamic or other loads other than those expressly stated.