
## Harnett County Department of Public Health

## Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 190 Shepard Dr. Linden SUBDIVISION Kenlan Farms ISSUED TO: A&G Residential NEW 🔀 EXPANSION Site Improvements required prior to Construction Authorization Issuance: REPAIR Type of Structure: 41 x 45 SFR Proposed Wastewater System Type: Pump to 25% reduction Projected Daily Flow: 480 GPD Number of Occupants: 8 Number of bedrooms: 4 Basement Yes ☐ No Pump Required: XYes May be required based on final location and elevations of facilities Type of Water Supply: Community 🗵 Public 🔲 Well Distance from well \_\_\_\_\_\_ feet ➤ Five years Permit valid for: No expiration Permit conditions: Date: 12-08-2020 SEE ATTACHED SITE SKETCH Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules . 1950, . 1952, . 1954, . 1955, . 1956, . 1957, . 1958, and . 1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance PROPERTY LOCATION: 190 Shepard Dr. Linden ISSUED TO: A&G Residential LOT # 57 SUBDIVISION Kenlan Farms Facility Type: 41 x 45 SFR ✓ New Expansion Basement Fixtures? Yes Basement? Yes ✓ No Type of Wastewater System\*\* Pump to 25% reduction (Initial) Wastewater Flow: 480 GPD (See note below, if applicable ) Pump to 25% reduction Number of trenches 4 Installation Requirements/Conditions Exact length of each trench 75 Trench Spacing: 9 Feet on Center Septic Tank Size 1000 inches Soil Cover: 6 Pump Tank Size 1000 gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 14-18 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) inches below pipe Pump Requirements: \_\_\_\_\_\_ft. TDH vs. \_\_\_ inches above pipe Aggregate Depth: Conditions: Will need to bring in 4 inches of type II ot type III soil for cover inches total of drain lines WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: 1 understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent: Mak U Date: 12-08-2020 Construction Authorization Expiration Date: 12-08-25

## Harnett County Department of Public Health Site Sketch



"Shepard Drive" R/W 50'

This drawing is for illustrative purposes only. System Installation must meet all pertinent laws, rules, and regulations.