## Harnett County Department of Public Health

## Improvement Permit

A building permit cannot be issued with only an Improvement Permit

	PROPERTY LOCATION: 168 Wildwood Way
	SUBDIVISION Carolina SeasonsLOT # 11
NEW REPAIR EXPANSION Type of Structure: SFD	Site Improvements required prior to Construction Authorization Issuance:
Proposed Wastewater System Type: 25% reduction	
Projected Daily Flow: 360 GPD	
Number of bedrooms: 3 Number of Occupants: 6	
. (1) 등사업의 (1) 전에 보고 있는 이렇게 되었다면 되었다면 보고 있는데 보고 있는데 되었다고 있는데 보고	max
Basement   Yes   No	
	final location and elevations of facilities  Distance from well feet Permit valid for: X Five years
The area marked with red en	vironmental flags, is the soil that is
suitable for a septic system and repair a	area. This area will need to be cleared and the house box
	from the drainfield and repair area.
Authorized State Agent:: 21ab Ob RE1	
	e of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This
, , , , , , , , , , , , , , , , , , , ,	rovement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of
the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.	
Co	onstruction Authorization
	(Required for Building Permit)
The construction and installation requirements of Rules 1950, 1952, 1954, 1955, 195	6, 1957, 1958, and 1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance
with the attached system layout.	
ISSUED TO:	PROPERTY LOCATION:
	SUBDIVISIONLOT #
Facility Type:	
Basement? Yes No Basement Fixtures?	
the state of the s	
Type of Wastewater System**	(Initial) Wastewater Flow: GPD
(See note below, if applicable   )	(D )
Landing Design of Cartification	(Repair)
	f trenches
	th of each trenchfeet Trench Spacing: Feet on Center
	chall be installed on contour at a Soil Cover:inches
	Trench Depth of:inches (Maximum soil cover shall not exceed
(Trench be	ottoms shall be level to +/-1/4" 36" above the trench bottom)
in all dire	ctions)
Pump Requirements:ft. TDH vsGPM	inches below pipe
3	Aggregate Depth: inches above pipe
Conditions:	00 0 1
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FR	ON ANY DADT OF CEPTIC CYCTEM OF DEDAID ADEA
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD	J AKŁA.
**If applicable: I understand the system type specified is different	from the type specified on the application. I accept the specifications of this permit.
- // //	,, , , , , , , , , , , , , , , , , , , ,
Owner/Legal Representative Signature:	Date:
This Construction Authorization is subject to revocation if the site plan, plat, or the inter	nded use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This
Construction Authorization is subject to compliance with the provisions of the Laws and	
Authorized State Agent	
CONTROL AND	Date.
Authorized State Agent:	Date: Construction Authorization Expiration Date: