

# Reaction Summary of Order



REQ. QUOTE DATE	05/15/19	ORDER #	J0720-3074
ORDER DATE	07/07/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	David Landry

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 1 Oak Haven <b>MODEL:</b> Roof <b>TAG:</b> Blue Ash <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT # 1</b> <b>SUBDIV:</b> Oak Haven <b>JOB CATEGORY:</b> Residential - Roof
	<b>Watermark Homes</b> Lot 1 Oak Haven Harnett County, NC	<b>SPECIAL INSTRUCTIONS:</b> Like Lot 2 Belmont Farms. (J0519-2546)	<b>PLAN SEAL DATE:</b> BY      DATE

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
	END CUT	RETURN				LAYOUT	CN 07/09/20
	PLUMB	NO	GABLE STUDS	16 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING CN 07/07/20

**ROOF TRUSSES**      **LOADING INFORMATION**      TOLL-TCDL-BCLL-BCDL      STRESS INCR.      **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		PLY	TOP			BOT	TOP	BOT	LEFT	
	1	2 Ply	0.00	0.00	24-01-08 A01-GR	2 X 6	2 X 6			Joint 10      Joint 15 2088.2 lbs.      1867.6 lbs. -349.9 lbs.      -340.3 lbs.
	1		5.00	0.00	24-01-08 A02	2 X 6	2 X 6			Joint 9      Joint 13 965.2 lbs.      943.7 lbs. -110.8 lbs.      -79.4 lbs.
	1		5.00	0.00	24-01-08 A03	2 X 6	2 X 6			Joint 8      Joint 12 964.0 lbs.      943.7 lbs. -111.9 lbs.      -57.5 lbs.
	1		5.00	0.00	24-01-08 A04	2 X 6	2 X 6			Joint 7      Joint 11 989.6 lbs.      943.8 lbs. -75.9 lbs.      -40.3 lbs.
	1		5.00	0.00	26-01-08 A05	2 X 6	2 X 6			Joint 5      Joint 9 1026.7 lbs.      1026.7 lbs. -48.4 lbs.      -35.8 lbs.
	1		5.00	0.00	33-02-00 A06	2 X 6	2 X 6			Joint 1      Joint 7      Joint 12 224.8 lbs.      1010.3 lbs.      1394.1 lbs. -2.2 lbs.      -44.8 lbs.      -110.1 lbs.
	7		5.00	0.00	42-05-00 A07	2 X 6	2 X 6			Joint 1      Joint 9      Joint 11      Joint 17 212.2 lbs.      286.5 lbs.      1498.1 lbs.      1394.0 lbs. -8.8 lbs.      -25.0 lbs.      -113.1 lbs.      -128.9 lbs.
	7		5.00	0.00	30-09-08 A08	2 X 6	2 X 6			Joint 6      Joint 11 1216.7 lbs.      1235.7 lbs. -89.5 lbs.      -59.6 lbs.
	1		5.00	0.00	30-09-08 A08A	2 X 6	2 X 6			Joint 6      Joint 7      Joint 11 271.3 lbs.      1355.6 lbs.      843.9 lbs. -17.2 lbs.      -103.7 lbs.      -48.3 lbs.
	1		-5.00	0.00	30-09-08 A09	2 X 6	2 X 6			Joint 6      Joint 10 1216.7 lbs.      1267.6 lbs. -71.1 lbs.      -106.6 lbs.
	1		-5.00	0.00	30-09-08 A10	2 X 6	2 X 6			Joint 6      Joint 11 1216.7 lbs.      1279.7 lbs. -66.7 lbs.      -112.3 lbs.

# Reaction Summary of Order



REQ. QUOTE DATE	05/15/19	ORDER #	J0720-3074
ORDER DATE	07/07/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	David Landry

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 1 Oak Haven <b>MODEL:</b> Roof <b>TAG:</b> Blue Ash <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT # 1</b> <b>SUBDIV:</b> Oak Haven <b>JOB CATEGORY:</b> Residential - Roof
	<b>Watermark Homes</b> Lot 1 Oak Haven Harnett County, NC	<b>SPECIAL INSTRUCTIONS:</b> Like Lot 2 Belmont Farms. (J0519-2546)	<b>PLAN SEAL DATE:</b> BY      DATE

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /	
	END CUT	RETURN				LAYOUT	CN 07/09/20	
	PLUMB	NO	GABLE STUDS	16 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING	CN 07/07/20

**ROOF TRUSSES**      **LOADING INFORMATION**      TOLL-TCDL-BCLL-BCDL      STRESS INCR.      **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)  
 20.0,10.0,0.0,10.0      1.15

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		TOP	BOT			TOP	BOT	LEFT	RIGHT	
	1	-5.00	0.00	ROOF A11	30-09-08 30-09-08	2 X 6	2 X 6			Joint 6      Joint 11 1216.7 lbs.      1239.8 lbs. -58.9 lbs.      -117.3 lbs.
	1	-5.00	0.00	ROOF A12	30-09-08 30-09-08	2 X 6	2 X 6			Joint 6      Joint 10 1216.7 lbs.      1216.7 lbs. -47.8 lbs.      -121.5 lbs.
	1	-5.00	0.00	ROOF A13	30-09-08 30-09-08	2 X 6	2 X 6			Joint 6      Joint 11 1216.7 lbs.      1216.7 lbs. -60.6 lbs.      -124.9 lbs.
	1 2 Ply	-5.00	0.00	ROOF A14-GR	30-09-08 30-09-08	2 X 6	2 X 6			Joint 6      Joint 11 2182.0 lbs.      2369.4 lbs. -304.3 lbs.      -440.5 lbs.
	1 2 Ply	6.00	0.00	ROOF B1-GR	33-02-00 33-02-00	2 X 6	2 X 6	01-03-00		Joint 2      Joint 7 2081.5 lbs.      2767.8 lbs. -157.7 lbs.      -318.9 lbs.
	1	6.00	0.00	ROOF B2	33-02-00 33-02-00	2 X 6	2 X 6	01-03-00		Joint 2      Joint 7 1388.1 lbs.      1313.7 lbs. -56.6 lbs.      -118.9 lbs.
	1	6.00	0.00	ROOF B3	33-02-00 33-02-00	2 X 6	2 X 6	01-03-00		Joint 2      Joint 7 1388.1 lbs.      1313.7 lbs. -56.6 lbs.      -118.9 lbs.
	1	6.00	0.00	HIP B4	33-02-00 33-02-00	2 X 6	2 X 6			Joint 1      Joint 5 1315.0 lbs.      1315.0 lbs. -39.3 lbs.      -39.6 lbs.
	1	6.00	0.00	HIP B5	33-02-00 33-02-00	2 X 6	2 X 6			Joint 1      Joint 6 1382.3 lbs.      1381.6 lbs. -51.2 lbs.      -51.5 lbs.
	1	6.00	0.00	HIP B6	33-02-00 33-02-00	2 X 6	2 X 6			Joint 1      Joint 9 1382.5 lbs.      1381.9 lbs. -61.9 lbs.      -62.2 lbs.
	1	6.00	0.00	HIP B7	33-02-00 33-02-00	2 X 6	2 X 6			Joint 1      Joint 13 1382.5 lbs.      1381.9 lbs. -71.2 lbs.      -71.5 lbs.

# Reaction Summary of Order



REQ. QUOTE DATE	05/15/19	ORDER #	J0720-3074
ORDER DATE	07/07/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	David Landry

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 1 Oak Haven <b>MODEL:</b> Roof <b>TAG:</b> Blue Ash <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT # 1</b> <b>SUBDIV:</b> Oak Haven <b>JOB CATEGORY:</b> Residential - Roof
	<b>Watermark Homes</b> Lot 1 Oak Haven Harnett County, NC	<b>SPECIAL INSTRUCTIONS:</b> Like Lot 2 Belmont Farms. (J0519-2546)	<b>PLAN SEAL DATE:</b> BY      DATE

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
	END CUT	RETURN				LAYOUT	CN 07/09/20
	PLUMB	NO	GABLE STUDS	16 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING CN 07/07/20

**ROOF TRUSSES**      **LOADING INFORMATION**      TOLL-TCDL-BCLL-BCDL      STRESS INCR.      **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)  
 20.0,10.0,0.0,10.0      1.15

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		TOP	BOT			TOP	BOT	LEFT	RIGHT	
	2	6.00	0.00	COMMON B8	33-02-00 33-02-00	2 X 6	2 X 6			Joint 1      Joint 11 1382.5 lbs.      1381.9 lbs. -79.1 lbs.      -79.4 lbs.
	3	6.00	0.00	COMMON C1	19-11-00 19-11-00	2 X 6	2 X 6	01-03-00		Joint 2      Joint 4 858.9 lbs.      782.8 lbs. -64.3 lbs.      -47.0 lbs.
	1	6.00	0.00	COMMON C1GE	19-11-00 19-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2      Joint 12      Joint 14      Joint 15      Joint 16 155.2 lbs.      155.2 lbs.      152.1 lbs.      161.6 lbs.      160.3 lbs. -30.4 lbs.      -23.3 lbs.      -64.1 lbs.      -70.0 lbs.      -74.1 lbs.
	2	6.00	0.00	COMMON D1	15-05-00 15-05-00	2 X 6	2 X 6			Joint 1      Joint 3 605.0 lbs.      605.0 lbs. -36.3 lbs.      -36.3 lbs.
	1	6.00	0.00	COMMON D1GE	15-05-00 15-05-00	2 X 6	2 X 6			Joint 10      Joint 11      Joint 12      Joint 13      Joint 14 233.6 lbs.      127.6 lbs.      180.8 lbs.      188.6 lbs.      180.8 lbs. -44.4 lbs.      -89.5 lbs.      -61.7 lbs.      46.9 lbs.      -60.9 lbs.
	3	6.00	0.00	COMMON D2	14-02-00 14-02-00	2 X 6	2 X 6			Joint 1      Joint 4 560.8 lbs.      560.8 lbs. -35.9 lbs.      -29.3 lbs.
	2	6.00	0.00	COMMON G1	17-05-00 17-05-00	2 X 6	2 X 6			Joint 1      Joint 3 685.0 lbs.      685.0 lbs. -41.2 lbs.      -41.2 lbs.
	1	6.00	0.00	COMMON G1GE	17-05-00 17-05-00	2 X 6	2 X 6			Joint 10      Joint 11      Joint 12      Joint 14      Joint 15 327.2 lbs.      91.4 lbs.      197.4 lbs.      259.5 lbs.      197.4 lbs. -76.0 lbs.      -81.2 lbs.      -61.9 lbs.      58.3 lbs.      -61.1 lbs.
	5	6.00	0.00	COMMON G2	16-02-00 16-02-00	2 X 6	2 X 6			Joint 1      Joint 4 640.8 lbs.      640.8 lbs. -40.8 lbs.      -34.2 lbs.
	19	6.00	0.00	JACK-OPEN X1	05-08-00 05-08-00	2 X 6	2 X 6			Joint 1      Joint 2      Joint 3 218.3 lbs.      163.8 lbs.      109.2 lbs. 0.6 lbs.      -80.2 lbs.      32.8 lbs.
	6	4.00	0.00	JACK-OPEN X1A	07-02-00 07-02-00	2 X 6	2 X 6			Joint 1      Joint 3      Joint 4 278.3 lbs.      81.9 lbs.      196.5 lbs. -11.0 lbs.      -39.1 lbs.      -9.6 lbs.

# Reaction Summary of Order



REQ. QUOTE DATE	05/15/19	ORDER #	J0720-3074
ORDER DATE	07/07/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	David Landry

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 1 Oak Haven <b>MODEL:</b> Roof <b>TAG:</b> Blue Ash <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT # 1</b> <b>SUBDIV:</b> Oak Haven <b>JOB CATEGORY:</b> Residential - Roof
	<b>Watermark Homes</b> Lot 1 Oak Haven Harnett County, NC	<b>SPECIAL INSTRUCTIONS:</b> Like Lot 2 Belmont Farms. (J0519-2546)	<b>PLAN SEAL DATE:</b> BY      DATE

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /	
	END CUT	RETURN				LAYOUT	CN 07/09/20	
	PLUMB	NO	GABLE STUDS	16 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING	CN 07/07/20

## ROOF TRUSSES

### LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		TOP	BOT			TOP	BOT	LEFT	RIGHT	
	1	6.00	0.00	JACK-OPEN X2	05-08-00 05-08-00	2 X 6	2 X 6			Joint 1      Joint 3      Joint 4 218.3 lbs.      148.7 lbs.      103.5 lbs. -9.3 lbs.      -41.4 lbs.      19.7 lbs.
	1	6.00	0.00	JACK-OPEN X3	05-08-00 05-08-00	2 X 6	2 X 6			Joint 1      Joint 3      Joint 4 238.6 lbs.      169.7 lbs.      117.3 lbs. -23.0 lbs.      -61.2 lbs.      23.0 lbs.
	4	5.00	0.00	JACK-OPEN XB1	05-11-08 05-11-08	2 X 6	2 X 6			Joint 1      Joint 2      Joint 3 230.0 lbs.      172.5 lbs.      115.0 lbs. -7.1 lbs.      -76.8 lbs.      34.5 lbs.
	1 2 Ply	5.00	0.00	JACK-CLOSED XB1-GR	05-11-08 05-11-08	2 X 6	2 X 6			Joint 1      Joint 5 600.2 lbs.      1383.2 lbs. -34.7 lbs.      -129.3 lbs.
	1	5.00	0.00	JACK-OPEN XB2	05-11-08 05-11-08	2 X 6	2 X 6			Joint 1      Joint 3      Joint 4 258.9 lbs.      178.4 lbs.      124.1 lbs. -18.6 lbs.      -61.2 lbs.      24.4 lbs.
	2	5.00	0.00	JACK-OPEN Y1	02-10-00 02-10-00	2 X 6	2 X 6			Joint 1      Joint 2      Joint 3 105.0 lbs.      78.8 lbs.      52.5 lbs. -2.5 lbs.      -35.8 lbs.      15.8 lbs.
	1	6.00	0.00	JACK-OPEN YB1	03-00-00 03-00-00	2 X 6	2 X 6			Joint 1      Joint 2      Joint 3 111.7 lbs.      83.8 lbs.      55.8 lbs. 1.2 lbs.      -41.9 lbs.      16.8 lbs.
	1	6.00	0.00	JACK-OPEN YB2	03-00-00 03-00-00	2 X 6	2 X 6			Joint 1      Joint 3      Joint 4 111.7 lbs.      76.0 lbs.      53.0 lbs. -3.7 lbs.      -22.0 lbs.      9.8 lbs.

## ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
2	Hangers, USP	HUS 26			SIMPSON (HUS26)
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	09-00-00		BM1
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	20-00-00		GDH

# Reaction Summary of Order



**ComTech** ROOF & FLOOR  
TRUSSES & BEAMS  
Reilly Road Industrial Park P.O. Box 40408  
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	05/15/19	ORDER #	J0720-3074
ORDER DATE	07/07/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	David Landry

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 1 Oak Haven <b>MODEL:</b> Roof <b>TAG:</b> Blue Ash <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT # 1</b> <b>SUBDIV:</b> Oak Haven <b>JOB CATEGORY:</b> Residential - Roof
	SHIP TO	<b>Watermark Homes</b> Lot 1 Oak Haven Harnett County, NC	<b>SPECIAL INSTRUCTIONS:</b> Like Lot 2 Belmont Farms. (J0519-2546)

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-06-08	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	/ /								
Roof Order	<table border="1"> <tr> <td>END CUT</td> <td>RETURN</td> </tr> <tr> <td>PLUMB</td> <td>NO</td> </tr> </table>	END CUT	RETURN	PLUMB	NO	<b>GABLE STUDS</b>	16 IN. OC	<table border="1"> <tr> <td>JOBSITE</td> <td>1</td> </tr> </table>	JOBSITE	1	<table border="1"> <tr> <td>JOBSITE</td> <td>1</td> </tr> </table>	JOBSITE	1	<b>LAYOUT</b>	CN      07/09/20
END CUT	RETURN														
PLUMB	NO														
JOBSITE	1														
JOBSITE	1														
						<b>CUTTING</b>	CN      07/07/20								

## ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
1	Hangers, USP	THD26-2			SIMPSON (HHUS26-2)