

# Reaction Summary of Order



**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J1020-5007
ORDER DATE	10/26/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	Anthony Williams

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 6 Oak Haven <b>MODEL:</b> Roof <b>TAG:</b> Oleander II <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT # 6</b> <b>SUBDIV:</b> Oak Haven <b>JOB CATEGORY:</b> Residential - Roof
	<b>Watermark Homes</b> Lot 6 Oak Haven Harnett County, NC	<b>SPECIAL INSTRUCTIONS:</b> Copied from 15 Bruce Diamond (J0120-0090)	<b>PLAN SEAL DATE:</b> BY      DATE

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-04-05	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	/ /	
Roof Order	<b>END CUT</b>	<b>RETURN</b>				<b>LAYOUT</b>	/ /	
	NO		<b>GABLE STUDS</b>	16 IN. OC	JOBSITE 1	JOBSITE 1	<b>CUTTING</b>	/ /

**ROOF TRUSSES**      **LOADING INFORMATION**      TOLL-TCDL-BCLL-BCDL      STRESS INCR.      **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)  
 20.0,10.0,0.0,10.0      1.15

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT	Joint 2	Joint 26	Joint 27	Joint 28	Joint 29
	1	6.00	0.00	GABLE A1-GE	39-11-00 39-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 274.3 lbs. -129.9 lbs.	Joint 26 209.7 lbs. -66.5 lbs.	Joint 27 196.4 lbs. -222.7 lbs.	Joint 28 174.9 lbs. -68.9 lbs.	Joint 29 179.0 lbs. -97.3 lbs.
	7	6.00	0.00	PIGGYBACK A2	39-11-00 39-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 1417.8 lbs. -83.8 lbs.	Joint 14 1904.8 lbs. -79.4 lbs.			
	3	8.50	0.00	PIGGYBACK A3	37-11-00 37-11-00	2 X 6	2 X 6			Joint 1 1230.8 lbs. -54.5 lbs.	Joint 10 214.8 lbs. -89.3 lbs.	Joint 13 1581.1 lbs. -39.1 lbs.		
	1	8.50	0.00	PIGGYBACK A4	37-11-00 37-11-00	2 X 6	2 X 6			Joint 1 1316.0 lbs. -54.7 lbs.	Joint 10 132.8 lbs. -38.7 lbs.	Joint 13 1569.6 lbs. -68.6 lbs.		
	6	8.50	0.00	PIGGYBACK A5	37-11-00 37-11-00	2 X 6	2 X 6		01-03-00	Joint 1 1286.8 lbs. -57.2 lbs.	Joint 2 674.8 lbs. -152.8 lbs.	Joint 10 674.8 lbs. -152.8 lbs.	Joint 14 1803.6 lbs. -80.2 lbs.	
	4	8.50	0.00	PIGGYBACK A6	30-03-12 30-03-12	2 X 6	2 X 6			Joint 1 1199.5 lbs. -44.4 lbs.	Joint 8 1201.7 lbs. -15.7 lbs.			
	2	8.50	0.00	PIGGYBACK A7	20-01-08 20-01-08	2 X 6	2 X 10	01-03-00		Joint 2 1032.0 lbs. -5.6 lbs.	Joint 9 1332.1 lbs. -163.6 lbs.			
	2	8.50	0.00	PIGGYBACK A7A	20-01-08 20-01-08	2 X 6	2 X 10	01-03-00		Joint 2 2064.1 lbs. -11.2 lbs.	Joint 9 2664.2 lbs. -327.2 lbs.			
	3	8.50	0.00	PIGGYBACK A8	32-04-00 32-04-00	2 X 6	2 X 10	01-03-00		Joint 2 1192.3 lbs. -64.7 lbs.	Joint 11 1019.2 lbs. -59.6 lbs.	Joint 13 772.6 lbs. 6.8 lbs.		
	1	8.50	0.00	GABLE A9-GE	32-04-00 32-04-00	2 X 6	2 X 6	01-03-00		Joint 20 262.8 lbs. -242.7 lbs.	Joint 21 341.8 lbs. -206.6 lbs.	Joint 22 180.3 lbs. -104.1 lbs.	Joint 23 180.7 lbs. -74.3 lbs.	Joint 24 165.8 lbs. 11.2 lbs.
	1	6.00	0.00	GABLE B1-GE	17-07-00 17-07-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 768.8 lbs. -203.6 lbs.	Joint 10 768.8 lbs. -203.6 lbs.			

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J1020-5007
ORDER DATE	10/26/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	Anthony Williams

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 6 Oak Haven <b>MODEL:</b> Roof <b>TAG:</b> Oleander II <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT # 6</b> <b>SUBDIV:</b> Oak Haven <b>JOB CATEGORY:</b> Residential - Roof
	<b>Watermark Homes</b> Lot 6 Oak Haven Harnett County, NC	<b>SPECIAL INSTRUCTIONS:</b> Copied from 15 Bruce Diamond (J0120-0090)	<b>PLAN SEAL DATE:</b> BY      DATE

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
	END CUT	RETURN				LAYOUT	/ /
	NO		GABLE STUDS	16 IN. OC	JOBSITE	1	CUTTING

<b>ROOF TRUSSES</b>	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL 20.0,10.0,0.0,10.0	STRESS INCR. 1.15	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
---------------------	---------------------	---	----------------------	--

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS							
		TOP	BOT			TOP	BOT	LEFT	RIGHT								
	2	6.00	0.00	COMMON B2	17-07-00 17-07-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 768.8 lbs. -157.7 lbs.	Joint 6 768.8 lbs. -157.7 lbs.						
	1	6.00	0.00	QUEENPOST C1-GE	28-02-08 28-02-08	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 440.5 lbs. 18.2 lbs.	Joint 16 910.9 lbs. -214.8 lbs.	Joint 20 974.4 lbs. -265.5 lbs.	Joint 21 91.6 lbs. -375.1 lbs.	Joint 22 147.2 lbs. -32.8 lbs.			
	1	6.00	0.00	COMMON C2	28-02-08 28-02-08	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 892.4 lbs. -75.0 lbs.	Joint 10 1008.1 lbs. -164.6 lbs.	Joint 14 600.0 lbs. -130.8 lbs.					
	1	6.00	0.00	COMMON C3	28-02-08 28-02-08	2 X 6	2 X 6	01-03-00		Joint 2 894.5 lbs. -75.2 lbs.	Joint 10 940.5 lbs. -159.5 lbs.	Joint 13 599.0 lbs. -129.6 lbs.					
	1	12.00	0.00	GABLE D1-GE	24-11-00 24-11-00	2 X 6	2 X 10	01-03-00	01-03-00	Joint 18 1622.3 lbs. 49.0 lbs.	Joint 22 1622.3 lbs. 49.0 lbs.						
	1	12.00	0.00	PIGGYBACK D2	24-11-00 24-11-00	2 X 6	2 X 10	01-03-00	01-03-00	Joint 12 1622.3 lbs. 183.9 lbs.	Joint 16 1622.3 lbs. 183.9 lbs.						
	7	12.00	0.00	PIGGYBACK D3	24-11-00 24-11-00	2 X 6	2 X 10	01-03-00		Joint 11 1552.2 lbs. 202.5 lbs.	Joint 15 1624.2 lbs. 185.3 lbs.						
	2	12.00	0.00	PIGGYBACK D4	24-11-00 24-11-00	2 X 6	2 X 10			Joint 10 1554.1 lbs. 203.9 lbs.	Joint 14 1554.1 lbs. 203.9 lbs.						
	1	12.00	0.00	PIGGYBACK D5	24-11-00 24-11-00	2 X 6	2 X 10			Joint 10 2331.1 lbs. 305.8 lbs.	Joint 14 2331.1 lbs. 305.8 lbs.						
	1	12.00	0.00	COMMON E1-GE	07-07-00 07-07-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 8 189.1 lbs. -132.4 lbs.	Joint 9 222.8 lbs. -173.8 lbs.	Joint 10 213.1 lbs. 80.6 lbs.	Joint 11 227.1 lbs. -177.6 lbs.	Joint 12 195.1 lbs. -137.8 lbs.			
	1	12.00	0.00	COMMON E2	07-07-00 07-07-00	2 X 6	2 X 8			Joint 4 637.5 lbs. -186.0 lbs.	Joint 6 638.5 lbs. -201.0 lbs.						

# Reaction Summary of Order



**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J1020-5007
ORDER DATE	10/26/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	Anthony Williams

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 6 Oak Haven <b>MODEL:</b> Roof <b>TAG:</b> Oleander II <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT # 6</b> <b>SUBDIV:</b> Oak Haven <b>JOB CATEGORY:</b> Residential - Roof
	<b>Watermark Homes</b> Lot 6 Oak Haven Harnett County, NC	<b>SPECIAL INSTRUCTIONS:</b> Copied from 15 Bruce Diamond (J0120-0090)	<b>PLAN SEAL DATE:</b> BY      DATE

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-04-05	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	/ /	
Roof Order	<b>END CUT</b>	<b>RETURN</b>				<b>LAYOUT</b>	/ /	
	NO		<b>GABLE STUDS</b>	16 IN. OC	JOBSITE 1	JOBSITE 1	<b>CUTTING</b>	/ /

**ROOF TRUSSES**      **LOADING INFORMATION**      TOLL-TCDL-BCLL-BCDL      STRESS INCR.      **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)  
 20.0,10.0,0.0,10.0      1.15

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT	Joint 14	Joint 15	Joint 16	Joint 17	Joint 19
	1	8.50	0.00	GABLE G1-GE	21-11-00 21-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 14 223.3 lbs. -31.4 lbs.	Joint 15 243.4 lbs. -200.0 lbs.	Joint 16 168.0 lbs. -88.3 lbs.	Joint 17 183.1 lbs. -104.6 lbs.	Joint 19 176.1 lbs. -63.9 lbs.
	5	8.50	0.00	COMMON G2	21-11-00 21-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 8 939.2 lbs. -57.4 lbs.	Joint 11 939.2 lbs. -57.4 lbs.			
	2	8.50	0.00	GABLE PB1	08-06-10 08-06-10	2 X 4	2 X 4			Joint 1 79.6 lbs. -79.3 lbs.	Joint 2 185.2 lbs. -83.3 lbs.	Joint 6 158.8 lbs. -57.1 lbs.	Joint 7 38.2 lbs. -32.1 lbs.	Joint 8 217.2 lbs. -111.3 lbs.
	24	8.50	0.00	PIGGYBACK PB2	08-06-10 08-06-10	2 X 4	2 X 4			Joint 2 219.1 lbs. -37.4 lbs.	Joint 4 219.1 lbs. -45.2 lbs.	Joint 6 302.6 lbs. 26.7 lbs.		
	4	8.50	0.00	PIGGYBACK PB3	05-05-05 05-05-05	2 X 4	2 X 4			Joint 2 192.1 lbs. -4.5 lbs.	Joint 5 0.1 lbs. -52.6 lbs.	Joint 6 267.5 lbs. -8.1 lbs.		
	12	12.00	0.00	PIGGYBACK PB4	04-09-11 04-09-11	2 X 4	2 X 4			Joint 2 140.5 lbs. -47.0 lbs.	Joint 4 140.4 lbs. -53.6 lbs.	Joint 6 149.1 lbs. 8.8 lbs.		
	1	12.00	0.00	GABLE VA-1	23-03-09 23-03-09	2 X 4	2 X 4			Joint 1 235.3 lbs. -140.0 lbs.	Joint 15 182.2 lbs. -60.1 lbs.	Joint 16 190.6 lbs. -138.9 lbs.	Joint 17 108.5 lbs. -78.0 lbs.	Joint 18 122.9 lbs. -97.1 lbs.
	1	12.00	0.00	VALLEY VA-2	20-05-09 20-05-09	2 X 4	2 X 4			Joint 1 185.8 lbs. -106.7 lbs.	Joint 7 162.1 lbs. -67.9 lbs.	Joint 8 294.2 lbs. -135.1 lbs.	Joint 9 459.9 lbs. -184.2 lbs.	Joint 11 371.8 lbs. 71.6 lbs.
	1	12.00	0.00	VALLEY VA-3	17-07-09 17-07-09	2 X 4	2 X 4			Joint 1 207.5 lbs. -23.0 lbs.	Joint 5 182.4 lbs. 10.4 lbs.	Joint 6 524.0 lbs. -213.7 lbs.	Joint 8 344.9 lbs. 62.3 lbs.	Joint 9 524.2 lbs. -213.9 lbs.
	1	12.00	0.00	VALLEY VA-4	14-09-09 14-09-09	2 X 4	2 X 4			Joint 1 159.7 lbs. -32.3 lbs.	Joint 5 138.8 lbs. -4.4 lbs.	Joint 6 418.3 lbs. -177.1 lbs.	Joint 7 344.6 lbs. 59.8 lbs.	Joint 8 418.5 lbs. -177.3 lbs.
	1	12.00	0.00	VALLEY VA-5	11-11-09 11-11-09	2 X 4	2 X 4			Joint 1 112.5 lbs. -65.4 lbs.	Joint 5 90.1 lbs. -43.1 lbs.	Joint 6 337.6 lbs. -160.0 lbs.	Joint 7 223.4 lbs. 54.9 lbs.	Joint 8 337.8 lbs. -160.2 lbs.

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J1020-5007
ORDER DATE	10/26/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	Anthony Williams

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 6 Oak Haven <b>MODEL:</b> Roof <b>TAG:</b> Oleander II <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT # 6</b> <b>SUBDIV:</b> Oak Haven <b>JOB CATEGORY:</b> Residential - Roof
	<b>Watermark Homes</b> Lot 6 Oak Haven Harnett County, NC	<b>SPECIAL INSTRUCTIONS:</b> Copied from 15 Bruce Diamond (J0120-0090)	<b>PLAN SEAL DATE:</b> BY      DATE

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
	END CUT	RETURN				LAYOUT	/ /
	NO		GABLE STUDS	16 IN. OC	JOBSITE	1	CUTTING

<b>ROOF TRUSSES</b>	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL 20.0,10.0,0.0,10.0	STRESS INCR. 1.15	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
---------------------	---------------------	---	----------------------	--

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		TOP	BOT			TOP	BOT	LEFT	RIGHT	
	1	12.00	0.00	VALLEY VA-6	09-01-09 09-01-09	2 X 4	2 X 4			Joint 1      Joint 3      Joint 4 191.1 lbs.      191.1 lbs.      291.9 lbs. -25.1 lbs.      -25.1 lbs.      11.8 lbs.
	1	12.00	0.00	VALLEY VA-7	06-03-09 06-03-09	2 X 4	2 X 4			Joint 1      Joint 3      Joint 4 136.2 lbs.      136.2 lbs.      174.9 lbs. -24.3 lbs.      -24.3 lbs.      23.1 lbs.
	1	12.00	0.00	VALLEY VA-8	03-05-09 03-05-09	2 X 4	2 X 4			Joint 1      Joint 3      Joint 4 67.2 lbs.      67.2 lbs.      86.3 lbs. -12.0 lbs.      -12.0 lbs.      11.4 lbs.
	1	6.00	0.00	VALLEY VC-1	26-10-10 26-10-10	2 X 4	2 X 4			Joint 1      Joint 7      Joint 8      Joint 9      Joint 11 168.3 lbs.      168.3 lbs.      410.2 lbs.      336.1 lbs.      399.6 lbs. -2.8 lbs.      6.2 lbs.      -84.6 lbs.      -69.5 lbs.      71.5 lbs.
	1	6.00	0.00	VALLEY VC-2	21-02-10 21-02-10	2 X 4	2 X 4			Joint 1      Joint 7      Joint 8      Joint 9      Joint 11 59.7 lbs.      51.7 lbs.      268.3 lbs.      350.5 lbs.      358.2 lbs. -3.1 lbs.      9.0 lbs.      -54.5 lbs.      -77.7 lbs.      52.6 lbs.
	1	6.00	0.00	VALLEY VC-3	15-06-10 15-06-10	2 X 4	2 X 4			Joint 1      Joint 5      Joint 6      Joint 7      Joint 8 102.5 lbs.      102.5 lbs.      338.9 lbs.      273.8 lbs.      338.9 lbs. -3.4 lbs.      2.2 lbs.      -75.9 lbs.      32.1 lbs.      -75.9 lbs.
	1	6.00	0.00	VALLEY VC-4	09-10-10 09-10-10	2 X 4	2 X 4			Joint 1      Joint 3      Joint 4 159.9 lbs.      159.9 lbs.      375.2 lbs. -21.1 lbs.      -26.0 lbs.      0.3 lbs.
	1	6.00	0.00	VALLEY VC-5	04-02-10 04-02-10	2 X 4	2 X 4			Joint 1      Joint 3 119.3 lbs.      119.3 lbs. -7.2 lbs.      -7.2 lbs.

<b>ITEMS</b>					
QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
4	Hangers, USP	JUS26			SIMPSON (LUS26)
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	07-00-00		DBL-28
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	25-00-00		GDH-1

# Reaction Summary of Order



**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J1020-5007
ORDER DATE	10/26/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	Anthony Williams

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 6 Oak Haven <b>MODEL:</b> Roof <b>TAG:</b> Oleander II <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT # 6</b> <b>SUBDIV:</b> Oak Haven <b>JOB CATEGORY:</b> Residential - Roof
	SHIPP TO	<b>Watermark Homes</b> Lot 6 Oak Haven Harnett County, NC	<b>SPECIAL INSTRUCTIONS:</b> Copied from 15 Bruce Diamond (J0120-0090)

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
	END CUT	RETURN				LAYOUT	/ /
		NO	GABLE STUDS	16 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING

## ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	12-00-00		GDH-2
4	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	11-00-00		BM1 & BM2