



### **Builders First Source**

23 Red Cedar Way
Apex, NC 27523
Phone: (919) 363-4956
Fax: (919) 387-8565
http://www.bldr.com

- General Notes:
   Per ANSI/TPI 1-2002 all " Truss to Wall" connections are the responsibility of the Building Designer, not the Truss Manufacturer.
- Dimensions are Feet-Inches- Sixteenths.
- Trusses are to be 24" o.c. unless noted otherwise (U.N.O.)
- Trusses are not designed to support brick U.N.O.
- Do not cut or modify trusses without first contacting Builders FirstSource.
- Immediately contact Builders FirstSource if trusses are damaged.

  Connection Notes:

- All hangers are to be Simpson or equivalent U.N.O.
- Use Manufacturer's specifications for all hanger connections U.N.O.
  - Use 10d x 1 1/2" Nails in hanger connections to single ply

# roof girder trusses. Floor Notes:

- Shift truss as required to avoid plumbing traps.
- Installation Contractor and/or Field Supervisor are to verify all dimensions, trap locations, and options prior to installation

## Dimension Notes:

- Drawing not to scale. Do not scale dimensions

			All	All Tie Downs H2.5T Unless noted			
	JS46 1422	Hj fê	Special Items List				
		,		Misc	Ma	terial_	
McKee							
Portico				Elev:	E	Bungalow	
Carriage Glen							
Cumber	land	NO	2	Lot:		1009	
Lot 1009/2nd				Appwright #			
				Permit			
Floor/Garage Left				Code:		IRC 2015	
				<u>Loading:</u>			
				T.C.L.L	- 1	40	
Designed By	<u>/:</u>	CFC		T.C.D.I	-	10	
Layout:	PBF	L-L		B.C.L.L.		0	
L/O Date:	10/28	/2020	0	B.C.D.L		5	
Revision History			Wind:				
Rev1: XX/XX/XX			M.P.H.	T	115		
Rev2: XX/XX/XX			Exposure Category				
Rev3:	3: xx/xx/xx			B (Wooded areas/other)		areas/other)	
Pick Ticket:			Job No	<u>:</u>			
Sales No:			Acct No	):			

Hatch Legend

Volume Ceiling

Stick Framing