Reaction Summary of Order REQ. QUOTE DATE // ORDER # J0720-3454

ROOF & FLOOR TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

| | | Ditte | 71700/20 17102 1 |
|-----------------|----------------|----------------|------------------|
| REQ. QUOTE DATE | 11 | ORDER# | J0720-3454 |
| ORDER DATE | 07/27/20 | QUOTE # | |
| DELIVERY DATE | 11 | CUSTOMER ACCT# | 000030 |
| DATE OF INVOICE | 11 | CUSTOMER PO# | |
| ORDERED BY | Carr Gardner | INVOICE # | |
| COUNTY | Harnett | TERMS | Net 10 Days |
| SUPERINTENDANT | Carr Gardner | SALES REP | Anthony Williams |
| JOBSITE PHONE # | (910) 322-1600 | SALES AREA | Anthony Williams |

Watermark Homes, Inc. 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229 JOB NAME: Lot 20 Oak Haven

MODEL: Roof

TAG: Sugarberry

LOT # 20 SUBDIV: Oak Haven

JOB CATEGORY: Residential - Roof

DELIVERY INSTRUCTIONS:

Watermark Homes Lot 20 Oak Haven Harnett County, NC

SPECIAL INSTRUCTIONS: Wide load charge added. Like lot 44 Knolls

(J1117-5355) PLAN SEAL DATE: 3/20/17 BY DATE

| BUILDING DEPARTMENT | OVERHA | ANG INFO | HEEL HEIGHT | 00-04-05 | RE | :Q. I | LAYOUIS | | REQ. | EN | SINEERING | | QUOTE | / / |
|---------------------|---------|----------|---------------------|------------|----|-------|-----------|----|-------|----|--------------|---|---------|-----|
| Roof Order | END CUT | RETURN | | | | | | | | | | | LAYOUT | 11 |
| | PLUMB | | GABLE STUDS | 24 IN. OC | | | JOBSITE | 1 | | | JOBSITE | 1 | CUTTING | 11 |
| POOE TRUSSES | LOA | DING | TCLL-TCDL-BCLL-BCDL | STRESS INC | R. | | DOOE TRUE | 00 | ed ve | NG | . 24 O INI O | _ | (TVD) | |

| ROOF T | RUS | SES | | ADING FORMATION | TCLL-TCDL-B0 | | | ESS INCR. | | | | | | | |
|---------|------------|-------|------|--------------------|----------------------|-------|-------|-----------|----------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|--|
| PROFILE | QTY | PIT | СН | TYPE | BASE | | IBER | | HANG | Ī | | | | 7 | |
| PROFILE | PLY | TOP | ВОТ | ID | O/A | | BOT | LEFT | RIGHT | REACTION | NS | | | | |
| | 1 | 4.00 | 0.00 | GIRDER A1-GE | 61-11-00 61-11-00 | | | | 01-05-00 | Joint 2 479.1 lbs. -229.9 lbs. | Joint 16 295.9 lbs. -24.5 lbs. | Joint 18 137.0 lbs. -30.0 lbs. | Joint 19 58.0 lbs. 5.2 lbs. | Joint 20 300.7 lbs. -145.2 lbs. | |
| | 8 | 4.00 | 0.00 | GIRDER A2 | 61-11-00 61-11-00 | 2 X 6 | 2 X 6 | 01-05-00 | 01-05-00 | Joint 2 260.7 lbs. -211.9 lbs. | Joint 16 571.6 lbs. -142.4 lbs. | Joint 18 2079.2 lbs. 105.8 lbs. | Joint 21 1427.7 lbs. 233.4 lbs. | Joint 25 2747.4 lbs. -39.5 lbs. | |
| | 6 | 8.00 | 0.00 | GIRDER A3 | 48-11-00 47-11-00 | 2 X 6 | 2 X 6 | | | Joint 1 865.8 lbs. -24.2 lbs. | Joint 13 612.6 lbs. -114.9 lbs. | Joint 19 1852.0 lbs. 203.0 lbs. | Joint 20 2055.6 lbs. 205.9 lbs. | | |
| | 1 | 8.00 | 0.00 | GIRDER A4 | 48-11-00 47-11-00 | 2 X 6 | 2 X 6 | | | Joint 1 2693.2 lbs. 240.6 lbs. | Joint 13 2394.7 lbs. 265.9 lbs. | Joint 15 722.0 lbs. -52.5 lbs. | | | |
| | 2 2 Ply | 8.00 | 0.00 | GIRDER A5 | 48-11-00 47-11-00 | 2 X 6 | 2 X 6 | | 02-05-00 | Joint 1 246.5 lbs. -708.0 lbs. | Joint 14 3354.0 lbs. 248.3 lbs. | Joint 16 3829.9 lbs. 357.9 lbs. | Joint 19 7708.5 lbs. 876.3 lbs. | | |
| | 6 | 8.00 | 0.00 | GIRDER A6 | 48-11-00 48-11-00 | 2 X 6 | 2 X 6 | | | Joint 1 111.6 lbs. -268.0 lbs. | Joint 12 1181.4 lbs. 98.8 lbs. | Joint 15 1805.4 lbs. 186.2 lbs. | Joint 18 3001.0 lbs. 335.4 lbs. | | |
| | 1 | 8.00 | 0.00 | GABLE A7-GE | 48-11-00 48-11-00 | 2 X 6 | 2 X 6 | | | Joint 1 369.4 lbs. -82.0 lbs. | Joint 13 361.4 lbs. -82.9 lbs. | Joint 14 164.1 lbs. -54.3 lbs. | Joint 15 62.1 lbs. 1.1 lbs. | Joint 16 148.4 lbs. 14.9 lbs. | |
| | 3 | 7.50 | 0.00 | COMMON B1 | 35-02-08 35-02-08 | 2 X 6 | 2 X 6 | | 01-05-00 | Joint 1 1633.4 lbs. -2.0 lbs. | Joint 7 1714.9 lbs. -16.7 lbs. | | | | |
| | 1 | 7.50 | 0.00 | COMMON B1-GE | 35-02-08 35-02-08 | 2 X 6 | 2 X 6 | | 01-05-00 | Joint 1 218.5 lbs. -130.8 lbs. | Joint 21 189.8 lbs. -28.3 lbs. | Joint 23 144.4 lbs. -103.8 lbs. | Joint 24 178.5 lbs. -67.5 lbs. | Joint 25 168.3 lbs. -62.0 lbs. | |
| | 1 3 Ply | 7.50 | 0.00 | COMMON B2 | 35-02-08 35-02-08 | 2 X 6 | 2 X 8 | | | Joint 1 7535.9 lbs. -126.2 lbs. | Joint 9 3480.2 lbs. -640.6 lbs. | | | | |
| | 1 | 12.00 | 0.00 | COMMON C1-GE | 12-06-00 12-06-00 | 2 X 6 | 2 X 6 | | | Joint 8 162.9 lbs. -80.0 lbs. | Joint 9 243.4 lbs. -210.5 lbs. | Joint 10 173.8 lbs. -67.2 lbs. | Joint 11 199.6 lbs. 51.1 lbs. | Joint 12 173.7 lbs. -67.1 lbs. | |

Reaction Summary of Order

ROOF & FLOOR ComTech TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408

Fayetteville, N.C. 28309 (910) 864-TRUS

| REQ. QUOTE DATE | 11 | ORDER# | J0720-3454 |
|-----------------|----------------|----------------|------------------|
| ORDER DATE | 07/27/20 | QUOTE # | |
| DELIVERY DATE | 11 | CUSTOMER ACCT# | 000030 |
| DATE OF INVOICE | 11 | CUSTOMER PO# | |
| ORDERED BY | Carr Gardner | INVOICE # | |
| COUNTY | Harnett | TERMS | Net 10 Days |
| SUPERINTENDANT | Carr Gardner | SALES REP | Anthony Williams |
| JOBSITE PHONE # | (910) 322-1600 | SALES AREA | Anthony Williams |

Watermark Homes, Inc. 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229

JOB NAME: Lot 20 Oak Haven **LOT #** 20 SUBDIV: Oak Haven MODEL:Roof TAG: Sugarberry JOB CATEGORY: Residential - Roof

DELIVERY INSTRUCTIONS:

Watermark Homes Lot 20 Oak Haven **Harnett County, NC**

ROOF TRUSSES

T

SHIP

SPECIAL INSTRUCTIONS: Wide load charge added. Like lot 44 Knolls

TCLL-TCDL-BCLL-BCDL STRESS INCR.

LOADING

PLAN SEAL DATE: 3/20/17 (J1117-5355)

BY DATE

| BUILDING DEPARTMENT | OVERHANG INFO | | OVERHANG INFO | | HEEL HEIGHT | 00-04-05 | RE | REQ. LAYOUTS | | REQ. ENGINEERING | | | QUOTE | 11 |
|----------------------------|---------------|--------|---------------|-----------|-------------|----------|---------|--------------|--|------------------|---|---------|-------|----|
| Roof Order | END CUT | RETURN | | | | | | | | | | LAYOUT | 1 1 | |
| | PLUMB | | GABLE STUDS | 24 IN. OC | | | JOBSITE | 1 | | JOBSITE | 1 | CUTTING | 11 | |

| ROOF T | ROOF TRUSSES LOADING TCLL-TCDL-BCDL STRESS INCR. 20.0,10.0,0.0,10.0 1.15 | | | | | | ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) | | | | | | | |
|-------------|--|-------|------|-------------------|----------------------|-------|--|------|-------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| PROFILE | QTY | PIT | | TYPE | BASE | | | | HANG | Ī | | | | 7 |
| PROFILE | PLY | TOP | ВОТ | ID | O/A | TOP | BOT | LEFT | RIGHT | REACTIO | NS | | | |
| | 1 2 Ply | 12.00 | 0.00 | COMMON C2 | 12-06-00 12-06-00 | | | | | Joint 1 2499.7 lbs. -414.4 lbs. | Joint 5 3897.5 lbs. 376.8 lbs. | | | |
| | 21 | 8.00 | 0.00 | PIGGYBACK PB1 | 14-07-13 14-07-13 | 2 X 4 | 2 X 4 | | | Joint 2 76.5 lbs. -109.6 lbs. | Joint 6 61.0 lbs. -87.9 lbs. | Joint 8 499.4 lbs. -115.5 lbs. | Joint 9 388.0 lbs. 58.4 lbs. | Joint 10 500.2 lbs. -116.1 lbs. |
| | 2 | 8.00 | 0.00 | GABLE PB1-GE | 14-07-13 14-07-13 | 2 X 4 | 2 X 4 | | | Joint 1 78.9 lbs. -69.9 lbs. | Joint 2 95.4 lbs. -6.9 lbs. | Joint 10 83.7 lbs. 9.0 lbs. | Joint 11 10.0 lbs. 1.0 lbs. | Joint 12 152.9 lbs. -61.3 lbs. |
| | 2 | 8.00 | 0.00 | PIGGYBACK PB1A | 12-11-01 12-11-01 | 2 X | 2 X 4 | | | Joint 1 187.7 lbs. -523.9 lbs. | Joint 2 1464.4 lbs. -267.7 lbs. | Joint 4 1463.9 lbs. -267.6 lbs. | Joint 5 163.0 lbs. -486.6 lbs. | Joint 6 3491.9 lbs. -37.0 lbs. |
| | 1 | 12.00 | 0.00 | GABLE VA-1 | 23-10-12 23-10-12 | 2 X 4 | 2 X 4 | | | Joint 1 281.1 lbs. -134.9 lbs. | Joint 15 248.1 lbs. -85.5 lbs. | Joint 16 182.8 lbs. -111.2 lbs. | Joint 17 183.6 lbs. -112.2 lbs. | Joint 18 183.0 lbs. -110.0 lbs. |
| \triangle | 1 | 12.00 | 0.00 | VALLEY VA-2 | 21-02-12 21-02-12 | 2 X 4 | 2 X 4 | | | Joint 1 164.0 lbs. -74.7 lbs. | Joint 7 139.6 lbs. -40.3 lbs. | Joint 8 334.9 lbs. -107.7 lbs. | Joint 9 560.3 lbs. -141.2 lbs. | Joint 11 414.4 lbs. 73.4 lbs. |
| | 1 | 12.00 | 0.00 | VALLEY VA-3 | 18-06-12 18-06-12 | 2 X 4 | 2 X 4 | | | Joint 1 170.6 lbs. -141.4 lbs. | Joint 7 155.7 lbs. -111.7 lbs. | Joint 8 280.2 lbs. -105.7 lbs. | Joint 10 473.9 lbs. -141.8 lbs. | Joint 11 424.9 lbs. 68.4 lbs. |
| | 1 | 12.00 | 0.00 | VALLEY VA-4 | 15-10-12 15-10-12 | 2 X 4 | 2 X 4 | | | Joint 1 168.3 lbs. -18.0 lbs. | Joint 5 149.2 lbs. 7.5 lbs. | Joint 6 483.1 lbs. -146.3 lbs. | Joint 7 413.3 lbs. 62.7 lbs. | Joint 8 483.3 lbs. -146.4 lbs. |
| \triangle | 1 | 12.00 | 0.00 | VALLEY VA-5 | 13-02-12 13-02-12 | 2 X 4 | 2 X 4 | | | Joint 1 118.5 lbs. -30.4 lbs. | Joint 5 102.7 lbs. -9.3 lbs. | Joint 6 366.1 lbs. -126.5 lbs. | Joint 7 385.8 lbs. 60.5 lbs. | Joint 8 366.3 lbs. -126.7 lbs. |
| \triangle | 1 | 12.00 | 0.00 | VALLEY VA-6 | 10-06-12 10-06-12 | 2 X 4 | 2 X 4 | | | Joint 1 108.2 lbs. -109.7 lbs. | Joint 5 99.8 lbs. -93.0 lbs. | Joint 6 354.4 lbs. -137.9 lbs. | Joint 7 219.5 lbs. 55.3 lbs. | Joint 8 354.7 lbs. -138.1 lbs. |
| | 1 | 12.00 | 0.00 | VALLEY VA-7 | 07-10-12 07-10-12 | 2 X 4 | 2 X 4 | | | Joint 1 175.2 lbs. -19.8 lbs. | Joint 3 175.2 lbs. -19.8 lbs. | Joint 4 225.1 lbs. 37.3 lbs. | | |

Reaction Summary of Order

ROOF & FLOOR ComTech TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408

Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE / / ORDER# J0720-3454 **ORDER DATE** 07/27/20 **QUOTE#** 000030 **DELIVERY DATE** 11 **CUSTOMER ACCT#** / / DATE OF INVOICE **CUSTOMER PO#** ORDERED BY Carr Gardner **INVOICE #** COUNTY Harnett **TERMS** Net 10 Days SALES REP Anthony Williams **SUPERINTENDANT** Carr Gardner (910) 322-1600 Anthony Williams **JOBSITE PHONE # SALES AREA**

Watermark Homes, Inc. 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229

JOB NAME: Lot 20 Oak Haven **LOT #** 20 SUBDIV: Oak Haven MODEL: Roof TAG: Sugarberry JOB CATEGORY: Residential - Roof

DELIVERY INSTRUCTIONS:

Watermark Homes Lot 20 Oak Haven **Harnett County, NC**

SOLD

T O

S H I P

T O

SPECIAL INSTRUCTIONS: Wide load charge added. Like lot 44 Knolls

TCLL-TCDL-BCLL-BCDL

LOADING

PLAN SEAL DATE: 3/20/17 (J1117-5355)

DATE

BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-04-05 **REQ. LAYOUTS REQ. ENGINEERING** QUOTE END CUT RETURN LAYOUT 11 Roof Order PLUMB **GABLE STUDS** 24 IN. OC JOBSITE JOBSITE CUTTING 11

STRESS INCR.

| ROOF TRUSSES LOADING INFORMATION | | | | | TCLL-TCDL-B | | | ESS INCR. | ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) | | | | | | |
|----------------------------------|------------|-------|------|----------------|----------------------|-------|-------|-----------|--|-------------------------------------|-------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--|
| | OTV | PIT | | TYPE | 20.0,10.0,0 | | | 1.15 | | i | | | | | |
| PROFILE | QTY PLY | TOP | ВОТ | ID | BASE O/A | TOP | BOT | LEFT | HANG RIGHT | REACTIO | NS | | | | |
| | 1 | 12.00 | 0.00 | VALLEY VA-8 | 05-02-12 05-02-12 | | | LLII | NGIII | Joint 1 110.3 lbs. -12.5 lbs. | Joint 3 110.3 lbs. -12.5 lbs. | Joint 4 141.6 lbs. 23.5 lbs. | | | |
| | 1 | 7.50 | 0.00 | VALLEY VB-1 | 31-04-12 31-04-12 | 2 X 4 | 2 X 4 | | | Joint 1 147.9 lbs. -26.3 lbs. | Joint 11 119.4 lbs. 11.7 lbs. | Joint 12 320.9 lbs. -58.7 lbs. | Joint 13 418.4 lbs. -57.2 lbs. | Joint 14 542.3 lbs. -65.4 lbs. | |
| | 1 | 7.50 | 0.00 | VALLEY VB-2 | 27-01-09 27-01-09 | 2 X 4 | 2 X 4 | | | Joint 1 188.0 lbs. 3.8 lbs. | Joint 7 184.1 lbs. 24.6 lbs. | Joint 8 480.9 lbs. -76.7 lbs. | Joint 9 500.6 lbs. -59.8 lbs. | Joint 11 441.5 lbs. 68.8 lbs. | |
| | 1 | 7.50 | 0.00 | VALLEY VB-3 | 22-10-06 22-10-06 | 2 X 4 | 2 X 4 | | | Joint 1 124.4 lbs. -13.5 lbs. | Joint 7 104.0 lbs. 13.8 lbs. | Joint 8 303.0 lbs. -54.2 lbs. | Joint 10 441.2 lbs. -66.8 lbs. | Joint 11 450.1 lbs. 62.6 lbs. | |
| | 1 | 7.50 | 0.00 | VALLEY VB-4 | 18-07-02 18-07-02 | 2 X 4 | 2 X 4 | | | Joint 1 169.0 lbs. 4.3 lbs. | Joint 5 169.0 lbs. 12.6 lbs. | Joint 7 474.7 lbs. -81.1 lbs. | Joint 8 391.8 lbs. 51.8 lbs. | Joint 9 474.9 lbs. -81.2 lbs. | |
| | 1 | 7.50 | 0.00 | VALLEY VB-5 | 14-03-15 14-03-15 | 2 X 4 | 2 X 4 | | | Joint 1 95.7 lbs. -4.1 lbs. | Joint 5 88.4 lbs. 9.5 lbs. | Joint 6 326.6 lbs. -63.5 lbs. | Joint 7 265.4 lbs. 49.2 lbs. | Joint 8 326.7 lbs. -63.6 lbs. | |
| | 1 | 7.50 | 0.00 | VALLEY VB-6 | 10-00-12 10-00-12 | 2 X 4 | 2 X 4 | | | Joint 1 175.9 lbs. -11.8 lbs. | Joint 3 175.9 lbs. -17.5 lbs. | Joint 4 371.9 lbs. 21.7 lbs. | | | |
| | 1 | 7.50 | 0.00 | VALLEY VB-7 | 05-09-09 05-09-09 | 2 X 4 | 2 X 4 | | | Joint 1 102.1 lbs. -9.7 lbs. | Joint 3 102.1 lbs. -12.7 lbs. | Joint 4 178.1 lbs. 18.4 lbs. | | | |
| \triangle | 2 | 12.00 | 0.00 | VALLEY VC-1 | 10-09-05 10-09-05 | 2 X 4 | 2 X 4 | | | Joint 1 102.8 lbs. -97.0 lbs. | Joint 5 94.0 lbs. -79.6 lbs. | Joint 6 343.8 lbs. -133.4 lbs. | Joint 7 220.4 lbs. 56.0 lbs. | Joint 8 344.3 lbs. -133.7 lbs. | |
| | 2 | 12.00 | 0.00 | VALLEY VC-2 | 08-01-05 08-01-05 | 2 X 4 | 2 X 4 | | | Joint 1 180.3 lbs. -20.4 lbs. | Joint 3 180.4 lbs. -20.4 lbs. | Joint 4 231.7 lbs. 38.4 lbs. | | | |
| | 1 | 12.00 | 0.00 | VALLEY VC-3 | 05-05-05 05-05-05 | 2 X 4 | 2 X 4 | | | Joint 1 115.4 lbs. -13.1 lbs. | Joint 3 115.4 lbs. -13.1 lbs. | Joint 4 148.2 lbs. 24.5 lbs. | | | |

Reaction Summary of Order

ROOF & FLOOR ComTech TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408

Fayetteville, N.C. 28309 (910) 864-TRUS

| REQ. QUOTE DATE | 11 | ORDER# | J0720-3454 |
|-----------------|----------------|----------------|------------------|
| ORDER DATE | 07/27/20 | QUOTE # | |
| DELIVERY DATE | 11 | CUSTOMER ACCT# | 000030 |
| DATE OF INVOICE | 11 | CUSTOMER PO# | |
| ORDERED BY | Carr Gardner | INVOICE # | |
| COUNTY | Harnett | TERMS | Net 10 Days |
| SUPERINTENDANT | Carr Gardner | SALES REP | Anthony Williams |
| JOBSITE PHONE # | (910) 322-1600 | SALES AREA | Anthony Williams |

Watermark Homes, Inc. 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229

JOB NAME: Lot 20 Oak Haven **LOT #** 20 SUBDIV: Oak Haven MODEL: Roof TAG: Sugarberry JOB CATEGORY: Residential - Roof

DELIVERY INSTRUCTIONS:

Watermark Homes Lot 20 Oak Haven **Harnett County, NC**

SPECIAL INSTRUCTIONS: Wide load charge added. Like lot 44 Knolls

TCLL-TCDL-BCLL-BCDL

(J1117-5355)

LOADING

PLAN SEAL DATE: 3/20/17 DATE

DATE 07/30/20

PAGE 4

BUILDING DEPARTMENT Roof Order

SHIP

| ΙT | OVERHA | NG INFO | HEEL HEIGHT | 00-04-05 | R | REQ. LAYOUTS | | REQ. ENGINEERING | | | | QUOTE | 11 | |
|----|---------------|---------|-------------|-----------|---|--------------|---------|------------------|--|--|---------|-------|---------|-----|
| | END CUT | RETURN | | | | | | | | | | | LAYOUT | / / |
| | PLUMB | | GABLE STUDS | 24 IN. OC | | | JOBSITE | 1 | | | JOBSITE | 1 | CUTTING | 11 |

| ROOF T | RUS | SES | | DADING FORMATION | TCLL-TCDL-B0 | | _ | 1.15 | ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) | | | | | | |
|---------|------------|-------|-----------|---------------------|----------------------|-------|-------|--------------|--|-------------------------------------|------------------------------------|--------------------------------------|--------------------------------------|-------------------------------------|--|
| PROFILE | QTY PLY | | CH BOT | TYPE ID | BASE O/A | | BOT | OVER LEFT | HANG RIGHT | REACTIO | NS | | | | |
| | 1 | 12.00 | 0.00 | VALLEY VC-4 | 02-09-05 02-09-05 | 2 X 4 | 2 X 4 | | | Joint 1 50.4 lbs. -5.7 lbs. | Joint 3 50.4 lbs. -5.7 lbs. | Joint 4 64.7 lbs. 10.7 lbs. | | | |
| | 1 | 12.00 | 0.00 | GABLE VC-GE | 13-05-05 13-05-05 | 2 X 4 | 2 X 4 | | | Joint 1 138.0 lbs. -31.2 lbs. | Joint 7 124.3 lbs. -4.2 lbs. | Joint 8 231.4 lbs. -142.3 lbs. | Joint 9 176.7 lbs. -105.9 lbs. | Joint 10 151.6 lbs. 35.5 lbs. | |

ITEMS

| QTY | ITEM TYPE | SIZE | LENGTH FT-IN-16 | PART NUMBER | NOTES |
|-----|-------------------|---------------------------|---------------------------|-------------|--------------------|
| | | | | | |
| 20 | Hangers, USP | HUS 26 | | | SIMPSON (HUS26) |
| | | | | | |
| 2 | LVL Beams (Sized) | LVL, 1-3/4" x 9-1/4" (S) | 07-00-00 | | BM1 |
| | | | | | |
| 2 | LVL Beams (Sized) | LVL, 1-3/4" x 9-1/4" (S) | 06-00-00 | | HDR1 |
| | | | | | |
| 2 | LVL Beams (Sized) | LVL, 1-3/4" x 11-7/8" (S) | 17-00-00 | | PBM1 |
| | | | | | |
| 2 | LVL Beams (Sized) | LVL, 1-3/4" x 14" (S) | 24-00-00 | | GDH |
| | | | | | |
| 2 | Hangers, USP | THD26-2 | | | SIMPSON (HHUS26-2) |