

Reaction Summary of Order



ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J1220-5673
ORDER DATE	12/04/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	006359
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Tommy Collins	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Tommy Collins	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 303-5937	SALES AREA	Neil Baggett

SOLD TO	McDonald Lumber Company 126 Cedar Creek Road Fayetteville, NC 28302 (910) 483-0381	JOB NAME: Lot 76 South Creek MODEL: Roof TAG: Mack DELIVERY INSTRUCTIONS:	LOT # 76 SUBDIV: South Creek JOB CATEGORY: Residential - Roof
	McDonald/JW Sealey Lot 76 South Creek Lillington, NC	SPECIAL INSTRUCTIONS:	PLAN SEAL DATE: 11/20/20 BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT RETURN PLUMB GABLE STUDS		24 IN. OC	NONE	NONE	LAYOUT	/ /
						CUTTING	NB 12/10/20

ROOF TRUSSES **LOADING INFORMATION** **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT	Joint 2	Joint 18	Joint 19	Joint 20	Joint 21
	1	8.00	0.00	GABLE A1-GE	29-04-00 29-04-00	2 X 6	2 X 6	00-10-08		Joint 2	Joint 18	Joint 19	Joint 20	Joint 21
										204.7 lbs.	142.3 lbs.	248.1 lbs.	156.6 lbs.	180.1 lbs.
										-67.7 lbs.	-7.6 lbs.	-134.7 lbs.	-77.9 lbs.	-88.0 lbs.
	6	8.00	0.00	FINK A2	29-04-00 29-04-00	2 X 6	2 X 6	00-10-08		Joint 2	Joint 8			
										1360.4 lbs.	1309.2 lbs.			
										-73.4 lbs.	-61.1 lbs.			
	2	8.00	0.00	FINK A3	29-04-00 29-04-00	2 X 6	2 X 6	00-10-08		Joint 2	Joint 8			
										1350.1 lbs.	1298.9 lbs.			
										-73.4 lbs.	-61.1 lbs.			
	4	8.00	0.00	FINK A3-A	29-04-00 29-04-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2	Joint 8			
										1347.8 lbs.	1347.8 lbs.			
										-73.3 lbs.	-73.3 lbs.			
	4	8.00	0.00	FINK A4	29-04-00 29-04-00	2 X 6	2 X 6	00-10-08		Joint 2	Joint 8			
										1358.6 lbs.	1307.7 lbs.			
										-73.4 lbs.	-60.8 lbs.			
	4	8.00	0.00	FINK A5	29-04-00 29-04-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2	Joint 8			
										1358.1 lbs.	1358.2 lbs.			
										-73.3 lbs.	-73.3 lbs.			
	1	8.00	0.00	GABLE A6-GE	29-04-00 29-04-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2	Joint 18	Joint 20	Joint 21	Joint 22
										205.1 lbs.	159.0 lbs.	237.6 lbs.	159.7 lbs.	179.6 lbs.
										-69.0 lbs.	-8.9 lbs.	-128.3 lbs.	-79.6 lbs.	-87.8 lbs.
	1	12.00	0.00	ATTIC B1-GE	24-00-00 24-00-00	2 X 6	2 X 10	00-10-08	00-10-08	Joint 2	Joint 10			
										1642.0 lbs.	1642.0 lbs.			
										32.8 lbs.	32.8 lbs.			
	4	12.00	0.00	ATTIC B2	24-00-00 24-00-00	2 X 6	2 X 10	00-10-08	00-10-08	Joint 2	Joint 10			
										1648.2 lbs.	1648.2 lbs.			
										163.6 lbs.	163.6 lbs.			
	3	12.00	0.00	ATTIC B3	24-00-00 24-00-00	2 X 6	2 X 10	00-10-08		Joint 2	Joint 10			
										1648.9 lbs.	1605.8 lbs.			
										163.5 lbs.	170.3 lbs.			
	3	12.00	0.00	ATTIC B4	24-00-00 24-00-00	2 X 6	2 X 10	00-10-08		Joint 2	Joint 10			
										1598.9 lbs.	1331.2 lbs.			
										176.0 lbs.	200.6 lbs.			

Reaction Summary of Order



ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS







REQ. QUOTE DATE	/ /	ORDER #	J1220-5673
ORDER DATE	12/04/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	006359
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Tommy Collins	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Tommy Collins	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 303-5937	SALES AREA	Neil Baggett

SOLD TO	McDonald Lumber Company 126 Cedar Creek Road Fayetteville, NC 28302 (910) 483-0381	JOB NAME: Lot 76 South Creek MODEL: Roof TAG: Mack DELIVERY INSTRUCTIONS:	LOT # 76 SUBDIV: South Creek JOB CATEGORY: Residential - Roof
	McDonald/JW Sealey Lot 76 South Creek Lillington, NC	SPECIAL INSTRUCTIONS:	PLAN SEAL DATE: 11/20/20 BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN		NONE	NONE	LAYOUT	/ /
	PLUMB		GABLE STUDS				24 IN. OC

ROOF TRUSSES **LOADING INFORMATION** TOLL-TCDL-BCLL-BCDL STRESS INCR. **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)

20.0,10.0,0.0,10.0 1.15

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT	Joint 2	Joint 10	Joint 12	Joint 13	Joint 14
	1	12.00	0.00	GABLE C1-GE	16-03-08 16-03-08	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 236.7 lbs. -78.2 lbs.	Joint 10 215.3 lbs. -35.1 lbs.	Joint 12 222.2 lbs. -205.2 lbs.	Joint 13 190.1 lbs. -143.7 lbs.	Joint 14 187.2 lbs. -110.9 lbs.
	2	12.00	0.00	COMMON C2	16-03-08 16-03-08	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 825.6 lbs. -30.0 lbs.	Joint 4 825.6 lbs. -30.0 lbs.			
	1 2 Ply	12.00	0.00	COMMON C3	16-03-08 16-03-08	2 X 6	2 X 6			Joint 1 5125.3 lbs. -296.9 lbs.	Joint 3 5795.0 lbs. -335.8 lbs.			
	1	4.00	0.00	GABLE D1-SG	14-04-00 14-04-00	2 X 4	2 X 4	00-10-08	00-10-08	Joint 2 623.3 lbs. -340.2 lbs.	Joint 4 623.3 lbs. -340.2 lbs.			
	3	4.00	0.00	COMMON D2	14-04-00 14-04-00	2 X 4	2 X 4	00-10-08	00-10-08	Joint 2 623.3 lbs. -238.4 lbs.	Joint 4 623.3 lbs. -238.4 lbs.			
	1	4.00	0.00	COMMON D3	14-04-00 14-04-00	2 X 4	2 X 4	00-10-08		Joint 2 625.5 lbs. -238.6 lbs.	Joint 4 561.2 lbs. -200.9 lbs.			
	1	3.00	0.00	GABLE P1-SG	06-00-00 06-00-00	2 X 4	2 X 4	00-10-08		Joint 2 190.3 lbs. -75.2 lbs.	Joint 5 7.7 lbs. -5.0 lbs.	Joint 6 316.2 lbs. -100.3 lbs.		
	5	3.00	0.00	MONOPITCH P2	06-00-00 06-00-00	2 X 4	2 X 4	00-10-08		Joint 2 291.1 lbs. -120.3 lbs.	Joint 4 220.5 lbs. -90.2 lbs.			
	3	3.00	0.00	ROOF P3	06-00-00 06-00-00	2 X 4	2 X 4	00-10-08	01-03-08	Joint 2 410.1 lbs. -69.3 lbs.	Joint 6 707.8 lbs. -65.6 lbs.			
	1	12.00	0.00	VALLEY VB1	05-03-02 05-03-02	2 X 4	2 X 4			Joint 1 111.0 lbs. -19.8 lbs.	Joint 3 111.0 lbs. -19.8 lbs.	Joint 4 142.5 lbs. 18.8 lbs.		
	1	12.00	0.00	VALLEY VB2	02-07-02 02-07-02	2 X 4	2 X 4			Joint 1 75.6 lbs. -2.5 lbs.	Joint 3 75.6 lbs. -2.5 lbs.			

Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J1220-5673
ORDER DATE	12/04/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	006359
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Tommy Collins	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Tommy Collins	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 303-5937	SALES AREA	Neil Baggett

SOLD TO	McDonald Lumber Company 126 Cedar Creek Road Fayetteville, NC 28302 (910) 483-0381	JOB NAME: Lot 76 South Creek MODEL: Roof TAG: Mack DELIVERY INSTRUCTIONS:	LOT # 76 SUBDIV: South Creek JOB CATEGORY: Residential - Roof
	McDonald/JW Sealey Lot 76 South Creek Lillington, NC	SPECIAL INSTRUCTIONS:	PLAN SEAL DATE: 11/20/20

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /				
Roof Order	<table border="1"> <tr> <td>END CUT</td> <td>RETURN</td> </tr> <tr> <td>PLUMB</td> <td></td> </tr> </table>	END CUT	RETURN	PLUMB		GABLE STUDS	24 IN. OC	NONE	NONE	LAYOUT	/ /
END CUT	RETURN										
PLUMB											
						CUTTING	NB 12/10/20				

ROOF TRUSSES	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT	Joint 1	Joint 5	Joint 6	Joint 7	Joint 8
	1	12.00	0.00	VALLEY VC1	14-06-07 14-06-07	2 X 4	2 X 4			Joint 1 152.3 lbs. -33.3 lbs.	Joint 5 131.7 lbs. -6.0 lbs.	Joint 6 425.4 lbs. -174.5 lbs.	Joint 7 406.8 lbs. 59.4 lbs.	Joint 8 425.7 lbs. -174.6 lbs.
	1	12.00	0.00	VALLEY VC2	11-10-07 11-10-07	2 X 4	2 X 4			Joint 1 112.7 lbs. -67.9 lbs.	Joint 5 90.6 lbs. -45.9 lbs.	Joint 6 337.6 lbs. -160.3 lbs.	Joint 7 223.3 lbs. 54.7 lbs.	Joint 8 337.9 lbs. -160.4 lbs.
	1	12.00	0.00	VALLEY VC3	09-02-07 09-02-07	2 X 4	2 X 4			Joint 1 192.7 lbs. -25.3 lbs.	Joint 3 192.7 lbs. -25.3 lbs.	Joint 4 294.5 lbs. 11.9 lbs.		
	1	12.00	0.00	VALLEY VC4	06-06-07 06-06-07	2 X 4	2 X 4			Joint 1 142.1 lbs. -25.3 lbs.	Joint 3 142.0 lbs. -25.3 lbs.	Joint 4 182.5 lbs. 24.1 lbs.		
	1	12.00	0.00	VALLEY VC5	03-10-07 03-10-07	2 X 4	2 X 4			Joint 1 77.1 lbs. -13.7 lbs.	Joint 3 77.1 lbs. -13.7 lbs.	Joint 4 99.0 lbs. 13.1 lbs.		

ITEMS					
QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
8	Hangers, USP	HUS 26			SIMPSON (HUS26)