Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 438 MIII Bend Drive (Rawls Ch. Rd. - SR 1 ISSUED TO: Dan Ryan Builders - North Carolina, L SUBDIVISION Olde Mill Village EXPANSION | Site Improvements required prior to Construction Authorization Issuance: REPAIR 🔲 Type of Structure: 40x66 sfd, 4 beds 3.5 baths Proposed Wastewater System Type: 25% Reduction Sys. Projected Daily Flow: 480 Number of bedrooms: 4 Number of Occupants: 8 Basement Yes May be required based on final location and elevations of facilities Pump Required: XYes No Type of Water Supply: Community 🗵 Public 🔲 Well Distance from well NA feet X Five years Permit valid for: No expiration Permit conditions: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Dan Ryan Builders - North Carolina PROPERTY LOCATION: 438 MIII Bend Drive (Rawls Church Roa SUBDIVISION Olde Mill Village Facility Type: 40x66 sfd, 4 beds 3.5 batl New Expansion Repair Basement? Yes ⊠ No Basement Fixtures? Yes 25% Reduction System (Initial) Wastewater Flow: 480 **GPD** Type of Wastewater System** (See note below, if applicable) 25% Reduction System Number of trenches 4 Installation Requirements/Conditions ____ Feet on Center Trench Spacing: 9 Exact length of each trench 100 Septic Tank Size 1000 _gallons Soil Cover: 12 Pump Tank Size 1000 Trenches shall be installed on contour at a gallons (Maximum soil cover shall not exceed Maximum Trench Depth of: 24 inches (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) NA inches below pipe Pump Requirements: _____ft. TDH vs. _ Aggregate Depth: NA inches above pipe Conditions: Pump to Medium D-Box: Proposal by Adams Soil Consulting WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent: Construction Authorization Expiration Date: 01/13/2026


ANDRED COMIN

Harnett County Department of Public Health Site Sketch

Property Location: 438 MIII Bend Drive (Rawls Church Road - SR 1415) Issued To: Dan Ryan Builders - North Carolina, LLC Subdivision Olde Mill Village Lot # 46 Date: 61/13/2021 Authorized State Agent: __ 1331 25% NEONOTION 100(4) SOIL CONSULTAGE 2410 58 561

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.

Olde Mill Village 4-Bedroom Septic Proposal Lot #46



*Preliminary Design Not a Permit

System: Pressure Manifold Lines: 1-4 (400') 0.3 LTAR 24" Trench Bottom Accepted Status System Repair: Pressure Manifold Lines: 5-8 (400') 0.3 LTAR 24" Trench Bottom Accepted Status System

GRAPHIC SCALE 1" = 50'

50 0 50 100 Adams Soil Consulting 919-414-6761 Job #699