
Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit	
PROPERTY LOCATION: 64 HOLLY LOC. (WHELLER	DA.)
ISSUED TO: BETS JOHN WALTON SUBDIVISION NEILLS CARE FARM	101 # 177
NEW REPAIR Site Improvements required prior to Construction Authorization	ii issuance.
Type of Structure: 3-BEOLOON SOLES STO	
Proposed Wastewater System Type: 25% VEOCOONS > 5. Projected Daily Flow: 360 GPD	
Projected Daily Flow: 360 GPD Number of bedrooms: 5 Number of Occupants: 6 max	
Basement Tres No	
Pump Required: Yes No May be required based on final location and elevations of facilities	
Type of Water Supply: Community Public Well Distance from well A feet Permit valid for:	≤ Five years
Permit conditions:	No expiration
63/16/2021	
nothorized state agent.	D SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeti	ng their requirements. This
site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to complete Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.	lance with the provisions of
the Lamb and notes for semage treatment and obsposal and to conditions of this permit.	
Construction Authorization	
(Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall	be installed in accordance
with the attached system Jayout.	
57.1	439
ISSUED TO: BEETSY JOHN WALTON PROPERTY LOCATION: G4 HOLLY 206 (WHELL	102 11 1111
75'YEB' SUBDIVISION NEILLS CALL FARM	_ LUI # <u>144</u>
Facility Type: 3-8-2 700 See New Expansion Repair	
Basement? Yes Basement Fixtures? Yes No	
Type of Wastewater System** 25% ADDICTION SISTEM (Initial) Wastewater Flow:	360 GPD
(See note below, if applicable)	
25% NESWOTION STS. (Repair)	
Installation Requirements/Conditions Number of trenches3	
Septic Tank Size 1000 gallons Exact length of each trench 100 feet Trench Spacing: 9 Fee	t on Center
Pump Tank Size gallons	25
Maximum Trench Depth of: 24inches (Maximum soil cover shall not	exceed
(Trench bottoms shall be level to $\pm 1/4$ " 36" above the trench bottom)	
in all directions)	
	inches below pipe
Pump Requirements:ft. TDH vsGPM	_ inches below pipe inches above pipe
Pump Requirements:ft. TDH vsGPM \rightarrow Aggregate Depth:A	
Pump Requirements:ft. TDH vsGPM \rightarrow Aggregate Depth:A	inches above pipe
Pump Requirements:ft. TDH vsGPM Aggregate Depth:NA Conditions:CRAW ITT TO DIBOX EQUAL DISTRIBUTION NA	inches above pipe
Pump Requirements:ft. TDH vsGPM Aggregate Depth:Aggregate Depth:	inches above pipe
Pump Requirements:ft. TDH vsGPM Aggregate Depth:NA Conditions:CRAW ITT TO DIBOX EQUAL DISTRIBUTION NA	inches above pipe
Pump Requirements:ft. TDH vsGPM Aggregate Depth:Aggregate Depth:	inches above pipe inches total
Pump Requirements:	inches above pipe inches total
Pump Requirements:	inches above pipe inches total
Pump Requirements:	inches above pipe inches total
Pump Requirements:	inches above pipe inches total
Pump Requirements:ft. TDH vsGPM Aggregate Depth:	inches above pipe inches total permit.
Pump Requirements:	inches above pipe inches total permit.

Harnett County Department of Public Health Site Sketch



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.