
# GENERAL NOTES


- 1. ALL WORK SHALL BE PERFORMED IN ACCORDANCE WITH ALL APPLICABLE NATIONAL, STATE, AND LOCAL CODES AND REGULATIONS.
- 2. CONTRACTOR SHALL THOROUGHLY REVIEW ALL SHEETS IN PLAN SET AND VERIFY ALL DETAILS AND DIMENSIONS BEFORE BEGINNING CONSTRUCTION. ANY DISCREPANCIES SHALL BE REPORTED TO RENAISSANCE RESIDENTIAL DESIGN, INC. FOR JUSTIFICATION AND/OR CORRECTION BEFORE PROCEEDING WITH WORK. CONTRACTORS SHALL ASSUME RESPONSIBILITY FOR ERRORS THAT ARE NOT REPORTED PRIOR TO CONSTRUCTION.
- ALL DIMENSIONS SHOULD BE READ OR CALCULATED AND NEVER SCALED. CONTRACTOR SHALL ENSURE COMPATIBILITY OF THE BUILDING WITH ALL


BCR LOT 1 4943 BARBECUE CHURCH RD SANFORD, NC PLANS DESIGNED TO THE
2018 NORTH CAROLINA STATE
RESIDENTIAL BUILDING CODE.




# FRONT ELEVATION-A SCALE: 1/4" = 1'-0"

STEPS PER GRADE AS REQ.






REAR ELEVATION SCALE: 1/8" = 1'-0"



RIGHT ELEVATION SCALE: 1/8" = 1'-0"



#### RENAISSANCE RESIDENTIAL DESIGN, INC. RALEIGH, NC 27612

(919) 649-4128 WWW.RRDCAROLINA.COM

The art of transforming your vision into realit

RENAISSANCE RESIDENTIAL DESIGN, INC..
RESERVES THE RIGHT TO MAKE
MODIFICATIONS TO FLOOR PLANS,
DIMENSIONS, MATERIALS, AND
SPECIFICATIONS WITHOUT NOTICE.
THESE DRAWINGS ARE FOR THE
PURPOSE OF CONVEYING AN
ARCHITECTURAL CONCEPT ONLY.

HEREBY EXPRESSLY RESERVES ITS
COMMON LAW COPYRIGHT AND OTHER
PROPERTY RIGHTS IN THESE PLANS.
THESE PLANS AND DRAWINGS ARE NOT
TO BE REPRODUCED, CHANGED, OR
COPIED IN ANY FORM OR MANNER
WITHOUT FIRST OBTAINING THE EXPRESS
WRITTEN CONSENT OF RENAISSANCE
RESIDENTIAL DESIGNS, INC... NOR ARE
THEY TO BE ASSIGNED TO ANY THIRD
PARTY WITHOUT FIRST OBTAINING SAID
WRITTEN PERMISSION AND CONSENT.

RENAISSANCE RESIDENTIAL DESIGN, INC.



PRICES, PROMOTIONS, INCENTIVES, FEATURES, OPTIONS, FELCOR PLANS, ELEVATIONS, DESIGNS, MATERIALS AND MINENSIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. SOUGHE FOOTAGE AND DIMENSIONS ARE ESTIMATED AND AY VARY IN ACTUAL CONSTRUCTION, ACTUAL POSTITION OF DUSE ON LOT WILL BE DETERMINED BY THE SITE PLAN AND OTP PLAN. ELOOR PLANS AND ELEVATION RENDERINGS ARE TIST CONCEPTIONS. FLOOR PLANS ARE THE COPYRIGHTED PROPERTY OF WEAKER HOMES, ANY USE, REPRODUCTION, ADAPTATION, OR DISPLAY OF THE PLANS IS STRICTLY PROPHINED. SEE NEW HOME SALES CONNULTANT FOR PROPHINED. SEE NEW HOME SALES CONNULTANT FOR

WEAVER HOMES CAROLINA COLLECTION HICKORY DRIVE LEFT


DATE: AUGUST 25, 2020

SCALE: AS NOTED
DRAWN BY: WG
ENGINEERED BY:

REVIEWED BY:

A - ELEVATIONS

A-1



#### SQUARE FOOTAGE (I.F.S.)

 1st FLOOR:
 639 SQ. FT.

 2nd FLOOR:
 195 SQ. FT.


 TOTAL:
 1434 SQ. FT.

 GARAGE:
 232 SQ. FT.

 FRONT PORCH:
 13 SQ. FT.

 STD. REAR PATIO:
 96 SQ. FT.

 OPT. REAR PORCH:
 96 SQ. FT.



RESIDENTIAL DESIGN, INC. RALEIGH, NC 27612

(919) 649-4128 WWW.RRDCAROLINA.COM The art of transforming your vision into realin

RENAISSANCE RESIDENTIAL DESIGN, INC..
RESERVES THE RIGHT TO MAKE
MODIFICATIONS TO FLOOR PLANS,
DIMENSIONS, MATERIALS, AND
SPECIFICATIONS WITHOUT NOTICE.
THESE DRAWINGS ARE FOR THE
PURPOSE OF CONVEYING AN
ARCHITECTURAL CONCEPT ONLY.

RENAISSANCE RESIDENTIAL DESIGN, INC...
HEREBY EXPRESSLY RESERVES ITS
COMMON LAW COPYRIGHT AND OTHER
PROPERTY RIGHTS IN THESE PLANS.
THESE PLANS AND DRAWINGS ARE NOT
TO BE REPRODUCED, CHANGED, OR
COPIED IN ANY FORM OR MANNER
WITHOUT FIRST OBTAINING THE EXPRESS
WRITTEN CONSENT OF RENAISSANCE
RESIDENTIAL DESIGNS, INC... NOR ARE
THEY TO BE ASSIGNED TO ANY THIRD
PARTY WITHOUT FIRST OBTAINING SAID
WRITTEN PERMISSION AND CONSENT.



MICHARDON AND SOCIETY TO CHANGE WITHOUT NOTICE.

JOHN STORME FOOTGAGE AND DIMENSIONS ARE ESTIMATED AND

VARY IN ACTUAL CONSTRUCTION, ACTUAL POSITION OF

USE ON LOT WILL BE DETERMINED BY THE SITE PLAN AND

TY PLAN, FLOOR PLANS AND ELEVATION RENDERINGS ARE

TRE CONCEPTIONS, FLOOR PLANS ARE THE COPYRIGHTED

ROPERTY OF WEAVER HOMES, ANY USE, REPRODUCTION,

ADAPTATION, OR DISPLAY OF THE PLANS IS STRICTLY

ROPHIBITED. SEE NEW HOME SALES CONSULTANT FOR

WEAVER HOMES CAROLINA COLLECTION HICKORY DRIVE LEFT

DATE: AUGUST 25, 2020

REV.:

SCALE: 1/4" = 1'-0"

DRAWN BY: WG

ENGINEERED BY:

REVIEWED BY:


FIRST FLOOR


PLAN
A-4

SCALE NOTE: 18x24 PRINTS ARE

TO SCALE AS NOTED.

11x17 PRINTS ARE NOT TO SCALE





RESIDENTIAL DESIGN, INC. RALEIGH, NC 27612

> (919) 649-4128 WWW.RRDCAROLINA.COM

The art of transforming your vision into realit

RENAISSANCE RESIDENTIAL DESIGN, INC..
RESERVES THE RIGHT TO MAKE
MODIFICATIONS TO FLOOR PLANS,
DIMENSIONS, MATERIALS, AND
SPECIFICATIONS WITHOUT NOTICE.
THESE DRAWINGS ARE FOR THE
PURPOSE OF CONVEYING AN
ARCHITECTURAL CONCEPT ONLY.

RENAISSANCE RESIDENTIAL DESIGN, INC..
HEREBY EXPRESSLY RESERVES ITS
COMMON LAW COPYRIGHT AND OTHER
PROPERTY RIGHTS IN THESE PLANS.
THESE PLANS AND DRAWINGS ARE NOT
TO BE REPRODUCED, CHANGED, OR
COPIED IN ANY FORM OR MANNER
WITHOUT FIRST OBTAINING THE EXPRESS
WRITTEN CONSENT OF RENAISSANCE
RESIDENTIAL DESIGNS, INC.. NOR ARE
THEY TO BE ASSIGNED TO ANY THIRD
PARTY WITHOUT FIRST OBTAINING SAID
WRITTEN PERMISSION AND CONSENT.



WEAVER HOMES

TOTINA COLLECT

DATE: AUGUST 25, 2020

SCALE: 1/4" = 1'-0" DRAWN BY: WG


ENGINEERED BY:

REVIEWED BY:

SECOND FLOOR PLAN

A-5

SCALE NOTE: 18x24 PRINTS ARE TO SCALE AS NOTED. 11x17 PRINTS ARE NOT TO SCALE



#### ELECTRICAL LAYOUT NOTES:

1.) BLOCK AND WIRE FOR ALL CELING FANS PER PLAN.

2.) VANITY LIGHTS TO BE SET @ 90" AFF. (TYP.)

3.) ADDITIONAL EXTERIOR OUTLETS REQUIRED BY CODE TO BE LOCATED BY ELECTRICIAN.

4.) PLACE SWITCHES 8" (MIN.) FROM ROUGH OPENINGS.

## ELECTRICAL LEGEND

- → IIØ ∨ OUTLET
- = 110 V GFI OUTLET
- 110 Y SWITCHED OUTLET

BB - 110 Y BASEBOARD OUTLET

- 4-PLEX
- COUNTER OR FLOOR MOUNTED
- COUNTER OR FLOOR MOUNTED 110V GF1
- ₩EATHERPROOF
- **⇒** 22Ø ∨ OUTLET
- Ø 110 Y DEDICATED CIRCUIT
- # 220 Y DEDICATED CIRCUIT
- PH SPECIAL PURPOSE (240 V, ETC.)
- WALL MOUNT LIGHT
- -CEILING MOUNT LIGHT
- -P- PENDANT LIGHT
- RECESSED CAN LIGHT
- MINI CAN LIGHT
- EYEBALL LIGHT
- FLUORESCENT LIGHT

undercabinet light

FLOOD LIGHT

SWITCH

\$D DIMMER SWITCH

▲ TELEPHONE

 $\triangle$  DATA

TY- TY CONNECTION

TV/ DATA

CD- CONDUIT FOR COMPONENT WIRING

SPEAKER

110 V SMOKE/ CM DETECTOR

110 Y SMOKE DETECTOR

EXHAUST FAN

LOW VOLTAGE PANEL





SCALE NOTE: 18x24 PRINTS ARE TO SCALE AS NOTED. 11x17 PRINTS ARE NOT TO SCALE



RENAISSANCE RESIDENTIAL DESIGN, INC.

RALEIGH, NC 27612 (919) 649-4128 WWW.RRDCAROLINA.COM he art of transforming your vision into reali

RENAISSANCE RESIDENTIAL DESIGN, INC..
RESERVES THE RIGHT TO MAKE
MODIFICATIONS TO FLOOR PLANS,
DIMENSIONS, MATERIALS, AND
SPECIFICATIONS WITHOUT NOTICE.
THESE DRAWINGS ARE FOR THE
PURPOSE OF CONVEYING AN
ARCHITECTURAL CONCEPT ONLY.

RENAISSANCE RESIDENTIAL DESIGN, INC... HEREBY EXPRESSLY RESERVES ITS
COMMON LAW COPYRIGHT AND OTHER
PROPERTY RIGHTS IN THESE PLANS.
THESE PLANS AND DRAWINGS ARE NOT
TO BE REPRODUCED, CHANGED, OR TO BE REPRODUCED, CHANGED, OR COPIED IN ANY FORM OR MANNER WITHOUT FIRST OBTAINING THE EXPRESS WRITTEN CONSENT OF RENAISSANCE RESIDENTIAL DESIGNS, INC.. NOR ARE THEY TO BE ASSIGNED TO ANY THIRD PARTY WITHOUT FIRST OBTAINING SAID WRITTEN PERMISSION AND CONSENT.




DATE: AUGUST 25, 2020

SCALE: 1/4" = 1'-0" DRAWN BY: WG

ENGINEERED BY: REVIEWED BY:

FIRST FLOOR ELECTRICAL PLAN

E-1



#### ELECTRICAL LAYOUT NOTES:

1.) BLOCK AND WIRE FOR ALL CELING FANS PER PLAN.

2.) VANITY LIGHTS TO BE SET @ 90" AFF. (TYP.)

3.) ADDITIONAL EXTERIOR OUTLETS
REQUIRED BY CODE TO BE
LOCATED BY ELECTRICIAN.

4.) PLACE SWITCHES 8" (MIN.) FROM ROUGH OPENINGS.

## ELECTRICAL LEGEND

- → IIØ Y OUTLET
- = 110 V GFI OUTLET
- → 110 Y SWITCHED OUTLET

BB - 110 V BASEBOARD OUTLET

- 4-PLEX
- COUNTER OR FLOOR MOUNTED
- COUNTER OR FLOOR MOUNTED 1100 GF1
- ₩EATHERPROOF
- **⇒** 22Ø ∨ OUTLET
- Ø 110 V DEDICATED CIRCUIT
- # 220 Y DEDICATED CIRCUIT
- SPECIAL PURPOSE (240 V, ETC.)
- WALL MOUNT LIGHT
- -CEILING MOUNT LIGHT
- -P- PENDANT LIGHT
- RECESSED CAN LIGHT
- MINI CAN LIGHT
- EYEBALL LIGHT

FLUORESCENT LIGHT

- UNDERCABINET LIGHT
- FLOOD LIGHT
- SWITCH
- \$D DIMMER SWITCH
- **TELEPHONE**
- △ DATA
- TELEPHONE AND DAT
- TY- TY CONNECTION
- TV/ DATA
- CD- CONDUIT FOR COMPONENT WIRING
- SP SPEAKER

  | 10 v SMOKE/ CO DETECTOR
- 5D 110 V SMOKE DETECTOR
- EXHAUST FAN

LOW VOLTAGE PANEL








CEILING FAN W/ LIGHT

SCALE NOTE: 18x24 PRINTS ARE TO SCALE AS NOTED.

11x17 PRINTS ARE NOT TO SCALE



RENAISSANCE RESIDENTIAL DESIGN, INC. RALEIGH, NC 27612

(919) 649-4128 WWW.RRDCAROLINA.COM The art of transforming your vision into reality

RENAISSANCE RESIDENTIAL DESIGN, INC..
RESERVES THE RIGHT TO MAKE
MODIFICATIONS TO FLOOR PLANS,
DIMENSIONS, MATERIALS, AND
SPECIFICATIONS WITHOUT NOTICE.
THESE DRAWINGS ARE FOR THE
PURPOSE OF CONVEYING AN
ARCHITECTURAL CONCEPT ONLY.

RENAISSANCE RESIDENTIAL DESIGN, INC...
HEREBY EXPRESSLY RESERVES ITS
COMMON LAW COPYRIGHT AND OTHER
PROPERTY RIGHTS IN THESE PLANS.
THESE PLANS AND DRAWINGS ARE NOT
TO BE REPRODUCED, CHANGED, OR
COPIED IN ANY FORM OR MANNER
WITHOUT FIRST OBTAINING THE EXPRESS
WRITTEN CONSENT OF RENAISSANCE
RESIDENTIAL DESIGNS, INC... NOR ARE
THEY TO BE ASSIGNED TO ANY THIRD
PARTY WITHOUT FIRST OBTAINING SAID
WRITTEN PERMISSION AND CONSENT.



ENSIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.
ARE FOOTAGE AND DIMENSIONS ARE ESTIMATED AND
ARY IN ACTUAL CONSTRUCTION, ACTUAL POSITION OF
EGO NLOTWILL BE DETERMINED BY THE SITE PLAN AND
PLAN, FLOOR PLANS AND ELEVATION RENDERINGS ARE
T CONCEPTIONS, FLOOR PLANS ARE THE COPYRIGHTEC
PERTY OF WEAVER HOMES, ANY USE, REPRODUCTION,
APPTATION, OR DISPLAY OF THE PLANS IS STRICTLY
OHBITED. SEE NEW HOME SALES CONSULTANT FOR
RRENN DETAILS, COPYRIGHT © 2220 WEAVER HOMES

WEAVER HOMES CAROLINA COLLECTIO HICKORY DRIVE LEFT

DATE: AUGUST 25, 2020

REV.:


SCALE: 1/4" = 1'-0"


DRAWN BY: WG

ENGINEERED BY:

REVIEWED BY:
SECOND FLOOR
ELCTRICAL
PLAN

E-2





SCALE NOTE: 18x24 PRINTS ARE TO SCALE AS NOTED. 11x17 PRINTS ARE NOT TO SCALE



RENAISSANCE RESIDENTIAL DESIGN, INC. RALEIGH, NC 27612

> (919) 649-4128 WWW.RRDCAROLINA.COM

he art of transforming your vision into real RENAISSANCE RESIDENTIAL DESIGN, INC..
RESERVES THE RIGHT TO MAKE
MODIFICATIONS TO FLOOR PLANS,
DIMENSIONS, MATERIALS, AND
SPECIFICATIONS WITHOUT NOTICE. THESE DRAWINGS ARE FOR THE

PURPOSE OF CONVEYING AN ARCHITECTURAL CONCEPT ONLY.

RENAISSANCE RESIDENTIAL DESIGN, INC... HEREBY EXPRESSLY RESERVES ITS
COMMON LAW COPYRIGHT AND OTHER
PROPERTY RIGHTS IN THESE PLANS.
THESE PLANS AND DRAWINGS ARE NOT
TO BE REPRODUCED, CHANGED, OR TO BE REPRODUCED, CHANGED, OR COPIED IN ANY FORM OR MANNER WITHOUT FIRST OBTAINING THE EXPRESS WRITTEN CONSENT OF RENAISSANCE RESIDENTIAL DESIGNS, INC... NOR ARE THEY TO BE ASSIGNED TO ANY THIRD PARTY WITHOUT FIRST OBTAINING SAID WRITTEN PERMISSION AND CONSENT.



WEAVER HOMES CAROLINA COLLEC DRIVE

DATE: AUGUST 25, 2020


SCALE: 1/4" = 1'-0" DRAWN BY: WG

ENGINEERED BY:

REVIEWED BY:

MONO SLAB FOUNDATION PLAN

S-1



OPTIONAL COVERED

MASONRY STEM WALL SPECIFICATIONS						
WALL HEIGHT (FEET)	MASONRY WALL TYPE					
	8" CMU	4" BRICK AND 4" CMU	4" BRICK AND 8" CMU	12" CMU		
2' OR LESS	UNGROUTED	GROUT SOLID	UNGROUTED	UNGROUTED		
3'	UNGROUTED	GROUT SOLID	UNGROUTED	UNGROUTED		
4'	GROUT SOLID	GROUT SOLID w/ #4 REBAR @ 48" O.C.	GROUT SOLID	GROUT SOLID w/ #4 REBAR @ 64" O.C.		
5'	GROUT SOLID w/ #4 REBAR @ 36" O.C.	N/A	GROUT SOLID w/ #4 REBAR @ 36" O.C.	GROUT SOLID w/ #4 REBAR @ 64" O.C.		
6'	GROUT SOLID w/ #4 REBAR @ 24" O.C.	N/A	GROUT SOLID w/ #4 REBAR @ 24" O.C.	GROUT SOLID w/ #4 REBAR @ 64" O.C.		
7' OR MORE	ENGINEERED BASED ON SITE CONDITIONS					

#### **STRUCTURAL NOTES:**

- 1. TABLE ABOVE APPLIES TO HOUSE FOUNDATION ONLY. TABLE DOES NOT APPLY TO GARAGE FOUNDATION NOT COMMON TO HOUSE.
- 2. TIE MULTIPLE WYTHES TOGETHER WITH LADDER WIRE @ 16" O.C. VERTICALLY.
- 3. WALL HGT. IS MEASURED FROM TOP OF FOOTING TO TOP OF WALL.
- 4. PREP SLAB PER R506.2.1 AND R505.2.2 BASE AND EXCEPTION OF THE 2018 NCRC 5. MINIMUM 24" LAP SPLICE LENGTH.
- 6. BACKFILL OF CLEAN #57/ #67 WASHED STONE IS PERMITTED.
- 7. BACKFILL OF WELL DRAINED SAND-GRAVEL MIXTURE SOILS (45 PSF/FT BELOW GRADE) CLASSIFIED AS GROUP 1 ACCORDING TO UNIFIED SOILS
- CLASSIFICATION SYSTEM IN ACCORDANCE WITH TABLE R405.1 OF THE 2018 NCRC ARE ALLOWABLE.
- 8. LOCATE REBAR IN CENTER OF FOUNDATION WALL.
- 9. WHERE REQUIRED, FILL BLOCK SOLID WITH TYPE "S" MORTAR OR 3000 PSI GROUT. USE OF "LOW LIFT GROUTING" METHOD REQUIRED WHEN FILLING

OPTIONAL CULTURE ONE THE GROUT AT HEIGHTS OF 5' AND GREATER.

VENEER (SEE ELEVATION PAGES FOR LOCATIONS AND CONDITIONS)

2 x 4 OR 2 x 6 STUD-

	4" CONC. SLAB  1-3/4" CONDUIT FROM ISLAND TO WALL BEHIND REF.	
20'-8"	IUH  16" WIDE BY 9" DEEP THICKENED SLAB (TYP.)  16" CONC. SLAB	
OPTIONAL CULTURED STONE VENEER (SEE ELEVATION PAGES FOR LOCATIONS AND CONDITIONS)	11'-8"  11'-8"  10'-8"  10'-8"  16" x 16" x 36" CONC. PIER (W) VENEER) ON 24" x 24" x 12" CONC. FTG.	

DATE: AUGUST 25, 2020

EC

SCALE: 1/4" = 1'-0" DRAWN BY: WG

ENGINEERED BY:

REVIEWED BY:

STEMWALL SLAB FOUNDATION PLAN

S-1

SCALE NOTE: 18x24 PRINTS ARE TO SCALE AS NOTED. 11x17 PRINTS ARE NOT TO SCALE

ULTIMATE DESIGN WIND SPEED NOTES FOR LESS

2. FOR 120 MPH WIND ZONES INSTALL 1/2" ANCHOR

BOLTS 6'-0" O.C. AND WITHIN 1'-0" FROM END OF

EACH CORNER. ANCHOR BOLTS MUST EXTEND A

MASONRY. LOCATE BOLT WITHIN MIDDLE THIRD

MINIMUM OF 7" INTO CONCRETE OR 15" INTO

3. FOR 130 MPH WIND ZONES INSTALL 1/2" ANCHOR

BOLTS 4'-0" O.C. AND WITHIN 1'-0" FROM END OF

EACH CORNER, ANCHOR BOLTS MUST EXTEND A

MINIMUM OF 7" INTO CONCRETE OR 15" INTO MASONRY. LOCATE BOLT WITHIN MIDDLE THIRD

6. INSTALL 7/16" OSB SHEATHING ON ALL EXTERIOR WALLS OF ALL STORIES IN ACCORDANCE WITH SECTION R602.10.3 OF THE NCRC, 2018 EDITION.

INSULATION VALUES OF THE BUILDING TO BE IN ACCORDANCE WITH CHAPTER 11 OF THE NCRC,

ANCHOR SPACING AND EMBEDMENT

NOTE: HORIZONTAL FOOTING REBAR REQUIRED IN HIGH WIND ZONES ONLY (140-150 MPH)

4'-0" O.C.

15" INTO MASONRY

6'-0" O.C.

4. MEAN ROOF HEIGHT IS LESS THAN 30 FEET. 5. EXTERIOR WALLS DESIGNED FOR 120 OR 130 MPH

7. ENERGY EFFICIENCY COMPLIANCE AND

1. STRUCTURAL DESIGN PER NORTH CAROLINA

RESIDENTIAL CODE, 2018 EDITION.

OF PLATE WIDTH.

OF PLATE WIDTH.

2018 EDITION.

WIND ZONE

SPACING


EMBEDMENT

THAN 30' MEAN ROOF HEIGHT:

RENAISSANCE RESIDENTIAL DESIGN, INC. RALEIGH, NC 27612 (919) 649-4128 WWW.RRDCAROLINA.COM he art of transforming your vision into realit RENAISSANCE RESIDENTIAL DESIGN, INC.. RESERVES THE RIGHT TO MAKE MODIFICATIONS TO FLOOR PLANS, DIMENSIONS, MATERIALS, AND SPECIFICATIONS WITHOUT NOTICE. THESE DRAWINGS ARE FOR THE PURPOSE OF CONVEYING AN ARCHITECTURAL CONCEPT ONLY.

RENAISSANCE RESIDENTIAL DESIGN, INC. HEREBY EXPRESSLY RESERVES ITS COMMON LAW COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE PLANS. THESE PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED, CHANGED, OR COPIED IN ANY FORM OR MANNER
WITHOUT FIRST OBTAINING THE EXPRESS
WRITTEN CONSENT OF RENAISSANCE
RESIDENTIAL DESIGNS, INC., NOR ARE THEY TO BE ASSIGNED TO ANY THIRD PARTY WITHOUT FIRST OBTAINING SAID WRITTEN PERMISSION AND CONSENT.





- 1. ALL FRAMING LUMBER TO BE #2 SPF (UNO). ALL TREATED

HOMES IA COLLEC

RENAISSANCE

RESIDENTIAL DESIGN, INC.

RALEIGH, NC 27612

(919) 649-4128 WWW.RRDCAROLINA.COM

he art of transforming your vision into realit

RENAISSANCE RESIDENTIAL DESIGN, INC..
RESERVES THE RIGHT TO MAKE
MODIFICATIONS TO FLOOR PLANS,
DIMENSIONS, MATERIALS, AND
SPECIFICATIONS WITHOUT NOTICE.
THESE DRAWINGS ARE FOR THE
PURPOSE OF CONVEYING AN
ARCHITECTURAL CONCEPT ONLY.

RENAISSANCE RESIDENTIAL DESIGN, INC.

HENAISSANCE HESIDENI IAL DESIGN, INC.
HEREBY EXPRESSLY RESERVES ITS
COMMON LAW COPYRIGHT AND OTHER
PROPERTY RIGHTS IN THESE PLANS.
THESE PLANS AND DRAWINGS ARE NOT
TO BE REPRODUCED, CHANGED, OR

TO BE REPRODUCED, CHANGED, OR COPIED IN ANY FORM OR MANNER WITHOUT FIRST OBTAINING THE EXPRESS WRITTEN CONSENT OF RENAISSANCE RESIDENTIAL DESIGNS, INC... NOR ARE THEY TO BE ASSIGNED TO ANY THIRD PARTY WITHOUT FIRST OBTAINING SAID WRITTEN PERMISSION AND CONSENT.

DATE: AUGUST 25, 2020

SCALE: 1/4" = 1'-0"

DRAWN BY: WG


ENGINEERED BY: REVIEWED BY:

CRAWL FOUNDATION PLAN

S-1

SCALE NOTE: 18x24 PRINTS ARE

TO SCALE AS NOTED. 11x17 PRINTS ARE NOT TO SCALE



#### **STRUCTURAL NOTES:**

- 1. ALL FRAMING LUMBER TO BE SPF #2 (UNO). ALL TREATED LUMBER TO BE SYP #2
- 2. ALL LOAD BEARING HEADERS TO BE (2) 2 x 4 (UNO).
- 3. INSTALL AN EXTRA JOIST UNDER WALLS PARALLEL TO FLOOR JOISTS
- 4. WINDOW AND DOOR HEADERS TO BE SUPPORTED w/ (1) JACK STUD AND (1) KING STUD EA. END (UNO.). SEE TABLE R602.7.5 FOR ADDITIONAL KING STUD
- 5. SQUARES DENOTE POINT LOADS WHICH REQUIRE SOLID BLOCKING TO GIRDER OR FOUNDATION. ALL SQUARES TO BE (2) STUDS (UNO.)
- 6. ALL 4 X 4 POSTS SHALL BE ANCHORED TO SLABS W/ SIMPSON ABU44 POST BASES (OR EQUAL) AND 6 X 6 POSTS W/ ABU66 POST BASES (OR EQUAL) (UNO). ALL 4 X 4 AND 6 X 6 POSTS TO BE INSTALLED WITH 700 LB CAPACITY UPLIFT CONNECTORS AT TOP (UNO.)
- 7. FOR FIBERGLASS, ALUMINUM, OR COLUMN ENG. BY OTHERS, SECURE TO SLAB W/ (2) METAL ANGLES USING 2" CONC. SCREWS. FASTEN ANGLES TO COLUMNS W/ 1/4" THROUGH BOLTS W/ NUTS AND WASHERS. LOCATE ANGLES ON OPPOSITE SIDES OF COLUMN. THROUGH BOLTS MUST BE INSTALLED PRIOR TO SETTING COLUMN.

#### **BRACE WALL PANEL NOTES:**

**EXTERIOR WALLS:** ALL EXTERIOR WALLS TO BE SHEALTHED WITH CS-WSP OR CS-SFB IN ACCORDANCE WITH SECTION R602.10.3 UNLESS NOTED OTHERWISE.

REQUIRED LENGTH OF BRACING: REQUIRED BRACE WALL LENGTH FOR EACH SIDE OF THE CIRCUMSCRIBED RECTANGLE ARE INTERPOLATED PER TABLE R602.10.3. METHODS CS-WSP AND CS-SFB CONTRIBUTE THIER ACTUAL LENGTH. METHOD GB CONTRIBUTES 0.5 ITS ACTUAL LENGTH, METHOD PF CONTRIBUTES 1.5 TIMES ITS ACTUAL LENGTH.

**GYPSUM:** ALL INTERIOR SIDES OF EXTERIOR WALLS AND BOTH SIDES OF INTERIOR WALLS TO HAVE 1/2" GYPSUM INSTALLED. WHEN NOT USING METHOD GB GYPSUM TO BE FASTENED PER TABLE R702.3.5. METHOD GB TO BE FASTENED PER TABLE R602.10.1.

**HD:** 800 LBS HOLD DOWN DEVICE FASTENED TO THE EDGE OF THE BRACE WALL PANEL NEAREST TO THE CORNER

METHODS: PER TABLE R602.10.1




FIGURE R602.10.1 METHOD PF—PORTAL FRAME CONSTRUCTION RENAISSANCE

RESIDENTIAL DESIGN, INC. RALEIGH, NC 27612

(919) 649-4128 WWW.RRDCAROLINA.COM The art of transforming your vision into reali

RENAISSANCE RESIDENTIAL DESIGN, INC..
RESERVES THE RIGHT TO MAKE
MODIFICATIONS TO FLOOR PLANS,
DIMENSIONS, MATERIALS, AND
SPECIFICATIONS WITHOUT NOTICE. THESE DRAWINGS ARE FOR THE PURPOSE OF CONVEYING AN ARCHITECTURAL CONCEPT ONLY.

RENAISSANCE RESIDENTIAL DESIGN, INC. HEREBY EXPRESSLY RESERVES ITS
COMMON LAW COPYRIGHT AND OTHER
PROPERTY RIGHTS IN THESE PLANS.
THESE PLANS AND DRAWINGS ARE NOT
TO BE REPRODUCED, CHANGED, OR COPIED IN ANY FORM OR MANNER
WITHOUT FIRST OBTAINING THE EXPRESS
WRITTEN CONSENT OF RENAISSANCE RESIDENTIAL DESIGNS, INC.. NOR ARE THEY TO BE ASSIGNED TO ANY THIRD PARTY WITHOUT FIRST OBTAINING SAID WRITTEN PERMISSION AND CONSENT.



DATE: AUGUST 25, 2020

SCALE: 1/4" = 1'-0" DRAWN BY: WG

ENGINEERED BY:

REVIEWED BY:

SECOND FLOOR FRAMING PLAN

S-2

SCALE NOTE: 18x24 PRINTS ARE TO SCALE AS NOTED. 11x17 PRINTS ARE NOT TO SCALE





TABLE R602.7.5
MINIMUM NUMBER OF FULL HEIGHT STUDS
AT EACH END OF HEADERS IN EXTERIOR WALLS

HEADER SPAN (FFFT)	MAXIMUM STUD SPACING (INCHES) (PER TABLE R602.3(5)		
()	16	24	
UP TO 3'	1	1	
4'	2	1	
8'	3	2	
12'	5	3	
16'	6	4	
	(FEET)  UP TO 3' 4' 8' 12'	(FEET) (PER TABL (FEET) 16 UP TO 3' 1 4' 2 8' 3 12' 5	

# STRUCTURAL NOTES:

- 1. ALL FRAMING LUMBER TO BE SPF #2 (UNO). ALL TREATED LUMBER TO BE SYP #2 (UNO.)
- 2. ALL LOAD BEARING HEADERS TO BE (2) 2 x 6 (UNO).
- 3. WINDOW AND DOOR HEADERS TO BE SUPPORTED w/ (1) JACK STUD AND (1) KING STUD EA. END (UNO.). SEE TABLE R602.7.5 FOR ADDITIONAL KING STUD REQUIREMENTS.
- 4. SQUARES DENOTE POINT LOADS WHICH REQUIRE SOLID BLOCKING TO GIRDER OR FOUNDATION. ALL SQUARES TO BE (2) STUDS (UNO.)

DSP - DOUBLE STUD POCKET TSP - TRIPLE STUD POCKET



RESIDENTIAL DESIGN, INC. RALEIGH, NC 27612 (919) 649-4128 WWW.RRDCAROLINA.COM

The art of transforming your vision into realit

RENAISSANCE RESIDENTIAL DESIGN, INC..
RESERVES THE RIGHT TO MAKE
MODIFICATIONS TO FLOOR PLANS,
DIMENSIONS, MATERIALS, AND
SPECIFICATIONS WITHOUT NOTICE.
THESE DRAWINGS ARE FOR THE
PURPOSE OF CONVEYING AN
ARCHITECTURAL CONCEPT ONLY.

RENAISSANCE RESIDENTIAL DESIGN, INC..
HEREBY EXPRESSLY RESERVES ITS
COMMON LAW COPYRIGHT AND OTHER
PROPERTY RIGHTS IN THESE PLANS.
THESE PLANS AND DRAWINGS ARE NOT
TO BE REPRODUCED, CHANGED, OR
COPIED IN ANY FORM OR MANNER
WITHOUT FIRST OBTAINING THE EXPRESS
WRITTEN CONSENT OF RENAISSANCE
RESIDENTIAL DESIGNS, INC.. NOR ARE
THEY TO BE ASSIGNED TO ANY THIRD
PARTY WITHOUT FIRST OBTAINING SAID
WRITTEN PERMISSION AND CONSENT.



25.5. PROMOTIONS, INCENTIVES, FATURES, OPTIONS, OPPLANS, ELEVATIONS, DESIGNS, MATERIALS AND CONFLANS, ELEVATIONS, DESIGNS, MATERIALS AND ENSIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. ARE FOOTAGE AND DIMENSIONS ARE ESTIMATED AND VARY IN ACTUAL CONSTRUCTION. ACTUAL POSITION OF SE ON LOT WILL BE DETERMINED BY THE SITE PLAN AND EACH CHOOSEPTIONS. FLOOR PLANS ARE THE COPYRIGHTED PERTY OF WEAVER HOMES. ANY USE, REPRODUCTION, DAPTATION, OR DISPLAY OF THE PLANS IS STRICTLY OPPOSITIONS. PARK HOMES. ANY USE, REPRODUCTION, DAPTATION, OR DISPLAY OF THE PLANS IS STRICTLY OPPOSITED THE COPYRIGHT OF THE PLANS IS STRICTLY OF THE PLANS IS STRICTLY.

WEAVER HOMES CAROLINA COLLECTION HICKORY DRIVE LEFT

DATE: AUGUST 25, 2020

REV.:

SCALE: 1/4" = 1'-0"

DRAWN BY: WG

ENGINEERED BY:


REVIEWED BY:

ATTIC FLOOR FRAMING PLAN

S-3

SCALE NOTE: 18x24 PRINTS ARE
TO SCALE AS NOTED.

11x17 PRINTS ARE NOT TO SCALE



1040 SQ. FT. OF ATTIC DIVIDED BY 150 REQUIRES 6.9 SQ. FT. OF NET FREE VENTILATING AREA (MIN.).

#### STRUCTURAL NOTES:

- 1. ALL FRAMING LUMBER TO BE #2 SPF (UNO).
- 2. HIP SPLICES ARE TO BE SPACED A MIN. OF 8'-0". FASTEN MEMBERS WITH THREE ROWS OF 12d NAILS @ 16" O.C. (TYP.)
- 3. STICK FRAME OVER-FRAMED ROOF SECTIONS W/ 2 x 8 RIDGES, 2 x 6 RAFTERS @ 16" O.C. AND FLAT 2 x 10 VALLEYS OR USE VALLEY TRUSSES.
- 4. FASTEN FLAT VALLEYS TO RAFTERS OR TRUSSES WITH SIMPSON H2.5A HURRICANE TIES @ 32" O.C. MAX. PASS HURRICANE TIES THROUGH NOTCH IN ROOF SHEATHING. EACH RAFTER IS TO BE FASTENED TO THE FLAT VALLEY WITH A MIN. OF (6) 12d TOE NAILS.
- 5. REFER TO SECTION R802.11 OF THE 2018 NCRC FOR REQUIRED UPLIFT RESISTANCE AT RAFTERS AND TRUSSES.

# ATTIC VENT CALCULATION:

## RESIDENTIAL DESIGN, INC. RALEIGH, NC 27612

(919) 649-4128 WWW.RRDCAROLINA.COM

The art of transforming your vision into realing RENAISSANCE RESIDENTIAL DESIGN, INC..
RESERVES THE RIGHT TO MAKE
MODIFICATIONS TO FLOOR PLANS,
DIMENSIONS, MATERIALS, AND
SPECIFICATIONS WITHOUT NOTICE.
THESE DRAWINGS ARE FOR THE
PURPOSE OF CONVEYING AN
ARCHITECTURAL CONCEPT ONLY.

RENAISSANCE RESIDENTIAL DESIGN, INC...
HERBY EXPRESSLY RESERVES ITS
COMMON LAW COPYRIGHT AND OTHER
PROPERTY RIGHTS IN THESE PLANS.
THESE PLANS AND DRAWINGS ARE NOT
TO BE REPRODUCED, CHANGED, OR
COPIED IN ANY FORM OR MANNER
WITHOUT FIRST OBTAINING THE EXPRESS
WRITTEN CONSENT OF RENAISSANCE
RESIDENTIAL DESIGNS, INC... NOR ARE
THEY TO BE ASSIGNED TO ANY THIRD
PARTY WITHOUT FIRST OBTAINING SAID
WRITTEN PERMISSION AND CONSENT.



DATE: AUGUST 25, 2020

SCALE: 1/4" = 1'-0" DRAWN BY: WG

ENGINEERED BY: REVIEWED BY:

ROOF PLAN

