

**SOIL/SITE EVALUATION
 for ON-SITE WASTEWATER SYSTEM**

Owner: — Applicant: DAN RYAN OLDS
 Address: 161 MILL ~~ST~~ Date Evaluated: 02/10/2021
 Proposed Facility: Design Flow (.1949): 3600 PD Property Size:
 Location of Site: 32nd ~~ST~~ Property Recorded:
 Water Supply: Public Individual Well Spring Other
 Evaluation Method: Auger Boring Pit Cut
 Type of Wastewater: Sewage Industrial Process Mixed

| P R O F I L E # | .1940 Landscape Position/ Slope % | Horizon Depth (In.) | SOIL MORPHOLOGY .1941 | | OTHER PROFILE FACTORS | | | | Profile Class & LTAR |
|--------------------------------------|--|---------------------------|--------------------------------|------------------------------------|------------------------------------|------------------------------|-------------------------|-------------------------|----------------------------|
| | | | .1941 Structure/ Texture | .1941 Consistence Mineralogy | .1942 Soil Wetness/ Color | .1943 Soil Depth (IN.) | .1956 Sapro Class | .1944 Restr Horiz | |
| 1,2 | L 3-4/8 | 0-14 | CL LS | MR NSMP | | | | | PS |
| | | 14-48 | ML SL | F' S P | | SB | | | G-3 |
| 3 | L 3-4/8 | 0-12 | CL LS | MR NSMP | | | | | |
| | | 12-36 | ML SL | F' S P | | | | | PS |
| | | 36+ | ROCK | - | | JC | | | G-3 |

| | | | |
|-------------------------|-------------------------------------|-------------------------------------|---|
| Description | Initial System | Repair System | Other Factors (.1946): |
| Available Space (.1945) | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Site Classification (.1948): PROVISIONALLY SUITABLE |
| System Type(s) | 250 MED | 250 MED | Evaluated By: ANDREW CORNIN/NEHS |
| Site LTAR | G-3 | G-3 | Others Present: |

COMMENTS: _____

| LANDSCAPE POSITIONS | GROUP | TEXTURES | .1955 LTAR | CONSISTENCE MOIST | WET | |
|---------------------|-------|---------------------|------------|--------------------|----------------|--------------------|
| R-RIDGE | I | S-SAND | 1.2 - 0.8 | VFR-VERY FRIABLE | NS-NON-STICKY | |
| S-SHOULDER SLOPE | | LS-LOAMY SAND | | | | FR-FRIABLE |
| L-LINEAR SLOPE | II | SL-SANDY LOAM | 0.8 - 0.6 | FI-FIRM | S-STICKY | |
| FS-FOOT SLOPE | | L-LOAM | | | | VFI-VERY FIRM |
| N-NOSE SLOPE | III | SI-SILT | 0.6 - 0.3 | EFI-EXTREMELY FIRM | NP-NON-PLASTIC | |
| H-HEAD SLOPE | | SIL-SILT LOAM | | | | SP-SLIGHTLY STICKY |
| CC-CONCLAVE SLOPE | | CL-CLAY LOAM | | | | P-PLASTIC |
| CV-CONVEX SLOPE | | SCL-SANDY CLAY LOAM | | | | VP-VERY PLASTIC |
| T-TERRACE | IV | SIC-SILTY CLAY | 0.4 - 0.1 | | | |
| FP-FLOOD PLAN | | C-CLAY | | | | |
| | | SC-SANDY CLAY | | | | |

STRUCTURE

- SG-SINGLE GRAIN
- M-MASSIVE
- CR-CRUMB
- GR-GRANULAR
- SBK-SUBANGULAR BLOCKY
- ABK-ANGULAR BLOCKY
- PL-PLATY
- PR-PRISMATIC

MINERALOGY

- SLIGHTLY EXPANSIVE
- EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)

