## Harnett County Department of Public Health

## Improvement Permit A building permit cannot be issued with only an Improvement Permit

PROPERTY LOCATION: 423 Mill Bend Dr. (Rawls Ch. Rd. - SR 141 ISSUED TO: Dan Ryan Builders SUBDIVISION Olde Mill Village NEW X REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 55x40(4bed/2.5ba) w/garage Proposed Wastewater System Type: 25% Reduction Sys. Projected Daily Flow: 480 Number of Occupants: 8 Number of bedrooms: 4 Basement Yes ☐ No May be required based on final location and elevations of facilities Pump Required: Yes Type of Water Supply: Community Public Well Distance from well NA feet X Five years Permit valid for: ■ No expiration Permit conditions: SEE ATTACHED SITE SKETCH Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958 and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Dan Ryan Builders PROPERTY LOCATION: 423 Mill Bend Dr. (Rawls Ch. Rd. - SR 1 SUBDIVISION Olde Mill Village Facility Type: 55x40(4bed/2.5ba) w/gara ➤ New Expansion Basement? Yes × No Basement Fixtures? Yes 25% NEONCTION STEM Type of Wastewater System\*\* (Initial) Wastewater Flow: GPD (See note below, if applicable ) 25% resuctions sts. Installation Requirements/Conditions Number of trenches Trench Spacing: Septic Tank Size 1006 Exact length of each trench Feet on Center gallons Pump Tank Size 1000 gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 24 (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) ft. TDH vs. inches below pipe Pump Requirements: \_\_\_\_ Aggregate Depth: inches above pipe DUMP TO MEDIUM D-BOX EGUAL DISTRIBUTION inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. 03/19/2021 Authorized State Agent: Construction Authorization Expiration Date: \_ ANDREW

## Harnett County Department of Public Health Site Sketch

ssued To: Dan Ryan Builders	Subdivision Olde Mill Village	Lot # 40
uthorized State Agent:	The state of the s	Date: <u>3/19/2021</u>
uthorized State Agent:	ANNEW WINN	DateDate.
1		
* PUMI	TO MEDIUM D-BOX REQUIRE	C25
(re	ITHER POUVEWAY SIDE ON POL	.5.00]
* propos	AL BY NORMS SUIL CONSOLTING	
* UTILI	ES SHALL BE MOUTED OUT C	OF SEPTIC
	ANEA REQUIRED AND SHALL,	700
	ACCIESS ON LEFT SIDE	
LO Do	LEST AND REMINE !	
	LEST AND BEHIND HOME	GR DOWN
	HOME HOME	
	- FIOH-171	
	17'	
25% 2	COUNCE	
NEPNIA	V	
	10' ×551	
	SED	
25%		
25/0 18	EDUCTION	
80(3		
24 I		
	D 2100 35'	
paule	-	
WATER		

