Harnett County Department of Public Health

Improvement Permit A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 700 Neills Creek Road (SR 1513) ISSUED TO: Jeff Sutton SUBDIVISION Parkers Place EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 71x32 sfd, 4 beds 3 baths Proposed Wastewater System Type: 25% Reduction Sys. Projected Daily Flow: 480 Number of bedrooms: 3 Number of Occupants: 6 Basement Yes ☐ No Pump Required: XYes May be required based on final location and elevations of facilities Type of Water Supply: Community Public Well Distance from well NA Permit valid for: X Five years No expiration Permit conditions: Authorized State Agent:: SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Jeff Sutton PROPERTY LOCATION: 700 Neills Creek Road (SR 1513) SUBDIVISION Parkers Place Facility Type: 71x32 sfd, 4 beds 3 baths × New Expansion X No Basement Fixtures? Yes Basement? Yes Type of Wastewater System** 25% Reduction System (Initial) Wastewater Flow: 480 GPD (See note below, if applicable 1) 25% Reduction System Installation Requirements/Conditions Number of trenches Septic Tank Size _ 1000 Exact length of each trench __ Trench Spacing: Feet on Center Pump Tank Size 1 000 gallons Trenches shall be installed on contour at a Soil Cover: Maximum Trench Depth of: 22 (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. _ NA inches below pipe Aggregate Depth: NA inches above pipe Conditions: PUMP TO MEDIUM D-BOX ECUAL DISTA 195TION NA inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: 1 understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: Date: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This

Authorized State Agent:

Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

SEE ATTACHED SITE SKETCH

Date:

Construction Authorization Expiration Date:

Construction Expirati

Harnett County Department of Public Health Site Sketch

