

# Reaction Summary of Order



**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0221-0664
ORDER DATE	02/01/21	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006801
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Dustin Blackwell	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Dustin Blackwell	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 606-4696	SALES AREA	David Landry

SOLD TO	<b>Weaver Development Co. Inc.</b> 350 Wagoner Drive Fayetteville, NC 28303 (910) 433-0888	<b>JOB NAME:</b> Lot 1 Cool Springs <b>MODEL:</b> Roof <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT # 1</b> <b>SUBDIV:</b> Cool Springs <b>JOB CATEGORY:</b> Residential - Roof
	<b>Weaver Development Co. Inc.</b> Cool Springs Road Lillington, NC	<b>TAG:</b> Hickory "C" <b>SPECIAL INSTRUCTIONS:</b>	<b>PLAN SEAL DATE:</b> BY DATE

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
	END CUT	RETURN				LAYOUT	CN 02/05/21
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING

<b>ROOF TRUSSES</b>	LOADING INFORMATION	TOLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	1	6.00	0.00	COMMON A1	32-05-00 32-05-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 1336.8 lbs. -89.1 lbs.	Joint 8 1336.8 lbs. -89.1 lbs.			
	1	6.00	0.00	COMMON A1GE	32-05-00 32-05-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 135.9 lbs. -22.4 lbs.	Joint 20 133.7 lbs. 2.7 lbs.	Joint 22 180.4 lbs. -90.6 lbs.	Joint 23 154.4 lbs. -66.7 lbs.	Joint 24 161.2 lbs. -69.5 lbs.
	4	6.00	0.00	ROOF A2	32-05-00 32-05-00	2 X 6	2 X 10	00-11-00	00-11-00	Joint 2 1393.4 lbs. -89.6 lbs.	Joint 10 1353.1 lbs. -89.6 lbs.			
	2	6.00	0.00	ROOF A3	32-02-00 32-02-00	2 X 6	2 X 10		00-11-00	Joint 1 1345.1 lbs. -76.4 lbs.	Joint 9 1346.7 lbs. -89.6 lbs.			
	2	6.00	0.00	COMMON A4	32-02-00 32-02-00	2 X 6	2 X 6		00-11-00	Joint 1 1277.6 lbs. -76.0 lbs.	Joint 7 1330.8 lbs. -89.1 lbs.			
	4	6.00	0.00	COMMON A5	32-05-00 32-05-00	2 X 6	2 X 6		00-11-00	Joint 1 1284.3 lbs. -77.0 lbs.	Joint 7 1337.4 lbs. -89.2 lbs.			
	1	6.00	0.00	COMMON A5GE	32-05-00 32-05-00	2 X 6	2 X 6		00-11-00	Joint 1 119.0 lbs. -15.5 lbs.	Joint 19 133.7 lbs. 2.7 lbs.	Joint 21 180.4 lbs. -90.6 lbs.	Joint 22 154.4 lbs. -66.7 lbs.	Joint 23 161.2 lbs. -69.5 lbs.
	1	10.00	0.00	COMMON B1	11-11-00 11-11-00	2 X 6	2 X 6		00-11-00	Joint 1 475.2 lbs. -17.8 lbs.	Joint 5 524.4 lbs. -28.9 lbs.			
	1	10.00	0.00	COMMON B1GE	11-11-00 11-11-00	2 X 6	2 X 6		00-11-00	Joint 1 150.8 lbs. -50.8 lbs.	Joint 9 159.7 lbs. -17.9 lbs.	Joint 11 200.3 lbs. -169.3 lbs.	Joint 12 181.7 lbs. -91.0 lbs.	Joint 13 131.6 lbs. 35.6 lbs.
	1 2 Ply	10.00	0.00	ROOF B2	11-11-00 11-11-00	2 X 4	2 X 6		00-11-00	Joint 6 555.5 lbs. 17.4 lbs.	Joint 10 859.1 lbs. 367.7 lbs.			
	5	3.00	0.00	MONOPITCH C1	08-00-00 08-00-00	2 X 4	2 X 6	00-11-00	00-03-08	Joint 2 374.9 lbs. -149.8 lbs.	Joint 5 314.2 lbs. -127.2 lbs.			

# Reaction Summary of Order



**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0221-0664
ORDER DATE	02/01/21	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006801
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Dustin Blackwell	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Dustin Blackwell	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 606-4696	SALES AREA	David Landry

SOLD TO	<b>Weaver Development Co. Inc.</b> 350 Wagoner Drive Fayetteville, NC 28303 (910) 433-0888	<b>JOB NAME:</b> Lot 1 Cool Springs <b>MODEL:</b> Roof <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT # 1</b> <b>SUBDIV:</b> Cool Springs <b>JOB CATEGORY:</b> Residential - Roof
	<b>Weaver Development Co. Inc.</b> Cool Springs Road Lillington, NC	<b>TAG:</b> Hickory "C" <b>SPECIAL INSTRUCTIONS:</b>	<b>PLAN SEAL DATE:</b> BY DATE

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
	END CUT	RETURN				LAYOUT	CN 02/05/21
	PLUMB	GABLE STUDS	24 IN. OC	JOBSITE	1	CUTTING	CN 02/05/21

**ROOF TRUSSES**      **LOADING INFORMATION**      **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		PLY	TOP			BOT	TOP	BOT	LEFT		RIGHT			
	2	3.00	0.00	GABLE C1GE	08-00-00 08-00-00	2 X 4	2 X 6	00-11-00	00-03-08	Joint 2 374.9 lbs. -216.3 lbs.	Joint 8 314.2 lbs. -187.6 lbs.			
	1 2 Ply	10.00	0.00	COMMON D1-GR	07-11-00 07-11-00	2 X 6	2 X 6			Joint 1 2919.6 lbs. -191.1 lbs.	Joint 3 2778.8 lbs. -179.6 lbs.			
	1	10.00	0.00	COMMON D1GE	07-11-00 07-11-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 147.8 lbs. -23.4 lbs.	Joint 6 147.8 lbs. -5.7 lbs.	Joint 8 207.3 lbs. -148.3 lbs.	Joint 9 108.6 lbs. 30.5 lbs.	Joint 10 211.5 lbs. -152.1 lbs.
	4	4.00	0.00	MONOPITCH M1	05-00-00 05-00-00	2 X 4	2 X 6	00-11-00		Joint 2 523.5 lbs. -95.6 lbs.	Joint 4 178.8 lbs. -78.8 lbs.	Joint 11 1322.4 lbs. -338.3 lbs.	Joint 15 2681.6 lbs. -545.2 lbs.	
	1	4.00	0.00	GABLE M1GE	05-00-00 05-00-00	2 X 4	2 X 6	00-11-00		Joint 2 255.3 lbs. -146.9 lbs.	Joint 6 178.8 lbs. -115.1 lbs.			
	3	4.00	0.00	HALF HIP M2	05-03-08 05-03-08	2 X 4	2 X 6	00-11-00		Joint 2 349.2 lbs. -138.4 lbs.	Joint 7 560.3 lbs. -172.3 lbs.			
	1 2 Ply	4.00	0.00	HALF HIP M2-GR	05-03-08 05-03-08	2 X 4	2 X 6	00-11-00		Joint 2 375.0 lbs. -112.5 lbs.	Joint 7 709.4 lbs. -23.1 lbs.			
	1	10.00	10.00	ROOF V1GE	12-10-09 12-10-09	2 X 4	2 X 4			Joint 1 180.1 lbs. -15.2 lbs.	Joint 7 187.0 lbs. -15.1 lbs.	Joint 8 221.3 lbs. -126.4 lbs.	Joint 9 53.6 lbs. 16.0 lbs.	Joint 10 39.1 lbs. -75.8 lbs.
	1	10.00	0.00	VALLEY V2	14-09-02 14-09-02	2 X 4	2 X 4			Joint 1 135.8 lbs. -20.4 lbs.	Joint 5 117.5 lbs. 5.5 lbs.	Joint 6 393.1 lbs. -135.0 lbs.	Joint 7 400.5 lbs. 55.9 lbs.	Joint 8 393.4 lbs. -135.1 lbs.
	1	10.00	0.00	VALLEY V3	12-04-06 12-04-06	2 X 4	2 X 4			Joint 1 89.4 lbs. -35.9 lbs.	Joint 5 73.3 lbs. -14.2 lbs.	Joint 6 325.5 lbs. -122.9 lbs.	Joint 7 242.6 lbs. 53.1 lbs.	Joint 8 325.7 lbs. -123.1 lbs.
	1	10.00	0.00	VALLEY V4	09-11-09 09-11-09	2 X 4	2 X 4			Joint 1 197.2 lbs. -21.7 lbs.	Joint 3 197.3 lbs. -30.1 lbs.	Joint 4 344.0 lbs. 10.8 lbs.		

# Reaction Summary of Order






**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0221-0664
ORDER DATE	02/01/21	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006801
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Dustin Blackwell	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Dustin Blackwell	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 606-4696	SALES AREA	David Landry

SOLD TO	<b>Weaver Development Co. Inc.</b> 350 Wagoner Drive Fayetteville, NC 28303 (910) 433-0888	<b>JOB NAME:</b> Lot 1 Cool Springs <b>MODEL:</b> Roof <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT # 1</b> <b>SUBDIV:</b> Cool Springs <b>JOB CATEGORY:</b> Residential - Roof
	<b>Weaver Development Co. Inc.</b> Cool Springs Road Lillington, NC	<b>TAG:</b> Hickory "C" <b>SPECIAL INSTRUCTIONS:</b>	<b>PLAN SEAL DATE:</b> BY DATE

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-06-08	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	/ /
Roof Order	END CUT RETURN PLUMB	<b>GABLE STUDS</b>	24 IN. OC	JOBSITE 1 JOBSITE 1	JOBSITE 1 JOBSITE 1	<b>LAYOUT</b>	CN 02/05/21
						<b>CUTTING</b>	CN 02/05/21

<b>ROOF TRUSSES</b>		<b>LOADING INFORMATION</b>		TCLL-TCDL-BCLL-BCDL	STRESS INCR.	<b>ROOF TRUSS SPACING:</b> 24.0 IN. O.C. (TYP.)				
				20.0,10.0,0.0,10.0	1.15					
PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
	PLY	TOP	BOT			TOP	BOT	LEFT	RIGHT	
	1	10.00	0.00	VALLEY V5	07-06-12 07-06-12	2 X 4	2 X 4			Joint 1 158.0 lbs. -23.8 lbs. Joint 3 158.0 lbs. -30.1 lbs. Joint 4 230.4 lbs. 23.6 lbs.
	1	10.00	0.00	VALLEY V6	05-01-15 05-01-15	2 X 4	2 X 4			Joint 1 102.5 lbs. -15.4 lbs. Joint 3 102.4 lbs. -19.5 lbs. Joint 4 149.4 lbs. 15.3 lbs.
	1	10.00	0.00	VALLEY V7	02-09-02 02-09-02	2 X 4	2 X 4			Joint 1 81.1 lbs. -3.6 lbs. Joint 3 81.1 lbs. -3.6 lbs.

<b>ITEMS</b>						
QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES	
4	Hangers, USP	HUS 26			SIMPSON (HUS26)	