

# Reaction Summary of Order



**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J1120-5305
ORDER DATE	11/11/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Brady Rufenacht	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Brady Rufenacht	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 483-2229	SALES AREA	Hampton Horrocks

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 45 South Creek <b>MODEL:</b> Roof <b>TAG:</b> Red Camellia <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT #</b> 45 <b>SUBDIV:</b> South Creek <b>JOB CATEGORY:</b> Residential - Roof
	<b>Watermark Homes</b> Lot 45 South Creek Harnett Co., NC	<b>SPECIAL INSTRUCTIONS:</b>	

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-06-08	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	HH	11/17/20
Roof Order	END CUT    RETURN	<b>GABLE STUDS</b>	16 IN. OC	JOBSITE	1	<b>LAYOUT</b>	HH	/ /
				JOBSITE	1	<b>CUTTING</b>	HH	11/17/20

**ROOF TRUSSES**      **LOADING INFORMATION**      TOLL-TCDL-BCLL-BCDL      STRESS INCR.      **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)  
 20.0,10.0,0.0,10.0      1.15

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	3	6.00	0.00	ROOF A1	46-11-00 46-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 1649.0 lbs. -29.7 lbs.	Joint 12 2659.6 lbs. -222.0 lbs.			
	1	6.00	0.00	ROOF A10	38-03-08 38-03-08	2 X 6	2 X 6	01-03-00		Joint 2 1720.7 lbs. -12.3 lbs.	Joint 11 1791.1 lbs. -25.4 lbs.			
	2	6.00	0.00	ROOF A11	38-03-08 38-03-08	2 X 6	2 X 6	01-03-00		Joint 2 1734.5 lbs. -7.3 lbs.	Joint 11 1830.4 lbs. -33.3 lbs.			
	1	6.00	0.00	ROOF A1GE	46-11-00 46-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 1649.0 lbs. -224.2 lbs.	Joint 20 2659.6 lbs. -508.0 lbs.			
	1	6.00	0.00	ROOF A2	46-11-00 46-11-00	2 X 6	2 X 6		01-03-00	Joint 9 507.7 lbs. -171.4 lbs.	Joint 12 1938.4 lbs. -176.9 lbs.	Joint 16 1705.5 lbs. -33.7 lbs.		
	1	4.00	0.00	ROOF A3	48-11-00 48-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 349.1 lbs. -92.9 lbs.	Joint 11 513.1 lbs. -168.5 lbs.	Joint 14 1978.6 lbs. -159.7 lbs.	Joint 19 1521.7 lbs. -75.8 lbs.	
	1	4.00	0.00	ROOF A4	48-11-00 48-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 398.7 lbs. -118.1 lbs.	Joint 11 516.0 lbs. -169.0 lbs.	Joint 14 1995.9 lbs. -162.3 lbs.	Joint 19 1445.6 lbs. -56.2 lbs.	
	4	4.00	0.00	ROOF A5	48-11-00 48-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 328.3 lbs. -132.2 lbs.	Joint 11 47.6 lbs. -110.9 lbs.	Joint 13 1907.5 lbs. -29.6 lbs.	Joint 19 2187.6 lbs. -19.3 lbs.	
	1	4.00	0.00	ROOF A5A	48-11-00 48-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 401.2 lbs. -119.7 lbs.	Joint 11 516.1 lbs. -169.0 lbs.	Joint 14 1996.7 lbs. -162.5 lbs.	Joint 19 1442.2 lbs. -56.1 lbs.	
	1	4.00	0.00	ROOF A6	44-05-00 44-05-00	2 X 6	2 X 6	01-03-00		Joint 2 536.4 lbs. -49.7 lbs.	Joint 12 1440.1 lbs. -37.7 lbs.	Joint 17 2188.5 lbs. -22.8 lbs.	Joint 18 1522.6 lbs. -340.6 lbs.	Joint 23 1330.2 lbs. -345.3 lbs.
	1	4.00	0.00	ROOF A7	48-11-00 40-03-08	2 X 6	2 X 6	01-03-00		Joint 2 327.0 lbs. -90.3 lbs.	Joint 11 1281.0 lbs. -25.8 lbs.	Joint 16 1975.6 lbs. -60.1 lbs.		

# Reaction Summary of Order



**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J1120-5305
ORDER DATE	11/11/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Brady Rufenacht	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Brady Rufenacht	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 483-2229	SALES AREA	Hampton Horrocks

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 45 South Creek <b>MODEL:</b> Roof <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT #</b> 45 <b>SUBDIV:</b> South Creek <b>TAG:</b> Red Camellia <b>JOB CATEGORY:</b> Residential - Roof
	<b>Watermark Homes</b> Lot 45 South Creek Harnett Co., NC	<b>SPECIAL INSTRUCTIONS:</b>	<b>PLAN SEAL DATE:</b> BY DATE

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-06-08	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	HH	11/17/20
Roof Order	END CUT	RETURN				LAYOUT		/ /
	<b>GABLE STUDS</b>	16 IN. OC		JOBSITE	1	JOBSITE	1	<b>CUTTING</b> HH 11/17/20

<b>ROOF TRUSSES</b>	<b>LOADING INFORMATION</b>	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	<b>ROOF TRUSS SPACING:</b> 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	1	6.00	0.00	ROOF A8	46-11-00 38-03-08	2 X 6	2 X 6			Joint 9 123.5 lbs. -15.9 lbs.	Joint 10 1505.2 lbs. -34.0 lbs.	Joint 14 1776.3 lbs. -25.5 lbs.		
	1	6.00	0.00	ROOF A9	38-03-08 38-03-08	2 X 6	2 X 6	01-03-00		Joint 2 1700.3 lbs. -16.4 lbs.	Joint 11 1683.4 lbs. -19.2 lbs.			
	2	6.00	0.00	COMMON B1	37-11-00 37-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 1736.5 lbs. -22.5 lbs.	Joint 8 1736.5 lbs. -22.5 lbs.			
	1	6.00	0.00	GABLE B1GE	37-11-00 37-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 189.8 lbs. -20.3 lbs.	Joint 22 189.8 lbs. 5.9 lbs.	Joint 24 218.0 lbs. -87.0 lbs.	Joint 25 141.5 lbs. -45.9 lbs.	Joint 26 163.6 lbs. -52.3 lbs.
	9	6.00	0.00	COMMON B2	36-03-08 36-03-08	2 X 6	2 X 6	01-03-00		Joint 2 1512.2 lbs. -24.7 lbs.	Joint 9 1435.4 lbs. -4.3 lbs.			
	1	6.00	0.00	ROOF B3	36-03-08 36-03-08	2 X 6	2 X 6	01-03-00		Joint 2 1631.9 lbs. -14.1 lbs.	Joint 11 1699.2 lbs. -20.6 lbs.			
	1	6.00	0.00	GABLE B3GE	36-03-08 36-03-08	2 X 6	2 X 6	01-03-00		Joint 2 186.7 lbs. -32.7 lbs.	Joint 23 152.1 lbs. 0.5 lbs.	Joint 24 124.0 lbs. -168.7 lbs.	Joint 25 166.7 lbs. -42.4 lbs.	Joint 26 159.0 lbs. -54.0 lbs.
	6	9.00	0.00	ROOF C1	33-11-00 33-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 1586.5 lbs. 15.4 lbs.	Joint 10 1551.7 lbs. -58.7 lbs.			
	1	9.00	0.00	GABLE C1GE	33-11-00 33-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 946.7 lbs. -118.2 lbs.	Joint 20 172.2 lbs. -38.6 lbs.	Joint 22 311.4 lbs. -79.4 lbs.	Joint 23 92.6 lbs. -34.1 lbs.	Joint 24 195.5 lbs. -28.4 lbs.
	3	9.00	0.00	ROOF C2	33-11-00 33-11-00	2 X 6	2 X 6		01-03-00	Joint 1 1523.3 lbs. 18.6 lbs.	Joint 9 1559.1 lbs. -62.5 lbs.			
	2	9.00	0.00	ROOF C3	32-04-08 32-04-08	2 X 6	2 X 6		01-03-00	Joint 7 1473.4 lbs. -61.1 lbs.	Joint 13 1436.7 lbs. 6.8 lbs.			

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J1120-5305
ORDER DATE	11/11/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Brady Rufenacht	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Brady Rufenacht	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 483-2229	SALES AREA	Hampton Horrocks

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 45 South Creek <b>MODEL:</b> Roof <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT #</b> 45 <b>SUBDIV:</b> South Creek <b>TAG:</b> Red Camellia <b>JOB CATEGORY:</b> Residential - Roof
	<b>Watermark Homes</b> Lot 45 South Creek Harnett Co., NC	<b>SPECIAL INSTRUCTIONS:</b>	<b>PLAN SEAL DATE:</b> BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	HH	11/17/20		
	END CUT	RETURN				LAYOUT		/ /		
Roof Order	GABLE STUDS	16 IN. OC		JOBSITE	1	JOBSITE	1	CUTTING	HH	11/17/20

<b>ROOF TRUSSES</b>	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	1	-9.00	0.00	ROOF C4	21-07-00 21-07-00	2 X 6	2 X 6		01-03-00	Joint 6 975.4 lbs. -43.8 lbs.	Joint 10 995.6 lbs. -77.8 lbs.			
	1	9.00	0.00	COMMON D1GE	21-11-00 21-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 245.0 lbs. -117.5 lbs.	Joint 14 209.3 lbs. -48.3 lbs.	Joint 16 133.5 lbs. -153.7 lbs.	Joint 17 180.2 lbs. -83.0 lbs.	Joint 18 172.2 lbs. -75.0 lbs.
	1	4.00	0.00	GABLE VC1	14-07-01 14-07-01	2 X 4	2 X 4			Joint 1 248.7 lbs. 20.4 lbs.	Joint 4 157.1 lbs. -13.6 lbs.	Joint 5 677.7 lbs. -57.8 lbs.		
	1	4.00	0.00	GABLE VC2	11-07-01 11-07-01	2 X 4	2 X 4			Joint 1 138.8 lbs. 20.5 lbs.	Joint 4 195.1 lbs. -16.8 lbs.	Joint 5 509.7 lbs. -43.4 lbs.		
	1	4.00	0.00	GABLE VC3	08-07-01 08-07-01	2 X 4	2 X 4			Joint 1 301.8 lbs. -2.6 lbs.	Joint 3 301.8 lbs. -25.9 lbs.			
	1	4.00	0.00	VALLEY VC4	05-07-01 05-07-01	2 X 4	2 X 4			Joint 1 181.8 lbs. -1.6 lbs.	Joint 3 181.8 lbs. -15.6 lbs.			
	1	4.00	0.00	VALLEY VC5	02-07-01 02-07-01	2 X 4	2 X 4			Joint 1 61.8 lbs. -0.5 lbs.	Joint 3 61.8 lbs. -5.3 lbs.			
	2	2.83	0.00	DIAGONAL HIP Z1	03-03-03 03-03-03	2 X 4	2 X 6	01-09-03		Joint 2 275.9 lbs. -105.7 lbs.	Joint 3 52.3 lbs. -21.3 lbs.	Joint 4 60.3 lbs. -10.5 lbs.		

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	07-00-00		BM2
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	22-00-00		GDH1
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	20-00-00		BM1

# Reaction Summary of Order



**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J1120-5305
ORDER DATE	11/11/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Brady Rufenacht	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Brady Rufenacht	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 483-2229	SALES AREA	Hampton Horrocks

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 45 South Creek <b>MODEL:</b> Roof <b>TAG:</b> Red Camellia <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT #</b> 45 <b>SUBDIV:</b> South Creek <b>JOB CATEGORY:</b> Residential - Roof
	SHEET <b>Watermark Homes</b> Lot 45 South Creek Harnett Co., NC	<b>SPECIAL INSTRUCTIONS:</b>	<b>PLAN SEAL DATE:</b>

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-06-08	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	HH	11/17/20																					
Roof Order	<table border="1"> <tr> <td>END CUT</td> <td>RETURN</td> </tr> </table>	END CUT	RETURN	<b>GABLE STUDS</b>	16 IN. OC	<table border="1"> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>JOBSITE</td> <td>1</td> <td></td> <td></td> <td>JOBSITE</td> <td>1</td> <td></td> </tr> </table>												JOBSITE	1			JOBSITE	1		<b>LAYOUT</b>				/ /
END CUT	RETURN																												
		JOBSITE	1			JOBSITE	1																						
						<b>CUTTING</b>	HH	11/17/20																					

**ITEMS**

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	13-00-00		GDH2