

# Reaction Summary of Order



REQ. QUOTE DATE	07/04/18	ORDER #	J1120-5330
ORDER DATE	11/12/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	Anthony Williams

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 46 South Creek <b>MODEL:</b> Roof <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT #</b> 46 <b>SUBDIV:</b> South Creek <b>TAG:</b> River Oak / 3rd Car <b>JOB CATEGORY:</b> Residential - Roof
	<b>Watermark Homes, Inc.</b> Lot 46 South Creek Lillington, NC	<b>SPECIAL INSTRUCTIONS:</b>	<b>PLAN SEAL DATE:</b>

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	aw	11/13/20
	END CUT	RETURN		NONE	NONE	LAYOUT	aw	11/13/20
	PLUMB		GABLE STUDS			24 IN. OC	CUTTING	aw

<b>ROOF TRUSSES</b>	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS	
		TOP	BOT			TOP	BOT	LEFT	RIGHT		
	6	4.00	4.00	PIGGYBACK A01	49-05-00 49-05-00	2 X 6	2 X 6			Joint 11 1697.3 lbs. 91.8 lbs.	Joint 15 2299.8 lbs. -120.3 lbs.
	2	4.00	4.00	PIGGYBACK A02	49-05-00 48-02-08	2 X 6	2 X 6			Joint 11 1769.5 lbs. 96.3 lbs.	Joint 15 2225.4 lbs. -130.8 lbs.
	1 2 Ply	4.00	0.00	PIGGYBACK A03GR	32-06-00 32-05-08	2 X 6	2 X 10			Joint 8 5038.7 lbs. 1076.3 lbs.	Joint 14 8872.0 lbs. 2025.1 lbs.
	1 2 Ply	8.00	0.00	HALF HIP B01GR	38-02-08 38-02-08	2 X 6	2 X 6			Joint 1 1473.0 lbs. -335.6 lbs.	Joint 11 1526.5 lbs. -404.2 lbs.
	1	8.00	0.00	HALF HIP B02	38-02-08 38-02-08	2 X 6	2 X 6			Joint 1 1503.2 lbs. 67.7 lbs.	Joint 10 1514.1 lbs. 21.5 lbs.
	1	8.00	0.00	HALF HIP B03	38-02-08 38-02-08	2 X 6	2 X 6			Joint 1 1600.0 lbs. 85.1 lbs.	Joint 9 1703.2 lbs. 21.2 lbs.
	1	8.00	0.00	HALF HIP B04	38-02-08 38-02-08	2 X 6	2 X 6			Joint 1 1505.7 lbs. 102.5 lbs.	Joint 10 1726.4 lbs. 20.9 lbs.
	1	8.00	0.00	HIP B05	38-02-08 38-02-08	2 X 6	2 X 6			Joint 1 1675.6 lbs. 92.6 lbs.	Joint 9 1683.2 lbs. 97.2 lbs.
	1	8.00	0.00	PIGGYBACK B06	38-02-08 38-02-08	2 X 6	2 X 6			Joint 1 1657.5 lbs. 94.8 lbs.	Joint 9 1665.9 lbs. 99.4 lbs.
	1	8.00	4.00	PIGGYBACK B07	38-02-08 38-02-08	2 X 6	2 X 6			Joint 11 1926.0 lbs. 117.4 lbs.	Joint 15 1247.9 lbs. 62.8 lbs.
	9	10.00	0.00	ATTIC C01	24-11-00 24-11-00	2 X 6	2 X 10		01-03-00	Joint 10 1624.8 lbs. 279.1 lbs.	Joint 14 1548.2 lbs. 285.6 lbs.

# Reaction Summary of Order






**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	07/04/18	ORDER #	J1120-5330
ORDER DATE	11/12/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	Anthony Williams

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 46 South Creek <b>MODEL:</b> Roof <b>TAG:</b> River Oak / 3rd Car <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT #</b> 46 <b>SUBDIV:</b> South Creek <b>JOB CATEGORY:</b> Residential - Roof
	<b>Watermark Homes, Inc.</b> Lot 46 South Creek Lillington, NC	<b>SPECIAL INSTRUCTIONS:</b>	<b>PLAN SEAL DATE:</b>

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	aw	11/13/20
	END CUT	RETURN		NONE	NONE	LAYOUT	aw	11/13/20
	PLUMB		GABLE STUDS			24 IN. OC	CUTTING	aw

<b>ROOF TRUSSES</b>	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	1	10.00	0.00	GABLE C01GE	24-11-00 24-11-00	2 X 6	2 X 10	01-03-00	01-03-00	Joint 18 640.7 lbs. 30.8 lbs.	Joint 19 1051.4 lbs. -81.6 lbs.	Joint 21 1057.1 lbs. -83.8 lbs.	Joint 22 640.7 lbs. 23.8 lbs.	
	1	10.00	0.00	ATTIC C02	24-11-00 24-11-00	2 X 6	2 X 10			Joint 9 1551.2 lbs. 288.0 lbs.	Joint 13 1551.2 lbs. 288.0 lbs.			
	1 2 Ply	10.00	0.00	ATTIC C02G	24-11-00 24-11-00	2 X	2 X 10			Joint 9 6601.2 lbs. 1210.5 lbs.	Joint 13 6601.2 lbs. 1210.5 lbs.			
	5	10.00	0.00	PIGGYBACK C03	27-04-00 27-03-08	2 X 6	2 X 6			Joint 12 1175.9 lbs. 72.8 lbs.	Joint 16 1377.1 lbs. 70.7 lbs.			
	1	10.00	0.00	GABLE C03GE	27-04-00 27-03-08	2 X 6	2 X 6			Joint 16 163.7 lbs. -101.2 lbs.	Joint 17 204.7 lbs. -153.8 lbs.	Joint 18 169.9 lbs. -48.3 lbs.	Joint 19 173.9 lbs. -73.6 lbs.	Joint 20 142.5 lbs. -60.4 lbs.
	10	10.00	0.00	PIGGYBACK C04	27-04-00 27-00-00	2 X 6	2 X 6			Joint 11 1164.5 lbs. 68.6 lbs.	Joint 15 1369.5 lbs. 70.3 lbs.			
	1 2 Ply	10.00	0.00	COMMON D01GR	21-02-08 21-02-08	2 X 6	2 X 10			Joint 1 4349.4 lbs. 502.3 lbs.	Joint 7 0.0 lbs.	Joint 8 6601.8 lbs. 1405.3 lbs.		
	1	10.00	0.00	KINGPOST D01SG	22-05-00 22-05-00	2 X 6	2 X 6			Joint 12 915.8 lbs. -34.6 lbs.	Joint 18 987.1 lbs. -33.9 lbs.			
	1	10.00	0.00	COMMON E01GE	16-05-00 16-05-00	2 X 6	2 X 6			Joint 10 269.0 lbs. -19.6 lbs.	Joint 11 136.8 lbs. -127.2 lbs.	Joint 13 188.0 lbs. -28.5 lbs.	Joint 14 250.6 lbs. 22.4 lbs.	Joint 15 188.1 lbs. -47.8 lbs.
	1	8.00	0.00	COMMON G1	26-05-00 26-05-00	2 X 6	2 X 6			Joint 1 1034.3 lbs. 53.8 lbs.	Joint 5 1034.3 lbs. 53.8 lbs.			
	1	8.00	0.00	HIP G2	26-05-00 26-05-00	2 X 6	2 X 6			Joint 1 1039.9 lbs. 56.2 lbs.	Joint 6 1039.9 lbs. 56.2 lbs.			

# Reaction Summary of Order



REQ. QUOTE DATE	07/04/18	ORDER #	J1120-5330
ORDER DATE	11/12/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	Anthony Williams

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 46 South Creek <b>MODEL:</b> Roof <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT #</b> 46 <b>SUBDIV:</b> South Creek <b>TAG:</b> River Oak / 3rd Car <b>JOB CATEGORY:</b> Residential - Roof
	<b>Watermark Homes, Inc.</b> Lot 46 South Creek Lillington, NC	<b>SPECIAL INSTRUCTIONS:</b>	<b>PLAN SEAL DATE:</b> BY DATE

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	aw	11/13/20
	END CUT	RETURN		NONE	NONE	LAYOUT	aw	11/13/20
	PLUMB		GABLE STUDS			24 IN. OC	CUTTING	aw

<b>ROOF TRUSSES</b>	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	1	8.00	0.00	HIP G3	26-05-00 26-05-00	2 X 6	2 X 6			Joint 1 1140.8 lbs. 64.6 lbs.	Joint 4 1118.8 lbs. 64.6 lbs.			
	1	8.00	0.00	HIP G4	26-05-00 26-05-00	2 X 6	2 X 6			Joint 1 1028.1 lbs. 75.9 lbs.	Joint 5 1028.1 lbs. 75.9 lbs.			
	1 2 Ply	8.00	0.00	HIP GIRDER G5	26-05-00 26-05-00	2 X 6	2 X 6			Joint 1 999.5 lbs. -216.9 lbs.	Joint 7 999.5 lbs. -216.8 lbs.			
	1	4.00	8.00	GABLE M01GE	11-06-00 11-06-00	2 X 6	2 X 6	08-04-08		Joint 1 104.2 lbs. -107.2 lbs.	Joint 16 1166.1 lbs. -239.5 lbs.	Joint 17 41.2 lbs. -170.6 lbs.	Joint 18 67.4 lbs. 0.0 lbs.	Joint 19 150.5 lbs. -22.4 lbs.
	10	8.00	0.00	PIGGYBACK PB01	09-06-04 09-06-04	2 X 4	2 X 4			Joint 2 219.6 lbs. -4.0 lbs.	Joint 4 219.6 lbs. -9.8 lbs.	Joint 6 382.2 lbs. 41.2 lbs.		
	1	8.00	0.00	GABLE PB02	09-06-04 09-06-04	2 X 4	2 X 4			Joint 2 86.9 lbs. -11.2 lbs.	Joint 5 86.9 lbs. -15.3 lbs.	Joint 7 327.6 lbs. 19.2 lbs.	Joint 8 327.6 lbs. 12.4 lbs.	
	16	10.00	0.00	PIGGYBACK PB03	04-07-04 04-07-04	2 X 4	2 X 4			Joint 2 133.6 lbs. -6.3 lbs.	Joint 4 133.6 lbs. -9.7 lbs.	Joint 6 151.1 lbs. 28.8 lbs.		
	12	10.00	0.00	PIGGYBACK PB04	03-05-12 03-05-12	2 X 4	2 X 4			Joint 2 107.9 lbs. -5.7 lbs.	Joint 4 107.9 lbs. -8.4 lbs.	Joint 6 112.5 lbs. 22.3 lbs.		
	1	4.00	0.00	VALLEY VA01	23-04-13 23-04-13	2 X 4	2 X 4			Joint 1 189.1 lbs. 22.8 lbs.	Joint 8 10.6 lbs. -21.8 lbs.	Joint 9 -13.9 lbs. -114.3 lbs.	Joint 10 391.8 lbs. 5.7 lbs.	Joint 11 529.9 lbs. -49.1 lbs.
	1	4.00	0.00	VALLEY VA02	18-04-13 18-04-13	2 X 4	2 X 4			Joint 1 154.1 lbs. 10.4 lbs.	Joint 7 10.4 lbs. -21.1 lbs.	Joint 8 -13.3 lbs. -106.6 lbs.	Joint 9 379.9 lbs. 5.8 lbs.	Joint 11 549.7 lbs. -49.6 lbs.
	1	4.00	0.00	VALLEY VA03	13-04-13 13-04-13	2 X 4	2 X 4			Joint 1 119.3 lbs. 1.4 lbs.	Joint 6 10.4 lbs. -23.1 lbs.	Joint 7 -13.3 lbs. -137.9 lbs.	Joint 8 423.1 lbs. 6.4 lbs.	Joint 9 432.9 lbs. -50.1 lbs.

# Reaction Summary of Order



**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	07/04/18	ORDER #	J1120-5330
ORDER DATE	11/12/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	Anthony Williams

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 46 South Creek <b>MODEL:</b> Roof <b>TAG:</b> River Oak / 3rd Car <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT #</b> 46 <b>SUBDIV:</b> South Creek <b>JOB CATEGORY:</b> Residential - Roof
	<b>Watermark Homes, Inc.</b> Lot 46 South Creek Lillington, NC	<b>SPECIAL INSTRUCTIONS:</b>	<b>PLAN SEAL DATE:</b>

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	aw	11/13/20
	END CUT	RETURN		NONE	NONE	LAYOUT	aw	11/13/20
	PLUMB		GABLE STUDS			24 IN. OC	CUTTING	aw

## ROOF TRUSSES

LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.
	20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT	Joint 1	Joint 4	Joint 5	Joint 6	Joint 7
	1	8.00	0.00	VALLEY VA04	09-05-10 09-05-10	2 X 4	2 X 4			Joint 1 134.7 lbs. 34.5 lbs.	Joint 4 10.9 lbs. -15.6 lbs.	Joint 5 -9.2 lbs. -106.0 lbs.	Joint 6 360.1 lbs. 3.3 lbs.	Joint 7 434.8 lbs. -47.6 lbs.
	1	8.00	0.00	VALLEY VA05	06-11-10 06-11-10	2 X 4	2 X 4			Joint 1 56.6 lbs. -21.0 lbs.	Joint 4 21.7 lbs. -7.5 lbs.	Joint 5 -17.0 lbs. -56.6 lbs.	Joint 6 206.3 lbs. 21.6 lbs.	Joint 7 319.9 lbs. -45.2 lbs.
	1	8.00	0.00	VALLEY VA06	04-05-10 04-05-10	2 X 4	2 X 4			Joint 1 115.5 lbs. 14.8 lbs.	Joint 3 11.9 lbs. -32.5 lbs.	Joint 4 -6.7 lbs. -28.3 lbs.	Joint 5 248.2 lbs. -9.7 lbs.	
	1	10.00	0.00	VALLEY VD01	10-01-14 10-01-14	2 X 4	2 X 4			Joint 1 140.5 lbs. 26.0 lbs.	Joint 5 28.6 lbs. -64.8 lbs.	Joint 6 357.5 lbs. 3.3 lbs.	Joint 7 511.9 lbs. -77.7 lbs.	
	1	10.00	0.00	VALLEY VD02	08-06-11 08-06-11	2 X 4	2 X 4			Joint 1 85.8 lbs. -3.2 lbs.	Joint 5 29.5 lbs. -36.9 lbs.	Joint 6 313.2 lbs. 15.0 lbs.	Joint 7 380.4 lbs. -70.0 lbs.	
	1	10.00	0.00	VALLEY VD03	06-11-08 06-11-08	2 X 4	2 X 4			Joint 1 85.1 lbs. -82.0 lbs.	Joint 5 30.6 lbs. -20.3 lbs.	Joint 6 205.6 lbs. 16.0 lbs.	Joint 7 341.4 lbs. -72.3 lbs.	
	1	10.00	0.00	VALLEY VD04	05-04-04 05-04-04	2 X 4	2 X 4			Joint 1 137.4 lbs. 12.1 lbs.	Joint 4 28.4 lbs. -21.6 lbs.	Joint 5 223.3 lbs. 13.9 lbs.		
	1	10.00	0.00	VALLEY VD05	03-09-01 03-09-01	2 X 4	2 X 4			Joint 1 76.6 lbs. -1.6 lbs.	Joint 4 43.2 lbs. -12.7 lbs.	Joint 5 138.8 lbs. 15.0 lbs.		
	1	8.00	0.00	VALLEY VG01	21-09-02 21-09-02	2 X 4	2 X 4			Joint 1 105.1 lbs. -14.7 lbs.	Joint 7 88.0 lbs. 8.1 lbs.	Joint 8 281.3 lbs. -30.9 lbs.	Joint 10 437.6 lbs. -43.4 lbs.	Joint 11 440.6 lbs. 65.8 lbs.
	1	8.00	0.00	VALLEY VG02	16-09-02 16-09-02	2 X 4	2 X 4			Joint 1 141.0 lbs. 9.9 lbs.	Joint 5 141.0 lbs. 18.6 lbs.	Joint 6 397.7 lbs. -46.4 lbs.	Joint 8 386.6 lbs. 59.8 lbs.	Joint 9 397.9 lbs. -46.5 lbs.
	1	8.00	0.00	VALLEY VG03	11-09-02 11-09-02	2 X 4	2 X 4			Joint 1 39.2 lbs. -28.6 lbs.	Joint 5 27.3 lbs. -16.6 lbs.	Joint 6 297.4 lbs. -41.3 lbs.	Joint 7 263.5 lbs. 49.5 lbs.	Joint 8 297.4 lbs. -41.4 lbs.

# Reaction Summary of Order







**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	07/04/18	ORDER #	J1120-5330
ORDER DATE	11/12/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	Anthony Williams

SOLD TO	<b>Watermark Homes, Inc.</b> 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	<b>JOB NAME:</b> Lot 46 South Creek <b>MODEL:</b> Roof <b>TAG:</b> River Oak / 3rd Car <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT #</b> 46 <b>SUBDIV:</b> South Creek <b>JOB CATEGORY:</b> Residential - Roof
	<b>Watermark Homes, Inc.</b> Lot 46 South Creek Lillington, NC	<b>SPECIAL INSTRUCTIONS:</b>	<b>PLAN SEAL DATE:</b>

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	aw	11/13/20
	END CUT	RETURN		NONE	NONE	LAYOUT	aw	11/13/20
	PLUMB		GABLE STUDS			24 IN. OC	CUTTING	aw

<b>ROOF TRUSSES</b>	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		TOP	BOT			TOP	BOT	LEFT	RIGHT	
	1	8.00	0.00	VALLEY VG04	06-09-02 06-09-02	2 X 4	2 X 4			Joint 1      Joint 3      Joint 4 125.9 lbs.      125.9 lbs.      211.8 lbs. -3.9 lbs.      -7.1 lbs.      31.8 lbs.
	27	10.00	0.00	JACK-OPEN X1	03-08-14 03-08-14	2 X 4	2 X 6			Joint 3      Joint 4      Joint 5 58.9 lbs.      29.0 lbs.      236.9 lbs. -31.0 lbs.      -19.9 lbs.      43.1 lbs.
	3	10.00	0.00	JACK-OPEN X2	03-08-14 03-08-14	2 X 4	2 X 6			Joint 4      Joint 5      Joint 6 44.5 lbs.      17.9 lbs.      207.1 lbs. -8.1 lbs.      -24.0 lbs.      -1.8 lbs.
	3	8.00	0.00	JACK-OPEN Y1	02-08-08 02-08-08	2 X 4	2 X 6			Joint 3      Joint 4      Joint 5 23.2 lbs.      4.5 lbs.      224.0 lbs. -14.6 lbs.      -32.0 lbs.      34.2 lbs.

## ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
15	Hangers, USP	HUS 26			SIMPSON (HUS26)
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	07-00-00		HDR1
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	12-00-00		GDH-9
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	25-00-00		GDH-16
1	Hangers, USP	THD26-2			SIMPSON (HHUS26-2)