
Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

REGIED TO: DAN RYAN BLDS CHRONUSION CUTIE MILL VILLACE INT # 50
Bioleto Io
NEW REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance:
Type of Structure: 3-5000000 51'x36' 550
Proposed Wastewater System Type: 25% NEOULCONSTS.
Projected Daily Flow: 366 GPD Number of bedrooms: 3 Number of Occupants: 6 max
Basement Tes A No
Pump Required: Yes No May be required based on final location and elevations of facilities
Type of Water Supply: Community Public Well Distance from well Africa feet Permit valid for:
Permit conditions:
Authorized State Agent:: Date: 03/12/2021 SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This
site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of
the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.
Construction Authorization
(Required for Building Permit)
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance
with the attached system layout.
ISSUED TO: DAN NAM BLESS PROPERTY LOCATION: ZIO MILL GEND Dr.
SUBDIVISION OLDIZ MILL UILLACE LOT # 55
Facility Type: 3-052 51'Y 36' 500 New Expansion Repair
Basement? Yes No Basement Fixtures? Yes No Type of Wastewater System** 2570 VEOUCHON: 5757EM (Initial) Wastewater Flow: 360 GPD
(See note below, if applicable)
25/0 NESSCHOOL STS. (Repair)
Installation Requirements/Conditions Number of trenches 4
Septic Tank Size 1000 gallons Exact length of each trench 75 feet Trench Spacing: 9 Feet on Center
Pump Tank Sizegallons
Maximum Trench Depth of:/&inches (Maximum soil cover shall not exceed
(Trench bottoms shall be level to $\pm 1/4$ " 36" above the trench bottom)
in all directions)
Pump Requirements:ft. TDH vsGPMinches below pipe
Aggregate Depth: inches above pipe
Conditions: GRAVITY TO O-BOX EGUAL DISTRIBUTION STOTEM MA inches total
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.
NO SERVICE AND A PRODUCTION OF THE PRODUCT OF THE P
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.
**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature: Date:
This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This
Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.
Authorized State Agent: Collection Date: 63/12/202)
ANDREW COMMO Construction Authorization Expiration Date: 03/12/2026

Harnett County Department of Public Health Site Sketch



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.

