

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J1020-5083
ORDER DATE	10/29/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006801
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Dustin Blackwell	INVOICE #	
COUNTY	Johnston	TERMS	
SUPERINTENDANT	Dustin Blackwell	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 606-4696	SALES AREA	Curtis Quick

SOLD TO	<b>Weaver Development Co. Inc.</b> 350 Wagoner Drive Fayetteville, NC 28303 (910) 433-0888	<b>JOB NAME:</b> Lot 4 Patterson <b>MODEL:</b> Roof <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT #</b> <b>SUBDIV:</b> JOB <b>CATEGORY:</b> Residential - Roof
	<b>Weaver Development Co. Inc.</b> Lot 4 Patterson Johnston County, NC	<b>TAG:</b> The Lauren <b>SPECIAL INSTRUCTIONS:</b>	<b>PLAN SEAL DATE:</b> BY DATE

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
	END CUT	RETURN				LAYOUT	CN 11/25/20
	PLUMB	GABLE STUDS	24 IN. OC	JOBSITE	1	CUTTING	CN 11/25/20

<b>ROOF TRUSSES</b>	LOADING INFORMATION	TOLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT	Joint 2	Joint 17	Joint 18	Joint 19	Joint 20
	1	6.00	3.00	GABLE A1GE	61-06-00 61-06-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 338.0 lbs. -126.1 lbs.	Joint 17 2155.2 lbs. -994.2 lbs.	Joint 18 332.4 lbs. -612.6 lbs.	Joint 19 134.5 lbs. 5.4 lbs.	Joint 20 106.7 lbs. 14.3 lbs.
	5	6.00	3.00	GIRDER A2	61-06-00 61-06-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 1539.5 lbs. 57.4 lbs.	Joint 17 3047.8 lbs. 79.5 lbs.	Joint 22 1834.1 lbs. 5.3 lbs.		
	1	6.00	3.00	GIRDER A2A	61-06-00 61-06-00	2 X 6	2 X 6		00-10-08	Joint 1 1495.3 lbs. 69.7 lbs.	Joint 16 3047.7 lbs. 79.5 lbs.	Joint 21 1835.3 lbs. 5.1 lbs.		
	3	6.00	3.00	ATTIC A3	61-06-00 61-06-00	2 X 6	2 X 6		00-10-08	Joint 1 875.2 lbs. -0.3 lbs.	Joint 17 3015.1 lbs. 55.2 lbs.	Joint 22 2492.8 lbs. 34.3 lbs.		
	3	6.00	3.00	GIRDER A4	33-04-08 33-04-08	2 X 6	2 X 6			Joint 1 809.2 lbs. 5.6 lbs.	Joint 9 1093.0 lbs. 86.6 lbs.	Joint 10 1861.2 lbs. 70.2 lbs.		
	1	6.00	3.00	GIRDER A4A	33-08-00 33-08-00	2 X 6	2 X 6			Joint 1 810.5 lbs. 5.6 lbs.	Joint 9 1120.0 lbs. 88.5 lbs.	Joint 10 1882.6 lbs. 74.4 lbs.		
	4	6.00	0.00	GIRDER A5	33-08-00 33-08-00	2 X 6	2 X 10	00-10-08		Joint 2 620.6 lbs. -37.1 lbs.	Joint 10 1271.5 lbs. 86.2 lbs.	Joint 13 2135.7 lbs. 108.9 lbs.		
	2 2 Ply	6.00	0.00	GIRDER A6	33-04-08 33-04-08	2 X 6	2 X 10	00-10-08		Joint 2 1093.3 lbs. -62.4 lbs.	Joint 10 2189.0 lbs. 148.3 lbs.	Joint 13 3673.7 lbs. 180.4 lbs.		
	1	6.00	0.00	GABLE A7GE	33-04-08 33-04-08	2 X 6	2 X 10	00-10-08		Joint 2 203.1 lbs. 46.3 lbs.	Joint 8 347.3 lbs. -1058.8 lbs.	Joint 9 1707.6 lbs. -455.4 lbs.	Joint 10 1859.1 lbs. -4.6 lbs.	Joint 12 -125.6 lbs. -952.3 lbs.
	1	12.00	0.00	PIGGYBACK B1	22-08-00 22-07-00	2 X 6	2 X 10	00-11-00	00-11-00	Joint 12 1534.0 lbs. 173.9 lbs.	Joint 16 1534.0 lbs. 173.9 lbs.			
	2	12.00	0.00	PIGGYBACK B2	22-08-00 22-07-00	2 X 6	2 X 10			Joint 10 1493.0 lbs. 174.7 lbs.	Joint 14 1493.0 lbs. 174.7 lbs.			

# Reaction Summary of Order



ROOF & FLOOR TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408  
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J1020-5083
ORDER DATE	10/29/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006801
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Dustin Blackwell	INVOICE #	
COUNTY	Johnston	TERMS	
SUPERINTENDANT	Dustin Blackwell	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 606-4696	SALES AREA	Curtis Quick

SOLD TO	<b>Weaver Development Co. Inc.</b> 350 Wagoner Drive Fayetteville, NC 28303 (910) 433-0888	<b>JOB NAME:</b> MODEL: Roof TAG: The Lauren H DELIVERY INSTRUCTIONS:	<b>LOT #</b> <b>SUBDIV: JOB</b> CATEGORY: Residential - Roof
	<b>Weaver Development Co. Inc.</b> Lot 4 Patterson Johnston County, NC	<b>SPECIAL INSTRUCTIONS:</b>	<b>PLAN SEAL DATE:</b> BY DATE

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-04-05	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	/ /
Roof Order	END CUT	RETURN				LAYOUT	CN 11/25/20
	PLUMB		<b>GABLE STUDS</b>	24 IN. OC	JOBSITE 1	JOBSITE 1	<b>CUTTING</b> CN 11/25/20

<b>ROOF TRUSSES</b>	<b>LOADING INFORMATION</b>	TOLL-TCDL-BCLL-BCDL	STRESS INCR.	<b>ROOF TRUSS SPACING:</b> 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	6	12.00	0.00	PIGGYBACK B3	22-08-00 22-07-00	2 X 6	2 X 10			Joint 10 1493.0 lbs. 174.7 lbs.	Joint 14 1493.0 lbs. 174.7 lbs.			
	1 2 Ply	12.00	0.00	PIGGYBACK B4	22-08-00 22-07-00	2 X 6	2 X 10			Joint 10 2986.0 lbs. 349.5 lbs.	Joint 14 2986.0 lbs. 349.5 lbs.			
	6	6.00	0.00	COMMON G1	22-00-00 22-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 920.1 lbs. -63.8 lbs.	Joint 6 920.1 lbs. -63.8 lbs.			
	1	6.00	0.00	GABLE G1GE	22-00-00 22-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 159.1 lbs. -25.2 lbs.	Joint 12 159.1 lbs. -9.0 lbs.	Joint 14 234.1 lbs. -109.6 lbs.	Joint 15 135.6 lbs. -57.8 lbs.	Joint 16 165.8 lbs. -76.8 lbs.
	1 2 Ply	6.00	0.00	COMMON G2GDR	22-00-00 22-00-00	2 X 6	2 X 10	00-10-08	00-10-08	Joint 2 5371.2 lbs. 1410.8 lbs.	Joint 6 7750.4 lbs. 2179.1 lbs.			
	4	6.00	0.00	COMMON P1	16-00-00 16-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 680.1 lbs. -142.0 lbs.	Joint 4 680.1 lbs. -142.0 lbs.			
	1	6.00	0.00	GABLE P1GE	16-00-00 16-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 680.1 lbs. -152.8 lbs.	Joint 4 680.1 lbs. -152.8 lbs.			
	9	6.00	0.00	PIGGYBACK PB1	16-00-13 16-00-13	2 X 4	2 X 4			Joint 2 45.0 lbs. -24.3 lbs.	Joint 6 41.9 lbs. -14.6 lbs.	Joint 8 440.0 lbs. -105.0 lbs.	Joint 10 427.7 lbs. 31.0 lbs.	Joint 11 440.0 lbs. -105.4 lbs.
	1	6.00	0.00	GABLE PB1GE	16-00-13 16-00-13	2 X 4	2 X 4			Joint 2 116.1 lbs. -20.8 lbs.	Joint 10 116.8 lbs. -15.5 lbs.	Joint 12 173.6 lbs. -74.8 lbs.	Joint 13 155.4 lbs. -67.4 lbs.	Joint 14 169.5 lbs. -72.6 lbs.
	3	6.00	0.00	PIGGYBACK PB2	11-10-14 11-10-14	2 X 4	2 X 4			Joint 2 48.1 lbs. -18.6 lbs.	Joint 6 135.4 lbs. -38.0 lbs.	Joint 7 386.9 lbs. -7.5 lbs.	Joint 8 447.0 lbs. -103.4 lbs.	
	5	6.00	0.00	PIGGYBACK PB3	12-02-06 12-02-06	2 X 4	2 X 4			Joint 2 46.6 lbs. -18.4 lbs.	Joint 6 152.2 lbs. -41.0 lbs.	Joint 7 390.5 lbs. -4.0 lbs.	Joint 8 446.7 lbs. -103.6 lbs.	

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J1020-5083
ORDER DATE	10/29/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006801
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Dustin Blackwell	INVOICE #	
COUNTY	Johnston	TERMS	
SUPERINTENDANT	Dustin Blackwell	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 606-4696	SALES AREA	Curtis Quick

SOLD TO	<b>Weaver Development Co. Inc.</b> 350 Wagoner Drive Fayetteville, NC 28303 (910) 433-0888	<b>JOB NAME:</b> MODEL: Roof TAG:	<b>LOT #</b> <b>SUBDIV: JOB</b>
	SHIPPED TO	<b>Weaver Development Co. Inc.</b> Lot 4 Patterson Johnston County, NC	<b>DELIVERY INSTRUCTIONS:</b>
			<b>SPECIAL INSTRUCTIONS:</b>

**PLAN SEAL DATE:**  
BY DATE

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-04-05	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	/ /
Roof Order	END CUT	RETURN					
	PLUMB					<b>LAYOUT</b>	CN 11/25/20
	<b>GABLE STUDS</b>	24 IN. OC		JOBSITE 1	JOBSITE 1	<b>CUTTING</b>	CN 11/25/20

ROOF TRUSSES		LOADING INFORMATION		TOLL-TCDL-BCLL-BCDL		STRESS INCR.		ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)						
PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	2 2 Ply	6.00	0.00	PIGGYBACK PB4	11-06-06 11-06-06	2 X 6	2 X 4			Joint 2	Joint 6	Joint 7	Joint 8	
										56.0 lbs.	128.6 lbs.	391.3 lbs.	455.3 lbs.	
										-38.4 lbs.	-34.3 lbs.	-7.7 lbs.	-110.6 lbs.	
	1	6.00	0.00	GABLE PB4GE	11-10-14 11-10-14	2 X 4	2 X 4			Joint 2	Joint 9	Joint 10	Joint 11	Joint 12
										111.5 lbs.	52.0 lbs.	164.6 lbs.	147.5 lbs.	170.1 lbs.
										-6.4 lbs.	-20.6 lbs.	-73.2 lbs.	9.4 lbs.	-74.9 lbs.
	1	6.00	0.00	VALLEY VP1	15-10-01 15-10-01	2 X 4	2 X 4			Joint 1	Joint 5	Joint 6	Joint 7	Joint 8
										108.3 lbs.	108.4 lbs.	345.7 lbs.	271.1 lbs.	345.6 lbs.
										-3.4 lbs.	1.4 lbs.	-77.1 lbs.	33.3 lbs.	-77.2 lbs.
	1	6.00	0.00	VALLEY VP2	11-10-01 11-10-01	2 X 4	2 X 4			Joint 1	Joint 3	Joint 4		
										196.0 lbs.	196.0 lbs.	460.0 lbs.		
										-25.9 lbs.	-31.8 lbs.	0.4 lbs.		
	1	6.00	0.00	VALLEY VP3	07-10-01 07-10-01	2 X 4	2 X 4			Joint 1	Joint 3	Joint 4		
										134.3 lbs.	134.4 lbs.	259.5 lbs.		
										-21.5 lbs.	-25.2 lbs.	11.0 lbs.		
	1	6.00	0.00	VALLEY VP4	03-10-01 03-10-01	2 X 4	2 X 4			Joint 1	Joint 3			
										104.1 lbs.	104.1 lbs.			
										-6.3 lbs.	-6.3 lbs.			

ITEMS						
QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES	
10	Hangers, USP	HUS 26				SIMPSON (HUS26)
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	08-00-00			BM1
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	06-00-00			BM2
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	07-00-00			BM4
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	14-00-00			GDH-1
2	LVL Beams (Sized)	LVL, 1-3/4" x 14" (S)	23-00-00			GDH

# Reaction Summary of Order



**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J1020-5083
ORDER DATE	10/29/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006801
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Dustin Blackwell	INVOICE #	
COUNTY	Johnston	TERMS	
SUPERINTENDANT	Dustin Blackwell	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 606-4696	SALES AREA	Curtis Quick

SOLD TO	<b>Weaver Development Co. Inc.</b> 350 Wagoner Drive Fayetteville, NC 28303 (910) 433-0888
	<b>Weaver Development Co. Inc.</b> Lot 4 Patterson Johnston County, NC

<b>JOB NAME:</b>	<b>LOT #</b>	<b>SUBDIV: JOB</b>
<b>MODEL:</b> Roof	<b>TAG:</b>	<b>CATEGORY:</b> Residential - Roof
<b>DELIVERY INSTRUCTIONS:</b>		
<b>SPECIAL INSTRUCTIONS:</b>		
<b>PLAN SEAL DATE:</b>		

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-04-05	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>		/ /
Roof Order	<b>END CUT</b>	<b>RETURN</b>				<b>LAYOUT</b>	CN	11/25/20
	<b>PLUMB</b>	<b>GABLE STUDS</b>	24 IN. OC		JOBSITE 1	<b>CUTTING</b>	CN	11/25/20

**ITEMS**

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
3	Hangers, USP	THD28-2			SIMPSON (HHUS28-2)