

FayettevIlle, N.C. 28309 (910) 864-TRUS

**REQ. QUOTE DATE** 11 ORDER# J0221-0761 02/05/21 ORDER DATE **QUOTE#** CUSTOMER ACCT# 0000006801 **DELIVERY DATE** // **CUSTOMER PO#** // DATE OF INVOICE Dustin Blackwell **ORDERED BY INVOICE #** COUNTY Harnett **TERMS** Lenny Norris **SUPERINTENDANT** Ashley **SALES REP JOBSITE PHONE #** (919) 353-1257 **SALES AREA** Curtis Quick

Weaver Development Co. Inc. 350 Wagoner Drive Fayetteville, NC 28303 (919) 606-4696

JOB NAME: Lot 5 Atkins Farm **LOT #** 5 SUBDIV: Atkins Farm MODEL: JOB CATEGORY: Residential - Roof TAG: The Lauren H / BR / 3 Car /

**DELIVERY INSTRUCTIONS:** 

**Weaver Development** Lot 5 Atkins Farm Harnett Co., NC

SPECIAL INSTRUCTIONS:

Modified From Lot 15 Woodbury Farm (J0121-0571)

PLAN SEAL DATE: 2/24/20

DATE

BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-04-05 **REQ. LAYOUTS REQ. ENGINEERING** QUOTE CQ 02/24/21 Roof Order END CUT RETURN LAYOUT CUTTING SW 02/26/21 **GABLE STUDS** 24 IN. OC JOBSITE PLUMB JOBSITE LOADING

<b>ROOF TRUSSES</b>		SES	S LOADING		TCLL-TCDL-B	CLL-BC	DL STF	RESS INCR.	] RO	OF TRUSS SI	PACING: 24.0	IN O.C. (TYP	1	
			IIN	FORMATION	20.0,10.0,0			1.15	I.O.		A01110.24.0	114: 0:0: (111	•/	
PROFILE	QTY	PIT		TYPE	BASE				HANG	REACTION	NS			
	<b>PLY</b> 1	6.00	3.00	GABLE A1GE	<b>O/A</b> 61-06-00 61-06-00		2 X 6	00-10-08	00-10-08	Joint 2 338.0 lbs. -126.1 lbs.	Joint 17 2155.2 lbs. -994.2 lbs.	Joint 18 332.4 lbs. -612.6 lbs.	Joint 19 134.5 lbs. 5.4 lbs.	Joint 20 106.7 lbs. 14.3 lbs.
	5	6.00	3.00	GIRDER A2	61-06-00 61-06-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 1539.5 lbs. 57.4 lbs.	Joint 17 3047.8 lbs. 79.5 lbs.	Joint 22 1834.1 lbs. 5.3 lbs.		
	1	6.00	3.00	GIRDER A2A	61-06-00 61-06-00	2 X 6	2 X 6		00-10-08	Joint 1 1495.3 lbs. 69.7 lbs.	Joint 16 3047.7 lbs. 79.5 lbs.	Joint 21 1835.3 lbs. 5.1 lbs.		
	3	6.00	3.00	ATTIC A3	61-06-00 61-06-00	2 X 6	2 X 6		00-10-08	Joint 1 875.2 lbs. -0.3 lbs.	Joint 17 3015.1 lbs. 55.2 lbs.	Joint 22 2492.8 lbs. 34.3 lbs.		
	3	6.00	3.00	GIRDER A4	33-04-08 33-04-08	2 X 6	2 X 6			Joint 1 809.2 lbs. 5.6 lbs.	Joint 9 1093.0 lbs. 86.6 lbs.	Joint 10 1861.2 lbs. 70.2 lbs.		
	1	6.00	3.00	GIRDER A4A	33-08-00 33-08-00	2 X 6	2 X 6			Joint 1 810.5 lbs. 5.6 lbs.	Joint 9 1120.0 lbs. 88.5 lbs.	Joint 10 1882.6 lbs. 74.4 lbs.		
	4	6.00	0.00	GIRDER A5	33-08-00 33-08-00	2 X 6	2 X 10	00-10-08		Joint 2 620.6 lbs. -37.1 lbs.	Joint 10 1271.5 lbs. 86.2 lbs.	Joint 13 2135.7 lbs. 108.9 lbs.		
	2 2 Ply	6.00	0.00	GIRDER A5A	33-04-08 33-04-08	2 X 6	2 X 10	00-10-08		Joint 2 1093.3 lbs. -62.4 lbs.	Joint 10 2189.0 lbs. 148.3 lbs.	Joint 13 3673.7 lbs. 180.4 lbs.		
	1	6.00	0.00	GABLE A5GE	33-04-08 33-04-08	2 X 6	2 X 10	00-10-08		Joint 2 203.1 lbs. 46.3 lbs.	Joint 8 347.3 lbs. -1058.8 lbs.	Joint 9 1707.6 lbs. -455.4 lbs.	Joint 10 1859.1 lbs. -4.6 lbs.	Joint 12 -125.6 lbs. -952.3 lbs.
	1	12.00	0.00	PIGGYBACK B1	22-08-00 22-07-00	2 X 6	2 X 10	00-11-00	00-11-00	Joint 12 1534.0 lbs. 173.9 lbs.	Joint 16 1534.0 lbs. 173.9 lbs.			



FayettevIlle, N.C. 28309 (910) 864-TRUS

**REQ. QUOTE DATE** // ORDER# J0221-0761 02/05/21 ORDER DATE **QUOTE#** 0000006801 **DELIVERY DATE** // **CUSTOMER ACCT#** // **CUSTOMER PO#** DATE OF INVOICE **Dustin Blackwell ORDERED BY INVOICE #** COUNTY Harnett **TERMS** SUPERINTENDANT Ashley **SALES REP** Lenny Norris JOBSITE PHONE # (919) 353-1257 **SALES AREA** Curtis Quick

Weaver Development Co. Inc. 350 Wagoner Drive Fayetteville, NC 28303 (919) 606-4696

JOB NAME: Lot 5 Atkins Farm **LOT #** 5 SUBDIV: Atkins Farm MODEL: TAG: The Lauren H / BR / 3 Car / JOB CATEGORY: Residential - Roof

**DELIVERY INSTRUCTIONS:** 

**Weaver Development** Lot 5 Atkins Farm Harnett Co., NC

SPECIAL INSTRUCTIONS:

Modified From Lot 15 Woodbury Farm (J0121-0571)

PLAN SEAL DATE: 2/24/20

BY DATE

<b>BUILDING DEPARTMENT</b>	<b>OVERH</b>	ANG INFO	HEEL HEIGHT	00-04-05	RE	Q. L	AYOUTS		REQ.	ENG	SINEERING		QUOTE		//
Roof Order	END CUT	RETURN											LAYOUT	Q	02/24/21
	PLUMB		GABLE STUDS	24 IN. OC			JOBSITE	1			JOBSITE	1	CUTTING	SW	02/26/21

PROFILE   PLY   TOP   SOT   TOP   SOT   TOP   SOT   TOP   SOT   TOP   SOT   LEFT   RIGHT   R	ROOF T	RUS	SES		DADING	TCLL-TCDL-B	CLL-BCI	DL STF	RESS INCR.	RO	OF TRUSS S	PACING: 24 0	IN. O.C. (TYP	.)	
PLY   10P   BOT   ID   O/A   10P   BOT   LEFT   RIGHT   REALTIONS   REALTION				IIN						1.0		- AOIIIO:2 1.0	0.0. (111	•,	
PICY   100   BOT   PIGCYBACK   22-08-00   2X 6   2X 10     14493.0 lbs.   14493	PROFILE					BASE					REACTIO	NS			
1		PLY	TOP	ВОТ			TOP	BOT	LEFT	RIGHT					
174.7 lbs.					_		0 , ,	S V 40							
1	4	8	12.00	0.00	BZ	22-07-00	2 X 6	) Z X 10	1						
2 Piy 12.00 0.00 B3 22-07-00 2 X 6 2 X 10 22-00-00											174.7 lbs.	174.7 lbs.			
2 Piy 12.00 0.00 B3 22-07-00 2 X 6 2 X 10 22-00-00															
349.5 lbs.	A		12.00	0.00			2 4 6	2 V 10							
6 6 6.00 0.00 COMMON G1 22-00-00 2 X 6 2 X 6 00-10-08 00-10-08 920.1 lbs63.8 lbs63	هــه	2 1 1 1	12.00	0.00	Б	22-07-00	2 / (		1						
6 6 6.00 0.00 G1 22-00-00 2 X 6 2 X 6 00-10-08 00-10-08 920.1 lbs.	<u> </u>										349.5 IDS.	349.5 IDS.			
6 6 6.00 0.00 G1 22-00-00 2 X 6 2 X 6 00-10-08 00-10-08 920.1 lbs.					COMMON	22 00 00					loint 2	loint 6			
6.00 0.00 GABLE 16-00-00 2 X 6 2 X 6 00-10-08 00-10-08 159.1 lbs. 234.1 lbs. 135.6 lbs. 165.8 lbs. 159.1 lbs. 234.1 lbs. 136.6 lbs. 165.8 lbs.	~~~	6	6 00	0.00		1	2 X F	2 X 6	00-10-08	00-10-08					
1 6.00 0.00 GABLE 22-00-00 2 X 6 2 X 6 00-10-08 00-10-08 159.1 lbs. 159.1 lbs. 159.1 lbs. 234.1 lbs. 135.6 lbs. 165.8 lbs76.8 lbs	Mary Town		0.00	0.00	0.	== 00 00			00 10 00	00 .0 00					
1 6.00 0.00 G1GE 22-00-00 2 X 6 2 X 6 00-10-08 00-10-08 159.1 lbs. 234.1 lbs. 135.6 lbs. 165.8 lbs76.8 lbs.							l				00.0 103.	00.0 103.			
1 6.00 0.00 G1GE 22-00-00 2 X 6 2 X 6 00-10-08 00-10-08 159.1 lbs. 234.1 lbs. 135.6 lbs. 165.8 lbs76.8 lbs.					GABI F	22-00-00					Joint 2	Joint 12	Joint 14	Joint 15	Joint 16
4 6.00 0.00 P1 16-00-00 2 X 6 2 X 6 00-10-08 00-10-08 680.1 lbs. 680.1 lbs. 680.1 lbs. 680.1 lbs. 142.0 lbs. 142.0 lbs. 142.0 lbs. 152.8 lbs. 152.8 lbs. 155.4 lbs. 155.4 lbs. 155.4 lbs. 155.4 lbs. 156.9 lbs. 120.8 lbs. 1	411	1 1	6.00	0.00			2 X 6	2 X 6	00-10-08	00-10-08	1				
4 6.00 0.00 P1 16-00-00 2 X 6 2 X 6 00-10-08 00-10-08 680.1 lbs142.0 lbs152.8 lbs152.8 lbs152.8 lbs152.8 lbs152.8 lbs152.8 lbs152.8 lbs152.8 lbs152.8 lbs146.0 lbs105.0 lbs105.0 lbs105.0 lbs105.0 lbs105.4 lbs105.4 lbs105.4 lbs152.8 lbs152.8 lbs152.8 lbs153.6 lbs103.4 lbs103.4 lbs103.4 lbs103.4 lbs103.4 lbs103.4 lbs103.4 lbs153.6 lbs153.6 lbs153.6 lbs103.4 lbs103.4 lbs103.4 lbs153.6 lbs153.6 lbs153.6 lbs153.6 lbs103.4 lbs103.4 lbs103.4 lbs153.6 lbs153.6 lbs153.6 lbs153.6 lbs103.4 lbs103.4 lbs103.4 lbs103.4 lbs103.4 lbs153.6 lbs153.6 lbs153.6 lbs153.6 lbs153.6 lbs153.6 lbs153.6 lbs103.4 lbs	,000 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1														
4 6.00 0.00 P1 16-00-00 2 X 6 2 X 6 00-10-08 00-10-08 680.1 lbs142.0 lbs.  1 6.00 0.00 P1GE 16-00-00 2 X 6 2 X 6 00-10-08 00-1															
1 6.00 0.00 PIGE 16-00-00 2 X 6 2 X 6 00-10-08 00-10-08 680.1 lbs142.0 lbs152.8 lbs.					COMMON	16-00-00					Joint 2	Joint 4			
1 6.00 0.00 GABLE PIGE 16-00-00 2 X 6 2 X 6 00-10-08 00-10-08 680.1 lbs. 680.1 lbs. 680.1 lbs152.8 lbs.  9 6.00 0.00 PIGGYBACK PB1 16-00-13 2 X 4 2 X 4	The state of the s	4	6.00	0.00	P1	16-00-00	2 X 6	2 X 6	00-10-08	00-10-08	680.1 lbs.	680.1 lbs.			
1 6.00 0.00 P1GE 16-00-00 2 X 6 2 X 6 00-10-08 00-10-08 680.1 lbs. 680.1 lbs152.8 lbs.											-142.0 lbs.	-142.0 lbs.			
1 6.00 0.00 P1GE 16-00-00 2 X 6 2 X 6 00-10-08 00-10-08 680.1 lbs. 680.1 lbs152.8 lbs.															
9 6.00 0.00 PIGGYBACK 16-00-13 2 X 4 2 X 4	, es.,										Joint 2	Joint 4			
9 6.00 0.00 PIGGYBACK 16-00-13 2 X 4 2 X 4 2 X 4 Joint 2 Joint 8 Joint 10 Joint 11 40.0 lbs. 427.7 lbs. 440.0 lbs. 427.7 lbs. 440.0 lbs24.3 lbs14.6 lbs105.0 lbs. 31.0 lbs105.4 lbs. 16-00-13 2 X 4 2 X 4 Joint 2 Joint 10 Joint 12 Joint 13 Joint 14 116.1 lbs. 116.8 lbs. 173.6 lbs. 155.4 lbs. 169.5 lbs20.8 lbs15.5 lbs74.8 lbs74.8 lbs72.6 lbs. 169.5 lbs72.6 lbs. 135.4 lbs. 135.4 lbs. 386.9 lbs. 447.0 lbs72.6 lbs18.6 lbs38.0 lbs7.5 lbs7.5 lbs103.4 lbs.		1	6.00	0.00	P1GE	16-00-00	2 X 6	2 X 6	00-10-08	00-10-08	680.1 lbs.	680.1 lbs.			
9 6.00 0.00 PB1 16-00-13 2 X 4 2 X 4  45.0 lbs. 41.9 lbs. 440.0 lbs. 427.7 lbs. 440.0 lbs105.0 lbs. 31.0 lbs105.4 lbs.  1 6.00 0.00 PB1GE 16-00-13 2 X 4 2 X 4  3 6.00 0.00 PB2 11-10-14 2 X 4 2 X 4  5 6.00 0.00 PB3 12-02-06 2 X 4 2 X 4  5 6.00 0.00 PB3 12-02-06 2 X 4 2 X 4  45.0 lbs. 41.9 lbs. 440.0 lbs. 427.7 lbs. 440.0 lbs. 31.0 lbs105.4 lbs. 105.4 lbs. 105.4 lbs. 169.5 lbs15.5 lbs. 173.6 lbs. 173.6 lbs. 173.6 lbs. 173.6 lbs. 155.4 lbs. 169.5 lbs72.6 lbs. 169.5 lb											-152.8 lbs.	-152.8 lbs.			
9 6.00 0.00 PB1 16-00-13 2 X 4 2 X 4  45.0 lbs. 41.9 lbs. 440.0 lbs. 427.7 lbs. 440.0 lbs105.0 lbs. 31.0 lbs105.4 lbs.  1 6.00 0.00 PB1GE 16-00-13 2 X 4 2 X 4  3 6.00 0.00 PB2 11-10-14 2 X 4 2 X 4  5 6.00 0.00 PB3 12-02-06 2 X 4 2 X 4  5 6.00 0.00 PB3 12-02-06 2 X 4 2 X 4  45.0 lbs. 41.9 lbs. 440.0 lbs. 427.7 lbs. 440.0 lbs. 31.0 lbs105.4 lbs. 105.4 lbs. 105.4 lbs. 169.5 lbs15.5 lbs. 173.6 lbs. 173.6 lbs. 173.6 lbs. 173.6 lbs. 155.4 lbs. 169.5 lbs72.6 lbs. 169.5 lb															
-24.3 lbs14.6 lbs105.0 lbs. 31.0 lbs105.4 lbs.    1			6 00	0.00			2 4 /	1 2 V 4							
Joint 2 Joint 10 Joint 12 Joint 13 Joint 14 1 6.00 0.00 PB1GE 16-00-13 2 X 4 2 X 4  3 6.00 0.00 PB2 11-10-14 11-10-14 2 X 4 2 X 4  Joint 2 Joint 10 Joint 12 Joint 13 Joint 14 116.1 lbs. 116.8 lbs. 173.6 lbs. 155.4 lbs. 169.5 lbs20.8 lbs15.5 lbs74.8 lbs67.4 lbs72.6 lbs.  Joint 2 Joint 6 Joint 7 Joint 8 48.1 lbs. 135.4 lbs. 386.9 lbs. 447.0 lbs18.6 lbs38.0 lbs7.5 lbs103.4 lbs.  Joint 2 Joint 6 Joint 7 Joint 8 48.1 lbs38.0 lbs7.5 lbs103.4 lbs.  Joint 2 Joint 6 Joint 7 Joint 8 46.6 lbs. 152.2 lbs. 390.5 lbs. 446.7 lbs.	- Marie 1990	9	6.00	0.00	гы	10-00-13	2 ^ 4	2 ^ 4							
1 6.00 0.00 PB1GE 16-00-13 2 X 4 2 X 4 116.1 lbs. 116.8 lbs. 173.6 lbs. 155.4 lbs. 169.5 lbs20.8 lbs15.5 lbs74.8 lbs67.4 lbs72.6 lbs.    3 6.00 0.00 PB2 11-10-14 11-10-14 2 X 4 2 X 4	<u> </u>						l				-24.3 IDS.	-14.6 IDS.	- 105.U IDS.	31.0 IDS.	-105.4 IDS.
1 6.00 0.00 PB1GE 16-00-13 2 X 4 2 X 4 116.1 lbs. 116.8 lbs. 173.6 lbs. 155.4 lbs. 169.5 lbs20.8 lbs15.5 lbs74.8 lbs67.4 lbs72.6 lbs.    3 6.00 0.00 PB2 11-10-14 11-10-14 2 X 4 2 X 4					CARLE	16-00 12					loint 2	Joint 10	loint 12	loint 12	loint 14
-20.8 lbs15.5 lbs74.8 lbs67.4 lbs72.6 lbs.    Joint 2	- TY-	1	6 00	0 00			2 X 4	2 X 4							
3 6.00 0.00 PIGGYBACK 11-10-14 2 X 4 2 X 4	حظللكم	'	0.00	0.00		.0 00 10	- / .								
3 6.00 0.00 PB2 11-10-14 2 X 4 2 X 4 48.1 lbs. 135.4 lbs. 386.9 lbs. 447.0 lbs18.6 lbs38.0 lbs7.5 lbs103.4 lbs.  5 6.00 0.00 PB3 12-02-06 2 X 4 2 X 4 Joint 2 Joint 6 Joint 7 Joint 8 46.6 lbs. 152.2 lbs. 390.5 lbs. 446.7 lbs.							<u> </u>				20.0 103.	10.0 103.	74.0 103.	07.T ID3.	72.0 103.
3 6.00 0.00 PB2 11-10-14 2 X 4 2 X 4 48.1 lbs. 135.4 lbs. 386.9 lbs. 447.0 lbs18.6 lbs38.0 lbs7.5 lbs103.4 lbs.  5 6.00 0.00 PB3 12-02-06 2 X 4 2 X 4 Joint 2 Joint 6 Joint 7 Joint 8 46.6 lbs. 152.2 lbs. 390.5 lbs. 446.7 lbs.					PIGGYBACK	11-10-14					Joint 2	Joint 6	Joint 7	Joint 8	
-18.6 lbs38.0 lbs7.5 lbs103.4 lbs.  PIGGYBACK 12-02-06	-	3	6.00	0.00			2 X 4	1 2 X 4							
5 6.00 0.00 PB3 12-02-06 2 X 4 2 X 4 Joint 2 Joint 6 Joint 7 Joint 8 46.6 lbs. 152.2 lbs. 390.5 lbs. 446.7 lbs.															
5 6.00 0.00 PB3 12-02-06 2 X 4 2 X 4 46.6 lbs. 152.2 lbs. 390.5 lbs. 446.7 lbs.						İ				İ					
10.0 150. 102.2 150. 000.0 150. 110.1 150.	_				PIGGYBACK	12-02-06					Joint 2	Joint 6	Joint 7	Joint 8	
		5	6.00	0.00	PB3	12-02-06	2 X 4	1 2 X 4			46.6 lbs.	152.2 lbs.	390.5 lbs.	446.7 lbs.	
-18.4 lbs41.0 lbs40 lbs103.6 lbs.											-18.4 lbs.	-41.0 lbs.	-4.0 lbs.	-103.6 lbs.	



Reilly Road Industrial Park P.O. Box 40408 FayettevIlle, N.C. 28309 (910) 864-TRUS

Harnett Co., NC

		DATE	04/00/21 FAGE 3
REQ. QUOTE DATE	//	ORDER#	J0221-0761
ORDER DATE	02/05/21	QUOTE #	
DELIVERY DATE	//	CUSTOMER ACCT#	0000006801
DATE OF INVOICE	//	CUSTOMER PO#	
ORDERED BY	Dustin Blackwell	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Ashley	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 353-1257	SALES AREA	Curtis Quick

**LOT#** 5

Weaver Development Co. Inc. JOB NAME: Lot 5 Atkins Farm MODEL: TAG: The Lauren H / BR / 3 Car / JOB CATEGORY: Residential - Roof 350 Wagoner Drive **DELIVERY INSTRUCTIONS:** Fayetteville, NC 28303 (919) 606-4696

**Weaver Development** SPECIAL INSTRUCTIONS: Lot 5 Atkins Farm

Modified From Lot 15 Woodbury Farm (J0121-0571)

PLAN SEAL DATE: 2/24/20 DATE

SUBDIV: Atkins Farm

BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-04-05 **REQ. LAYOUTS REQ. ENGINEERING** QUOTE CQ 02/24/21 Roof Order END CUT RETURN LAYOUT **CUTTING** SW 02/26/21 PLUMB **GABLE STUDS** 24 IN. OC JOBSITE JOBSITE

ROOF T	RUS	SES		DADING	TCLL-TCDL-B	CLL-BC	DL STR	ESS INCR.	] <sub>RO</sub>	OF TRUSS S	PACING: 24 0	IN. O.C. (TYP	) )	
	7.00		' IN	FORMATION	20.0,10.0,0			1.15	I NO	- 110000	1 AOINO.24.0	114. 0.0. (111	•/	
PROFILE	QTY		CH	TYPE	BASE				HANG	REACTIO	NS			
	PLY	TOP	BOT	ID		TOP	BOT	LEFT	RIGHT	112,10110				
	2 2 Ply	6.00	0.00	PIGGYBACK PB4	11-06-06 11-06-06		2 X 4			Joint 2 56.0 lbs. -38.4 lbs.	Joint 6 128.6 lbs. -34.3 lbs.	Joint 7 391.3 lbs. -7.7 lbs.	Joint 8 455.3 lbs. -110.6 lbs.	
A	1	6.00	0.00	GABLE PB4GE	11-10-14 11-10-14	1	2 X 4			Joint 2 111.5 lbs. -6.4 lbs.	Joint 9 52.0 lbs. -20.6 lbs.	Joint 10 164.6 lbs. -73.2 lbs.	Joint 11 147.5 lbs. 9.4 lbs.	Joint 12 170.1 lbs. -74.9 lbs.
1	1	6.00	0.00	VALLEY VP1	15-08-09 15-08-09		2 X 4			Joint 1 107.2 lbs. -3.6 lbs.	Joint 5 107.2 lbs. 1.7 lbs.	Joint 6 343.9 lbs. -77.1 lbs.	Joint 7 271.6 lbs. 33.3 lbs.	Joint 8 343.8 lbs. -77.2 lbs.
	1	6.00	0.00	VALLEY VP2	11-08-09 11-08-09		2 X 4			Joint 1 194.9 lbs. -25.7 lbs.	Joint 3 194.9 lbs. -31.7 lbs.	Joint 4 456.3 lbs. 0.6 lbs.		
1	1	6.00	0.00	VALLEY VP3	07-08-09 07-08-09		2 X 4			Joint 1 133.1 lbs. -21.3 lbs.	Joint 3 133.2 lbs. -25.0 lbs.	Joint 4 256.2 lbs. 11.0 lbs.		
	. 1	6.00	0.00	VALLEY VP4	03-08-09 03-08-09	1	2 X 4			Joint 1 101.3 lbs. -6.1 lbs.	Joint 3 101.3 lbs. -6.1 lbs.			

#### **ITEMS**

QTY	ITEM TYPE	SIZE	<b>LENGTH</b> FT-IN-16	PART NUMBER	NOTES
3	Hangers, USP	HUS 26			SIMPSON (HUS26)
	LVI Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	08-00-00		BM1
				1	
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	06-00-00		BM2
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	07-00-00		BM4
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	14-00-00		GDH-1



Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	11	ORDER #	J0221-0761
ORDER DATE	02/05/21	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT#	0000006801
DATE OF INVOICE	//	CUSTOMER PO#	
ORDERED BY	Dustin Blackwell	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Ashley	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 353-1257	SALES AREA	Curtis Quick

Weaver Development Co. Inc. 350 Wagoner Drive Fayetteville, NC 28303 (919) 606-4696

JOB NAME: Lot 5 Atkins Farm

LOT # 5 SUBDIV: Atkins Farm

MODEL: TAG: The Lauren H / BR / 3 Car / JOB CATEGORY: Residential - Roof

**DELIVERY INSTRUCTIONS:** 

Weaver Development Lot 5 Atkins Farm Harnett Co., NC

SPECIAL INSTRUCTIONS:

Modified From Lot 15 Woodbury Farm (J0121-0571)

PLAN SEAL DATE: 2/24/20

BY DATE

<b>BUILDING DEPARTMENT</b>	OVERHA	ANG INFO	HEEL HEIGHT	00-04-05	RE	EQ. I	LAYOUTS		REQ. E	NGINEERING		QUOTE		11
Roof Order	END CUT	RETURN										LAYOUT	CQ	02/24/21
	PLUMB		GABLE STUDS	24 IN. OC			JOBSITE	1		JOBSITE	1	CUTTING	SW	02/26/21

### **ITEMS**

QTY	ITEM TYPE	SIZE	<b>LENGTH</b> FT-IN-16	PART NUMBER	NOTES
3	LVL Beams (Sized)	LVL, 1-3/4" x 18" (S)	22-00-00		GDH (Side Load)
2	Hangers, USP	THD28-2			SIMPSON (HHUS28-2)