

Reaction Summary of Order



ROOF & FLOOR
TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	01/29/19	ORDER #	J1220-5666
ORDER DATE	12/04/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007060
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY		INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Ben Stout	SALES REP	Marshall Naylor
JOBSITE PHONE #	(910) 476-4502	SALES AREA	David Landry

SOLD TO	Benjamin Stout Real Estate PO Box 53798 Fayetteville, NC 28305 (910) 476-4502	JOB NAME: Lot 12 Forest Ridge MODEL: Roof / 3rd Car TAG: The Williams (three car) DELIVERY INSTRUCTIONS:	LOT # 12 SUBDIV: Forest Ridge JOB CATEGORY: Residential - Roof
	Ben Stour Real Estate Tanna Place Cameron, NC	SPECIAL INSTRUCTIONS:	PLAN SEAL DATE: N/A

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	DTL	01/07/21
	END CUT	RETURN				LAYOUT	DTL	01/07/21
	PLUMB	NO	GABLE STUDS	16 IN. OC	JOBSITE	1	CUTTING	DTL

ROOF TRUSSES

LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS					
		PLY	TOP			BOT	TOP	BOT	LEFT	RIGHT					
	6		8.00	0.00	COMMON A1	29-03-04 29-03-04	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 1278.5 lbs. -73.7 lbs.	Joint 8 1278.5 lbs. -73.7 lbs.			
	2		8.00	0.00	COMMON A1A	29-03-04 29-03-04	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 1360.0 lbs. -73.7 lbs.	Joint 10 1360.0 lbs. -73.7 lbs.			
	1		8.00	0.00	COMMON A1GE	29-03-04 29-03-04	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 199.3 lbs. -65.1 lbs.	Joint 18 156.8 lbs. -7.7 lbs.	Joint 20 232.4 lbs. -118.3 lbs.	Joint 21 161.8 lbs. -80.7 lbs.	Joint 22 175.5 lbs. -87.7 lbs.
	8		8.00	0.00	COMMON A2	29-03-04 29-03-04	2 X 6	2 X 6		00-11-00	Joint 1 1230.6 lbs. -61.5 lbs.	Joint 7 1282.3 lbs. -73.8 lbs.			
	3		8.00	0.00	COMMON A2A	29-03-04 29-03-04	2 X 6	2 X 6		00-11-00	Joint 1 1235.0 lbs. -61.5 lbs.	Joint 9 1286.7 lbs. -73.8 lbs.			
	1		8.00	0.00	COMMON A2GE	29-03-04 29-03-04	2 X 6	2 X 6		00-11-00	Joint 1 168.7 lbs. -64.4 lbs.	Joint 17 156.9 lbs. -7.7 lbs.	Joint 19 232.4 lbs. -118.3 lbs.	Joint 20 161.8 lbs. -80.7 lbs.	Joint 21 175.5 lbs. -87.7 lbs.
	4		12.00	0.00	ATTIC B1	23-11-00 23-11-00	2 X 6	2 X 10	00-11-00		Joint 2 1537.1 lbs. 165.0 lbs.	Joint 10 1495.2 lbs. 170.4 lbs.			
	1		12.00	0.00	GABLE B1GE	23-11-00 23-11-00	2 X 6	2 X 10	00-11-00	00-11-00	Joint 2 1530.0 lbs. 34.9 lbs.	Joint 14 1530.0 lbs. 34.9 lbs.			
	6		12.00	0.00	ATTIC B2	23-11-00 23-11-00	2 X 6	2 X 10			Joint 1 1507.1 lbs. 173.5 lbs.	Joint 9 1507.1 lbs. 173.5 lbs.			
	1		12.00	0.00	COMMON C1GE	10-11-00 10-11-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 176.9 lbs. -59.8 lbs.	Joint 8 157.0 lbs. -30.6 lbs.	Joint 10 174.4 lbs. -167.0 lbs.	Joint 11 197.3 lbs. -130.0 lbs.	Joint 12 130.1 lbs. 34.0 lbs.

Reaction Summary of Order



ROOF & FLOOR
TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	01/29/19	ORDER #	J1220-5666
ORDER DATE	12/04/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007060
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY		INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Ben Stout	SALES REP	Marshall Naylor
JOBSITE PHONE #	(910) 476-4502	SALES AREA	David Landry

SOLD TO	Benjamin Stout Real Estate PO Box 53798 Fayetteville, NC 28305 (910) 476-4502	JOB NAME: Lot 12 Forest Ridge MODEL: Roof / 3rd Car TAG: The Williams (three car) DELIVERY INSTRUCTIONS:	LOT # 12 SUBDIV: Forest Ridge JOB CATEGORY: Residential - Roof
	Ben Stour Real Estate Tanna Place Cameron, NC	SPECIAL INSTRUCTIONS:	PLAN SEAL DATE: N/A

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	DTL	01/07/21
	END CUT	RETURN				LAYOUT	DTL	01/07/21
	PLUMB	NO	GABLE STUDS	16 IN. OC	JOBSITE	1	CUTTING	DTL

ROOF TRUSSES

LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS					
		PLY	TOP			BOT	TOP	BOT	LEFT	RIGHT					
	2		12.00	0.00	COMMON D1	16-03-08 16-03-08	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 863.2 lbs. -30.8 lbs.	Joint 4 863.2 lbs. -30.8 lbs.			
	1 2 Ply		12.00	0.00	COMMON D1-GR	16-03-08 16-03-08	2 X 6	2 X 6			Joint 1 4677.2 lbs. -284.0 lbs.	Joint 5 4594.5 lbs. -278.7 lbs.			
	1		12.00	0.00	GABLE D1SG	16-03-08 16-03-08	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 536.8 lbs. -44.5 lbs.	Joint 8 272.1 lbs. 2.1 lbs.	Joint 10 194.2 lbs. -193.8 lbs.	Joint 11 255.4 lbs. -162.8 lbs.	Joint 12 181.2 lbs. -281.1 lbs.
	6		6.00	0.00	COMMON G1	19-11-00 19-11-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 836.8 lbs. -58.9 lbs.	Joint 4 836.8 lbs. -58.9 lbs.			
	1		6.00	0.00	COMMON G1GE	19-11-00 19-11-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 126.0 lbs. -21.8 lbs.	Joint 12 126.0 lbs. -4.2 lbs.	Joint 14 164.9 lbs. -81.2 lbs.	Joint 15 158.4 lbs. -67.4 lbs.	Joint 16 161.1 lbs. -74.7 lbs.
	4		4.00	0.00	COMMON H1	09-11-00 09-11-00	2 X 4	2 X 6	00-11-00	00-11-00	Joint 2 449.2 lbs. -177.3 lbs.	Joint 4 449.2 lbs. -177.3 lbs.			
	1		4.00	0.00	GABLE H1GE	09-11-00 09-11-00	2 X 4	2 X 6	00-11-00	00-11-00	Joint 2 449.2 lbs. -252.3 lbs.	Joint 6 449.2 lbs. -252.3 lbs.			
	5		4.00	0.00	MONOPITCH M1	06-00-00 06-00-00	2 X 6	2 X 6	00-11-00		Joint 2 274.1 lbs. -105.2 lbs.	Joint 4 222.8 lbs. -96.4 lbs.			
	1		4.00	0.00	GABLE M1GE	06-00-00 06-00-00	2 X 6	2 X 6	00-11-00		Joint 2 274.1 lbs. -89.1 lbs.	Joint 6 222.8 lbs. -79.0 lbs.			
	3		4.00	0.00	MONOPITCH M2	07-00-00 07-00-00	2 X 6	2 X 6	00-11-00		Joint 2 313.7 lbs. -118.5 lbs.	Joint 4 263.3 lbs. -113.9 lbs.			

Reaction Summary of Order



ROOF & FLOOR
TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	01/29/19	ORDER #	J1220-5666
ORDER DATE	12/04/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007060
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY		INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Ben Stout	SALES REP	Marshall Naylor
JOBSITE PHONE #	(910) 476-4502	SALES AREA	David Landry

SOLD TO	Benjamin Stout Real Estate PO Box 53798 Fayetteville, NC 28305 (910) 476-4502	JOB NAME: Lot 12 Forest Ridge MODEL: Roof / 3rd Car TAG: The Williams (three car) LOT # 12 SUBDIV: Forest Ridge DELIVERY INSTRUCTIONS:	JOB CATEGORY: Residential - Roof
	Ben Stour Real Estate Tanna Place Cameron, NC	SPECIAL INSTRUCTIONS:	PLAN SEAL DATE: N/A

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	DTL	BY	DATE
	END CUT	RETURN				LAYOUT	DTL		01/07/21
	PLUMB	NO	GABLE STUDS	16 IN. OC	JOBSITE	1	CUTTING	DTL	01/07/21

ROOF TRUSSES

LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT	Joint 1	Joint 5	Joint 6	Joint 7	Joint 8
	1	12.00	0.00	VALLEY V1	14-06-13 14-06-13	2 X 4	2 X 4			Joint 1 153.9 lbs. -33.2 lbs.	Joint 5 133.4 lbs. -5.8 lbs.	Joint 6 436.2 lbs. -174.7 lbs.	Joint 7 348.8 lbs. 59.4 lbs.	Joint 8 436.4 lbs. -174.9 lbs.
	1	12.00	0.00	VALLEY V2	11-10-13 11-10-13	2 X 4	2 X 4			Joint 1 112.7 lbs. -67.2 lbs.	Joint 5 90.4 lbs. -44.8 lbs.	Joint 6 337.6 lbs. -160.1 lbs.	Joint 7 223.3 lbs. 54.7 lbs.	Joint 8 337.9 lbs. -160.4 lbs.
	1	12.00	0.00	VALLEY V3	09-02-13 09-02-13	2 X 4	2 X 4			Joint 1 193.4 lbs. -25.4 lbs.	Joint 3 193.5 lbs. -25.4 lbs.	Joint 4 295.5 lbs. 11.9 lbs.		
	1	12.00	0.00	VALLEY V4	06-06-13 06-06-13	2 X 4	2 X 4			Joint 1 142.8 lbs. -25.5 lbs.	Joint 3 142.9 lbs. -25.5 lbs.	Joint 4 183.4 lbs. 24.2 lbs.		
	1	12.00	0.00	VALLEY V5	03-10-13 03-10-13	2 X 4	2 X 4			Joint 1 77.8 lbs. -13.9 lbs.	Joint 3 77.9 lbs. -13.9 lbs.	Joint 4 100.0 lbs. 13.2 lbs.		

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
7	Hangers, USP	HUS 26			SIMPSON (HUS26)