

tion below to be filled out ever performing work. e owner/occupier or licensed actor. Address, company & phone must match nation on license. Application # \_\_\_\_\_ Harnett County Central Permitting PO Box 65 Lillington, NC 27546

PO Box 65 Lillington, NC 27546 910-893-7525 Fax 910-893-2793 www.harnett.org/permits

## Application for Residential Building and Trades Permit

Owner's Name: H&H Constructors of Fayetteville, LLC	Date: <u>                                     </u>
Site Address: 339 Kensington DVIVE	Phone: 910-486-4864
Subdivision: Anderson Creek Crossing	Lot: 175
Description of Proposed Work: SFD	Total Job Cost:000
General Contractor Inform	
H&H Constructors of Fayetteville, LLC.	910-486-4864
Building Contractor's Company Name	Telephone
2919 Breezewood Ave Ste.400 Fay, NC 28303	KaylaManore@HHHomes.com
Address	Email Address
74158 HEATED SQ FT 3739 GARA	GE SQ FT 765
License #	<u> </u>
Description of Work Residential Service	
JM Pope Electric LLC.	Size: 200Amps T-Pole: XYesNo
Electrical Contractor's Company Name	919-776-5144
409 Chatham Street Sanford, NC 27330	Telephone
Address	electricpope@windstream.net.com
21326	Email Address
License #	
Mechanical/HVAC Contractor I	<u>nformation</u>
Description of Work Residential	
Carolina Comfort Air, Inc.	919-934-1060
Mechanical Contractor's Company Name	Telephone
5212 US Hwy 70 Business, Clayton, NC 27520	carolinacomfortair@yahoo.com
Address	Email Address
29077	
License #	
Plumbing Contractor Inform	nation
Description of Work Residential	# Baths
Vance Johnson Plumbing Co., Inc.	910-424-6712
Plumbing Contractor's Company Name	Telephone
3242 Mid Pine Dr. Fayetteville, NC. 28306	etoepfer@vjplumbing.com
Address	Email Address
07756-P-I	
icense#	
Insulation Contractor Inform Tri-City Insulation 418 Person St. Fay. NC 28301	
nsulation Contractor's Company Name & Address	910-486-8855
nodiation contractors company rvame & Address	Telephone

\*NOTE: General Contractor / owner must fill out and sign the second page of this application.



I hereby certify that I have the authority to make necessary application, that the application is correct and that the construction will conform to the regulations in the Building, Electrical, Plumbing and Mechanical codes, and the Harnett County Zoning Ordinance. I state the information on the above contractors is correct as known to me and that by signing below I have obtained all subcontractors permission to obtain these permits and if any changes occur including listed contractors, site plan, number of bedrooms, building and trade plans, Environmental Health permit changes or proposed use changes, I certify it is my responsibility to notify the Harnett County Central Permitting Department of any and all changes.

**EXPIRED PERMIT FEES** - 6 Months to 2 years permit re-issue fee is \$150.00. After 2 years re-issue fee is as per current fee schedule.

Date

Signature of Owner/Contractor/Officer(s) of Corporation

Affidavit for Worker's Compensation N.C.G.S. 87-14 The undersigned applicant being the:						
General Contractor Owner Owner Officer/Agent of the Contractor or Owner						
Do hereby confirm under penalties of perjury that the person(s), firm(s) or corporation(s) performing the work set forth in the permit:						
Has three (3) or more employees and has obtained workers' compensation insurance to cover them.						
Has one (1) or more subcontractors(s) and has obtained workers' compensation insurance to cover them.						
Has one (1) or more subcontractors(s) who has their own policy of workers' compensation insurance covering themselves.						
Has no more than two (2) employees and no subcontractors.						
While working on the project for which this permit is sought it is understood that the Central Permitting Department issuing the permit may require certificates of coverage of worker's compensation insurance prior to issuance of the permit and at any time during the permitted work from any person, firm or corporation carrying out the work.						
Sign w/Title: Payla Mamor Plymit Cooydinatoy Date: 112112021						



Application Date: Application #								
COUNTY OF HARNETT RESIDENTIAL LANG Central Permitting 108 E. Front Street, Lillington, NC 27546 Phone: (910) 893								
**A RECORDED SURVEY MAP, RECORDED DEED (OR OFFER TO PURCHASE) & SITE PLAN	ARE REQUIRED WHEN SUBMITTING A LAND USE APPLICATION**							
LANDOWNER: H&H Constructors of Fayetteville, LLC. Mailing Address								
City: Fayetteville State: NC Zip: 28303 Contact No: 910-	486-4864 Email: KaylaManore@HHHomes.com							
APPLICANT*: Same As Above  Mailing Address: Same As	Above  A86.4864							
City: Fayetteville State: NC Zip: 28303 Contact No: 910-	Email: Naylalvianore in Tromes.sem							
ADDRESS: 339 KUNSINGTON DVIVE PIN: (	1505-93-5153							
Zoning: Flood: Watershed: Deed Book / Page:								
Setbacks - Front: 31 Back: 79.1 Side: 11 Corner:								
PROPOSED USE:  SFD: (Size 41 x 49) # Bedrooms: 5 # Baths: 3 Basement(w/wo bath): 0	Garage: Deck: Crawl Space: Slab: _							
TOTAL HTD SQ FT 3739 GARAGE SQ FT 105 (Is the bonus room finished? () yes	() no w/a closet? () yes () no (ii yes add iii witii # bedrooms)							
☐ Modular: (Sizex) # Bedrooms # Baths Basement (w/wo bath)  TOTAL HTD SQ FT (Is the second floor finished? () yes ()								
☐ Manufactured Home:SWDWTW (Sizex) # Bedrooms: Garage:(site built?) Deck:(site built?)								
□ Duplex: (Sizex) No. Buildings: No. Bedrooms Per Unit:	TOTAL HTD SQ FT							
□ Home Occupation: # Rooms: Use: Hours of	Operation:#Employees:							
□ Addition/Accessory/Other: (Sizex) Use:	Closets in addition? () yes () no							
TOTAL HTD SQ FT GARAGE								
Sewage Supply: New Septic Tank Expansion Relocation Existing Se	opplication at the same time as New Tank) eptic Tank County Sewer eptic)							
Does owner of this tract of land, own land that contains a manufactured home within five hundred feet (500') of tract listed above? () yes ' () no								
Does the property contain any easements whether underground or overhead () yes (								
( The process of the	Homes:Other (specify):							
If permits are granted I agree to conform to all ordinances and laws of the State of North Carolina regulating such work and the specifications of plans submitted. I hereby state that foregoing statements are accurate and correct to the best of my knowledge. Permit subject to revocation if false information is provided.								
Signature of Owner or Owner's Agent								

Signature of Owner or Owner's Agent

\*\*\*It is the owner/applicants responsibility to provide the county with any applicable information about the subject property, including but not limited to: boundary information, house location, underground or overhead easements, etc. The county or its employees are not responsible for any incorrect or missing information that is contained within these applications.\*\*\*

\*This application expires 6 months from the initial date if permits have not been issued\*\*


APPLICATION CONTINUES ON BACK

strong roots · new growth

## Truss/Rafter to Wood Double Top Planes



Fasteners			_γ	DF/SP Allowable Loads			1	SPF Allowable Loads			
	Qty		To	Uplift				1	Jpliřt	Parallel t	
	Requ	To Rafters	Plates	(133	(160	Plate (F <sub>1</sub> ) (133/160			) (160	Platé (F <sub>1</sub> (133/160	
H2.5	1	5-8d	5-8d	415	415	150	150	365	365	130	130
H5A	1.	3-8d	3-8d	350	420	115	180	245	. 245	100	120
HGA10	• 1	4-SDS1/4x11/2	4-SDS1/4x3	435	435	1165	940	375	. 375	870	B15
H5	1	· 4-8d	4-8d	455	465	115	200	265	265	100	170
H1	1	6-8dx11/2	4-8d	490	585	485	165	400	400	415	140
H2.5A	1	5-Bd	5-8d	600	600	110	110	520	535	110	110
LTSJ2 \	( i, i -	6-10dx1½.	6-10dx11/2	,720	, <u>7</u> 20	· 75:	125		620.	75 . ,	1 ' 4 '
H8:200	1.1"	5 10dx1½	5-10dx1½	620	7,45		' :	530	565	÷ ; =:	. V. 22.
H10-2	1	6-10d	6-10d	760	760	455	395	655	655	390	340
H2.5	2	10-8d	10-8d	830	830	300	300	730	730	260	260
H5	2	B-6d	8-Bd	910	930	230	400	530	530	. 200	. 340
H10( ···	. 1 ·	8-8dx1½:	_8-8dx11/2∵	+905=	(eee)	585	. 525	780	850	505	450
MTS12	1	7-10dx11/2	7-10dx1½	840	1000	75	125	730	860	75	125
H1	2	12-8dx11/2	8-8d	980	1170	970	330	800	800	830	280
H2.5A	2	10-8d	10-8d	1200	1200	220	220	1040	1070	220	220
項512	. 2	12-10dx1½	12-10dx1½	1440 ,	1440	150	250	1240	1240	150 :	250
HTS20		12-10dx1½	12-10dx1½	1450	1450	75	125	1245	1245	75	125
H16S	1	2-10dx11/2	10-10dx1½	1470	1470			1265	1265		
H16	1	2-10dx11/2	10-10dx1½	1470	1470			1265	1265		····
njoya (	2	46-80x17/2	16-8dx11/2	18701	1980	170	050	าร์ธิดัฐ	700	1010	. 00e. 🔄
MISIZE	(2) K	4-10ax1123	14-10dx11/2	16₿0√	2000,	150	250	1460	1720		



MTS12 (LTS, HTS similar)

For connections to single top plates, see page 12.
 Fasten multiple members together to act as a single unit.

Two

H2.5A

H10-2

Dio

MTS12



Hurricane Tie installations to Achieve Twice the Load (Top View)




Install diagonally across from each other for minimum 2x truss.




Nailing into both sides of a single ply 2x truss may cause the wood to split. A minimum rafter thickness of 21/2" must be used when connectors are installed on the







H5A







Calalog C-HWOZ ® Codyríghi 2002 SIMPSON STRONG-TIE GOMAPNY ING.