DATE 11/12/20 PAGE 1 **Reaction Summary of Order REQ. QUOTE DATE** 11 **ORDER #** J1120-5314 11/12/20 ORDER DATE **QUOTE #** 000030 DELIVERY DATE 11 **CUSTOMER ACCT #** ROOF & FLOOR 11 DATE OF INVOICE **CUSTOMER PO #** ComTech TRUSSES & BEAMS ORDERED BY Carr Gardner **INVOICE #** Harnett TERMS Net 10 Days Reilly Road Industrial Park P.O. Box 40408 COUNTY Fayetteville, N.C. 28309 (910) 864-TRUS SUPERINTENDANT Carr Gardner SALES REP Anthony Williams JOBSITE PHONE # (910) 322-1600 Curtis Quick SALES AREA Watermark Homes, Inc. JOB NAME: Lot 60 South Creek LOT # 60 SUBDIV: South Creek 1308 Ft Bragg Road Suite 201 MODEL:Roof TAG: The Eucalyptus JOB CATEGORY: Residential - Roof **DELIVERY INSTRUCTIONS:** Fayetteville, NC 28305 (910) 483-2229 Watermark Homes SPECIAL INSTRUCTIONS: Lot 60 South Creek Like Lot 38 Belmont Farms (J1219-5341) Lillington, NC PLAN SEAL DATE: 11/4/20 DATE BY HEEL HEIGHT **BUILDING DEPARTMENT OVERHANG INFO** 00-04-05 **REQ. LAYOUTS REQ. ENGINEERING** QUOTE 11 CQ 11/12/20 END CUT RETURN LAYOUT Roof Order NONE NONE GABLE STUDS 16 IN. OC CUTTING CQ 11/12/20 PLUMB NO LOADING TCLL-TCDL-BCLL-BCDL STRESS INCR. **ROOF TRUSSES** ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) INFORMATION 20.0,10.0,0.0,10.0 1.15 TYPE QTY PITCH BASE LUMBER PROFILE **OVERHANG** REACTIONS PLY ID O/A TOP BOT TOP BOT LEFT RIGHT ROOF 40-06-00 Joint 13 Joint 7 40-06-00 2 X 4 2 X 6 01-02-08 01-02-08 6 6.00 0.00 A1 $\sim >$ 1248.6 lbs. 2004.1 lbs. -98.4 lbs. -83.2 lbs. COMMON 30-10-08 Joint 2 Joint 8 \triangleleft A1A 30-10-08 2 X 6 2 X 6 01-02-08 2 8.00 0.00 1342.3 lbs. 1257.4 lbs. -79.6 lbs. -58.9 lbs. HIP 40-06-00 Joint 14 Joint 8 40-06-00 2 X 4 2 X 6 01-02-08 01-02-08 A2 6.00 0.00 1 $\Lambda i >$ 1238.4 lbs. 2004.1 lbs. -96.8 lbs. -77.5 lbs. HIP 40-06-00 Joint 8 Joint 14 40-06-00 2 X 4 2 X 6 01-02-08 1 6.00 0.00 A3 1179.3 lbs. 2007.6 lbs. -74.8 lbs -66.8 lbs. ROOF 40-06-00 Joint 8 Joint 12 1 6.00 0.00 A4 40-06-00 2 X 4 2 X 6 01-02-08 1145.7 lbs. 2005.6 lbs. -68.1 lbs. -53.8 lbs. ROOF 40-06-00 Joint 7 Joint 14 40-06-00 2 X 4 2 X 6 01-02-08 1 6.00 0.00 A5 1144.0 lbs. 2001.0 lbs. -70.7 lbs. -32.7 lbs. ROOF 38-06-00 Joint 2 Joint 12 38-06-00 2 X 6 2 X 6 01-02-08 1 8.00 0.00 A6 1597.8 lbs. 1554.5 lbs. -54.4 lbs. -147.5 lbs. ROOF 38-06-00 Joint 2 Joint 10 38-06-00 2 X 6 2 X 6 01-02-08 8.00 0.00 A7 1 1602 8 lbs 1527 2 lbs -54.1 lbs. -144.3 lbs. ROOF 38-06-00 Joint 2 Joint 12 1 A8GDR 38-06-00 2 X 6 2 X 6 01-02-08 8.00 0.00 2 Ply 2196.5 lbs. 3128.0 lbs. -198.7 lbs. -603.3 lbs. HALF HIP 27-04-08 Joint 2 Joint 11 イノヘレ 2 Ply 8.00 0.00 B1GDR 27-04-08 2 X 4 2 X 6 01-02-08 2407.6 lbs. 2817.6 lbs. -553.8 lbs. -825.8 lbs.

DATE 11/12/20 PAGE 2 **Reaction Summary of Order** 11 **REQ. QUOTE DATE ORDER #** J1120-5314 11/12/20 ORDER DATE **QUOTE #** 000030 DELIVERY DATE 11 **CUSTOMER ACCT #** ROOF & FLOOR DATE OF INVOICE 11 **CUSTOMER PO #** ComTech TRUSSES & BEAMS ORDERED BY Carr Gardner **INVOICE #** Harnett TERMS Net 10 Days Reilly Road Industrial Park P.O. Box 40408 COUNTY Fayetteville, N.C. 28309 (910) 864-TRUS SUPERINTENDANT Carr Gardner SALES REP Anthony Williams JOBSITE PHONE # (910) 322-1600 Curtis Quick SALES AREA SUBDIV: South Creek Watermark Homes, Inc. JOB NAME: Lot 60 South Creek LOT # 60 1308 Ft Bragg Road Suite 201 MODEL:Roof TAG: The Eucalyptus JOB CATEGORY: Residential - Roof **DELIVERY INSTRUCTIONS:** Fayetteville, NC 28305 (910) 483-2229 Watermark Homes SPECIAL INSTRUCTIONS: Lot 60 South Creek Like Lot 38 Belmont Farms (J1219-5341) Lillington, NC PLAN SEAL DATE: 11/4/20 DATE BY **BUILDING DEPARTMENT OVERHANG INFO** HEEL HEIGHT 00-04-05 **REQ. LAYOUTS REQ. ENGINEERING** QUOTE 11 CQ 11/12/20 END CUT RETURN LAYOUT Roof Order NONE NONE GABLE STUDS 16 IN. OC CQ 11/12/20 PLUMB NO CUTTING LOADING TCLL-TCDL-BCLL-BCDL STRESS INCR. **ROOF TRUSSES** ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) INFORMATION 20.0,10.0,0.0,10.0 1.15 QTY PITCH TYPE BASE LUMBER PROFILE **OVERHANG** REACTIONS PLY ID O/A TOP BOT TOP BOT LEFT RIGHT HALF HIP 27-04-08 Joint 2 Joint 10 1 27-04-08 2 X 4 2 X 6 01-02-08 1 8.00 0.00 B2 1161.6 lbs. 1095.9 lbs. -42.5 lbs. -117.3 lbs. HIP 27-04-08 Joint 2 Joint 8 В3 27-04-08 2 X 4 2 X 6 01-02-08 1 8.00 0.00 1161.6 lbs. 1113.7 lbs. -45.1 lbs. -113.9 lbs. HIP 27-04-08 Joint 2 Joint 9 27-04-08 2 X 6 2 X 6 01-02-08 B4 0.00 1 8.00 1153.3 lbs. 1082.1 lbs. -36.6 lbs. -51.6 lbs. HIP 27-04-08 Joint 2 Joint 9 AN 27-04-08 2 X 6 2 X 6 01-02-08 1 8.00 0.00 B5 1231.4 lbs. 1139.4 lbs. -56.3 lbs. -54.3 lbs HIP 30-10-08 Joint 2 Joint 9 1 8.00 0.00 B6 30-10-08 2 X 6 2 X 6 01-02-08 1333.4 lbs. 1222.3 lbs. <u> 11</u>2 -78.0 lbs. -44.8 lbs. COMMON 23-00-00 Joint 2 Joint 8 C1 23-00-00 2 X 6 2 X 6 01-02-08 01-02-08 6 8.00 0.00 1101.6 lbs. 1101.6 lbs. -64.9 lbs. -64.9 lbs. COMMON 23-00-00 Joint 2 Joint 14 Joint 16 Joint 17 Joint 18 23-00-00 2 X 4 2 X 6 01-02-08 01-02-08 <u>_11 Ir.</u> 1 8.00 0.00 C1GE 223.2 lbs. 218.6 lbs. 135.3 lbs. 183.1 lbs. 184.8 lbs. -24.9 lbs. -16.3 lbs. -102.7 lbs. -93.7 lbs. -81.4 lbs. COMMON 23-00-00 Joint 1 Joint 7 23-00-00 2 X 6 2 X 6 01-02-08 4 8.00 0.00 C2 1031 3 lbs 1 1102 7 lbs -47.3 lbs. -65.0 lbs. COMMON 16-05-00 Joint 6 Joint 10 16-05-00 2 X 6 2 X 6 01-02-08 C3 2 0.00 8.00 774.7 lbs. 871.8 lbs. -39.8 lbs. -53.7 lbs. DIAGONAL HIP 08-05-01 Joint 2 Joint 7 \sim 2 5.66 0.00 CJ08 08-05-01 2 X 4 2 X 6 01-08-08 460.3 lbs. 357.4 lbs.

-51.6 lbs.

-114.8 lbs.

DATE 11/12/20 PAGE 3 **Reaction Summary of Order** 11 **REQ. QUOTE DATE ORDER #** J1120-5314 11/12/20 ORDER DATE **QUOTE #** 000030 DELIVERY DATE 11 **CUSTOMER ACCT #** ROOF & FLOOR DATE OF INVOICE 11 **CUSTOMER PO #** ComTech TRUSSES & BEAMS ORDERED BY Carr Gardner **INVOICE #** Harnett TERMS Net 10 Days Reilly Road Industrial Park P.O. Box 40408 COUNTY Fayetteville, N.C. 28309 (910) 864-TRUS SUPERINTENDANT Carr Gardner SALES REP Anthony Williams JOBSITE PHONE # (910) 322-1600 Curtis Quick SALES AREA SUBDIV: South Creek Watermark Homes, Inc. JOB NAME: Lot 60 South Creek LOT # 60 1308 Ft Bragg Road Suite 201 MODEL:Roof TAG: The Eucalyptus JOB CATEGORY: Residential - Roof **DELIVERY INSTRUCTIONS:** Fayetteville, NC 28305 (910) 483-2229 Watermark Homes SPECIAL INSTRUCTIONS: Lot 60 South Creek Like Lot 38 Belmont Farms (J1219-5341) Lillington, NC PLAN SEAL DATE: 11/4/20 DATE BY **BUILDING DEPARTMENT OVERHANG INFO** HEEL HEIGHT 00-04-05 **REQ. LAYOUTS REQ. ENGINEERING** QUOTE 11 CQ 11/12/20 END CUT RETURN LAYOUT Roof Order NONE NONE GABLE STUDS 16 IN. OC CQ 11/12/20 PLUMB NO CUTTING LOADING TCLL-TCDL-BCLL-BCDL STRESS INCR. **ROOF TRUSSES** ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) INFORMATION 20.0,10.0,0.0,10.0 1.15 QTY PITCH TYPE BASE LUMBER PROFILE **OVERHANG** REACTIONS PLY ID O/A TOP BOT TOP BOT LEFT RIGHT DIAGONAL HIP 11-00-14 Joint 2 Joint 7 \sim 11-00-14 2 X 4 2 X 6 01-08-08 1 5.66 0.00 CJ11 615.1 lbs. 607.2 lbs -91.1 lbs. -208.6 lbs HIP GIRDER 24-00-00 Joint 2 Joint 6 2 Ply 8.00 D1GDR 24-00-00 2 X 4 2 X 6 01-02-08 01-02-08 0.00 1845.9 lbs. 1846.1 lbs. -425.6 lbs. -425.5 lbs. HIP 24-00-00 Joint 5 Joint 2 D2 24-00-00 2 X 6 2 X 6 01-02-08 01-02-08 8.00 0.00 1 1021.7 lbs. 1021.7 lbs. -48.2 lbs. -48.2 lbs. HIP 24-00-00 Joint 2 Joint 7 24-00-00 2 X 4 2 X 6 01-02-08 01-02-08 D3 1 8.00 0.00 1029.6 lbs. 1029.6 lbs. -60.8 lbs -60.8 lbs QUEENPOST 24-00-00 Joint 2 Joint 6 3 8.00 0.00 D4 24-00-00 2 X 4 2 X 6 01-02-08 1035.2 lbs. 949.4 lbs. -68.7 lbs. -49.5 lbs. COMMON 18-00-00 Joint 2 Joint 6 E1 18-00-00 2 X 4 2 X 6 01-02-08 01-02-08 $\sim D$ 2 8.00 0.00 789.6 lbs. 789.6 lbs. -55.9 lbs. -55.9 lbs. KINGPOST 18-00-00 Joint 2 Joint 10 শ্ৰীচ 18-00-00 2 X 4 2 X 6 01-02-08 01-02-08 1 8.00 0.00 E1GE 789.6 lbs. 789.6 lbs. -174.4 lbs. -174.4 lbs. GABLE 09-00-00 Joint 2 Joint 4 G1GE 09-00-00 2 X 4 2 X 6 01-02-08 01-02-08 1 8.00 0.00 <u>AD</u> 429 6 lbs 429 6 lbs -105.8 lbs. -105.8 lbs. JACK-OPEN 01-11-11 Joint 2 Joint 3 Joint 4 18 COM 01-11-11 2 X 4 2 X 6 01-02-08 J02 0.00 4 8.00 175.3 lbs. 43.0 lbs. 38.6 lbs. -13.1 lbs. -32.3 lbs. 11.6 lbs. JACK-OPEN 01-10-03 Joint 2 Joint 3 Joint 4 all a 2 8.00 0.00 .102A 01-10-03 2 X 4 2 X 6 01-02-08 172.0 lbs. 37.3 lbs. 36.1 lbs. -13.9 lbs. -29.6 lbs.

10.8 lbs.

DATE 11/12/20 PAGE 4 **Reaction Summary of Order** 11 **REQ. QUOTE DATE ORDER #** J1120-5314 11/12/20 ORDER DATE **QUOTE #** 000030 DELIVERY DATE 11 **CUSTOMER ACCT #** ROOF & FLOOR DATE OF INVOICE **CUSTOMER PO #** 11 ComTech TRUSSES & BEAMS ORDERED BY Carr Gardner **INVOICE #** Harnett TERMS Net 10 Days Reilly Road Industrial Park P.O. Box 40408 COUNTY Fayetteville, N.C. 28309 (910) 864-TRUS SUPERINTENDANT Carr Gardner SALES REP Anthony Williams JOBSITE PHONE # (910) 322-1600 Curtis Quick SALES AREA Watermark Homes, Inc. JOB NAME: Lot 60 South Creek LOT # 60 SUBDIV: South Creek 1308 Ft Bragg Road Suite 201 MODEL:Roof TAG: The Eucalyptus JOB CATEGORY: Residential - Roof **DELIVERY INSTRUCTIONS:** Fayetteville, NC 28305 (910) 483-2229 Watermark Homes SPECIAL INSTRUCTIONS: Lot 60 South Creek Like Lot 38 Belmont Farms (J1219-5341) Lillington, NC PLAN SEAL DATE: 11/4/20 DATE BY **BUILDING DEPARTMENT OVERHANG INFO** HEEL HEIGHT 00-04-05 **REQ. LAYOUTS REQ. ENGINEERING** QUOTE 11 CQ 11/12/20 END CUT RETURN LAYOUT Roof Order NONE NONE GABLE STUDS 16 IN. OC CQ 11/12/20 PLUMB NO CUTTING LOADING TCLL-TCDL-BCLL-BCDL STRESS INCR. **ROOF TRUSSES** ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) INFORMATION 20.0,10.0,0.0,10.0 1.15 QTY PITCH TYPE BASE LUMBER PROFILE **OVERHANG** REACTIONS PLY ID O/A TOP BOT TOP BOT LEFT RIGHT JACK-OPEN 03-11-11 Joint 2 Joint 3 Joint 4 _ 03-11-11 2 X 4 2 X 6 01-02-08 4 8.00 0.00 J04 246.5 lbs. 112.7 lbs. 75.3 lbs. -4.5 lbs. -69.2 lbs. 22.6 lbs. JACK-OPEN 03-10-03 Joint 2 Joint 3 Joint 4 and a second J04A 03-10-03 2 X 4 2 X 6 01-02-08 2 8.00 0.00 242.0 lbs. 108.1 lbs. 72.8 lbs. -5.0 lbs. -66.9 lbs. 21.8 lbs. JACK-OPEN 06-00-00 Joint 3 Joint 4 Joint 2 J06 06-00-00 2 X 4 2 X 6 01-02-08 14 8.00 0.00 322.4 lbs. 184.1 lbs. 115.8 lbs. 34.8 lbs. -106.2 lbs. 2.9 lbs. JACK-OPEN 05-10-03 Joint 2 Joint 3 Joint 4 1 05-10-03 2 X 4 2 X 6 01-02-08 2 8.00 0.00 J06A 316.6 lbs. 178.9 lbs. 112.8 lbs. 2.4 lbs. -103.5 lbs. 33.8 lbs. JACK-OPEN 06-00-00 Joint 2 Joint 6 1 2 Ply 8.00 0.00 J06GDR 06-00-00 2 X 4 2 X 6 01-02-08 1201.9 lbs. 1195.5 lbs. -53.1 lbs. -137.2 lbs. JACK-OPEN 07-10-08 Joint 2 Joint 3 Joint 4 J08 07-10-08 2 X 6 2 X 6 01-02-08 11 8.00 0.00 385.8 lbs. 248.5 lbs. 153.3 lbs. 46.0 lbs. 8.9 lbs. -137.7 lbs. LAY-IN GABLE 20-04-05 Joint 1 Joint 8 Joint 9 Joint 10 Joint 11 20-04-05 | 2 X 4 | 2 X 4 <u>۹</u>۲. 462.0 lbs. 1 14.42 14.42 LG1 318.2 lbs. 417.8 lbs. 345.5 lbs. 553.5 lbs. 26.2 lbs. -260.8 lbs. -201.6 lbs. -225.5 lbs. -235.5 lbs. LAY-IN GABLE 19-05-03 Joint 1 Joint 9 Joint 10 Joint 12 Joint 13 LG2 19-05-03 2 X 4 2 X 4 Λĥ 14.42 0.00 1 578 5 lbs 557 2 lbs 353 9 lbs 225 4 lbs 589 9 lbs -263.2 lbs. -75.6 lbs. -262.1 lbs. -193.0 lbs. -241.8 lbs. LAY-IN GABLE 11-10-05 Joint 1 Joint 2 Joint 5 Joint 6 Joint 7 11-10-05 2 X 4 2 X 4 \wedge LG3 0.00 1 14.42 162.0 lbs. 1136.0 lbs. 140.3 lbs. 390.8 lbs. 1077.1 lbs. -105.4 lbs. -99.3 lbs. -82.0 lbs. -214.0 lbs. -84.8 lbs.

ITEMS

QTY ITEM TYPE SIZE LENGTH FT-IN-16	PART NUMBER	NOTES
---------------------------------------	-------------	-------

Reaction Summary of Order REQ. QUOTE DATE 11 **ORDER #** J1120-5314 11/12/20 ORDER DATE **QUOTE #** 000030 DELIVERY DATE 11 CUSTOMER ACCT # ROOF & FLOOR 11 **CUSTOMER PO #** DATE OF INVOICE ComTech TRUSSES & BEAMS ORDERED BY Carr Gardner **INVOICE #** COUNTY Harnett TERMS Net 10 Days Reilly Road Industrial Park P.O. Box 40408 SUPERINTENDANT Carr Gardner Fayetteville, N.C. 28309 (910) 864-TRUS SALES REP Anthony Williams Curtis Quick **JOBSITE PHONE #** (910) 322-1600 SALES AREA SUBDIV: South Creek Watermark Homes, Inc. JOB NAME: Lot 60 South Creek LOT # 60 JOB CATEGORY: Residential - Roof 1308 Ft Bragg Road Suite 201 MODEL:Roof TAG: The Eucalyptus DELIVERY INSTRUCTIONS: Fayetteville, NC 28305 O (910) 483-2229 Watermark Homes SPECIAL INSTRUCTIONS: Lot 60 South Creek Like Lot 38 Belmont Farms (J1219-5341) C C Lillington, NC PLAN SEAL DATE: 11/4/20 ΒY DATE

DATE 11/12/20 PAGE 5

BUILDING DEPARTMENT	OVERHA	ANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE		11	
Roof Order	END CUT	RETURN			NONE	NONE	LAYOUT	CQ	11/12/20	
	PLUMB	NO	GABLE STUDS	16 IN. OC			NONE	CUTTING	CQ	11/12/20

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
3	Hangers, USP	HJC26			SIMPSON (THJU26)
2	Hangers, USP	HUS 26			SIMPSON (HUS26)
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	23-00-00		GDH
1	Hangers, USP	THD26-2			SIMPSON (HHUS26-2)