Harnett County Department of Public Health

Revised

Improvement Permit

A building perm	PROPERTY LOCATION: 2886 Hillmon Grove Rd (SR1106)				
ISSUED TO: Jenyfer Sherman	SUBDIVISIONLOT #				
NEW REPAIR EXPANSION Type of Structure: 80' x 74' SFD	Site Improvements required prior to Construction Authorization Issuance:				
Proposed Wastewater System Type: 25% reduction					
Projected Daily Flow: 480 GPD					
Number of bedrooms: 4 Number of Occupants: 8	max				
Basement ☐ Yes ☒ No Pump Required: ☐ Yes ☐ No ☒ May be required based on	final location and elevations of facilities				
Type of Water Supply: Community Public Well Permit conditions:					
Authorized State Agent:: Man A PEI	Date: 11-04-21 SEE ATTACHED SITE SKETCH				
The issuance of this permit by the Health Department in no way guarantees the issuance	of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This overnent Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of				
<u>Co</u>	nstruction Authorization				
	(Required for Building Permit)				
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956 with the attached system layout.	, 1957, 1958, and 1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance				
ISSUED TO: Jenyfer Sherman	PROPERTY LOCATION: 2886 Hillmon Grove Rd (SR1106) SUBDIVISION LOT #				
Facility Type: 80' x 74' SFD					
Basement? Yes No Basement Fixtures? Yes					
Type of Wastewater System** 25% reduction	(Initial) Wastewater Flow: 480 GPD				
(See note below, if applicable)					
25% reduction	(Repair)				
Installation Requirements/Conditions Number of	trenches 4				
Septic Tank Size 1000 gallons Exact length	th of each trench 50feet				
	hall be installed on contour at a Soil Cover: 6inches				
	Trench Depth of: 18" - 24" inches (Maximum soil cover shall not exceed				
(Trench bo	ttoms shall be level to +/-1/4" 36" above the trench bottom)				
in all direc	parameter (
Pump Requirements:ft. TDH vsGPM	inches below pipe				
Conditions:	Aggregate Depth:inches above pipe				
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD					
	from the type specified on the application. I accept the specifications of this permit.				
Owner/Legal Representative Signature:	Date:				
0 1 0	ded use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This				
Construction Authorization is subject to compliance with the provisions of the Laws and Ri	ules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH				
1/1/// 2014					
Authorized State Agent: Malille REHF	Date: 11-04-21				
//	Construction Authorization Expiration Date: 11-04-26				

Application # SFD2103-0060 Revised

Harnett County Department of Public Health Site Sketch

Issued To: Jenyfer Sherman	Subdivision		Lo	ot #
Authorized State Agent: Mah M	RET		Date:	11-4-2
C		PROPERTY Line		
Drive way	10' UBr 14' How	170° - 17	Wall or	

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.