Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 87 Village Bend Dr. (Rawls Church Rd. - S ISSUED TO: Dan Ryan Builders SUBDIVISION Olde Mill Village REPAIR ___ Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 4-Bedroom 40'x67' SFD Proposed Wastewater System Type: 25% Reduction Sys. Projected Daily Flow: 480 GPD Number of bedrooms: 4 Number of Occupants: 8 X No Basement Yes X No May be required based on final location and elevations of facilities X Five years Type of Water Supply: Community Public Well Distance from well NA feet Permit valid for: No expiration Permit conditions: 04/07/2021 Date: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. PROPERTY LOCATION: 87 Village Bend Dr. (Rawls Church Rd.) ISSUED TO: Dan Ryan Builders SUBDIVISION Olde Mill Village Facility Type: 4-Bedroom 40'x67' SFD Expansion Basement Fixtures? Yes Basement? Yes × No ☐ No Type of Wastewater System** 25% Reduction System (Initial) Wastewater Flow: 480 (See note below, if applicable) 25% / 50% Reduction Sys, Number of trenches Installation Requirements/Conditions Exact length of each trench Trench Spacing: Feet on Center Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons Trenches shall be installed on contour at a Soil Cover: 12 Maximum Trench Depth of: 24 [IF NEWINED] (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) inches below pipe Pump Requirements: _____ ft. TDH vs. _ inches above pipe Aggregate Depth: PUMP TO MEDIUM D-BOX TEGUAL DISTRIBUTION NEGUITZD inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

Authorized State Agent:

ANDREW WARIN

04/67/2021

Construction Authorization Expiration Date: 64/67/2026

Harnett County Department of Public Health Site Sketch

Property Location: 87 Village Bend Dr. (Rawls Church Rd. - SR 1415) Issued To: Dan Ryan Builders Subdivision Olde Mill Village Lot # 56 Date: Authorized State Agent: CHAMBER 40'X67' BEND

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.

Olde Mill Village 4-Bedroom Septic Proposal Lot #56 139.82' :07 If plumbing is not sufficient a pump and tank may be required to septic drain field. Village Bend Drive 50' Public R/W *Preliminary Design System: Pressure Manifold Not a Permit Lines: 1-6 (425') 0.3 LTAR 24" Trench Bottom Accepted Status System Repair: Pressure Manifold Adams GRAPHIC SCALE Lines: 7-11 (405') Soil Consulting 0.3 LTAR 1" = 60'919-414-6761 24" Trench Bottom 120 Job #699 Accepted Status System