

Reaction Summary of Order



REQ. QUOTE DATE	05/15/19	ORDER #	J1120-5401
ORDER DATE	11/17/20	QUOTE #	
DELIVERY DATE	//	CUSTOMER ACCT #	000030
DATE OF INVOICE	//	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	David Landry

SOLD TO	Watermark Homes, Inc. 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	JOB NAME: Lot 67 South Creek MODEL: Roof TAG: Blue Ash DELIVERY INSTRUCTIONS:	LOT # 67 SUBDIV: South Creek JOB CATEGORY: Residential - Roof
	Watermark Homes Lot 67 South Creek Harnett County, NC	SPECIAL INSTRUCTIONS: Like Lot 1 Oak Haven. (J0720-3074)	PLAN SEAL DATE: BY DATE

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	//
	END CUT	RETURN				LAYOUT	//
	PLUMB	NO	GABLE STUDS	16 IN. OC	JOBSITE	1	CUTTING

ROOF TRUSSES **LOADING INFORMATION** TOLL-TCDL-BCLL-BCDL STRESS INCR. 20.0,10.0,0.0,10.0 1.15 **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		TOP	BOT			TOP	BOT	LEFT	RIGHT	
	1 2 Ply	0.00	0.00	FLAT GIRDER A01-GR	24-01-08 24-01-08	2 X 6	2 X 6			Joint 10 Joint 15 2088.2 lbs. 1867.6 lbs. -349.9 lbs. -340.3 lbs.
	1	5.00	0.00	HALF HIP A02	24-01-08 24-01-08	2 X 6	2 X 6			Joint 9 Joint 13 965.2 lbs. 943.7 lbs. -110.8 lbs. -79.4 lbs.
	1	5.00	0.00	HIP A03	24-01-08 24-01-08	2 X 6	2 X 6			Joint 8 Joint 12 964.0 lbs. 943.7 lbs. -111.9 lbs. -57.5 lbs.
	1	5.00	0.00	HIP A04	24-01-08 24-01-08	2 X 6	2 X 6			Joint 7 Joint 11 989.6 lbs. 943.8 lbs. -75.9 lbs. -40.3 lbs.
	1	5.00	0.00	HIP A05	26-01-08 26-01-08	2 X 6	2 X 6			Joint 5 Joint 9 1026.7 lbs. 1026.7 lbs. -48.4 lbs. -35.8 lbs.
	1	5.00	0.00	HIP A06	33-02-00 33-02-00	2 X 6	2 X 6			Joint 1 Joint 7 Joint 12 224.8 lbs. 1010.3 lbs. 1394.1 lbs. -2.2 lbs. -44.8 lbs. -110.1 lbs.
	7	5.00	0.00	COMMON A07	42-05-00 42-05-00	2 X 6	2 X 6			Joint 1 Joint 9 Joint 11 Joint 17 212.2 lbs. 286.5 lbs. 1498.1 lbs. 1394.0 lbs. -8.8 lbs. -25.0 lbs. -113.1 lbs. -128.9 lbs.
	7	5.00	0.00	COMMON A08	30-09-08 30-09-08	2 X 6	2 X 6			Joint 6 Joint 11 1216.7 lbs. 1235.7 lbs. -89.5 lbs. -59.6 lbs.
	1	5.00	0.00	COMMON A08A	30-09-08 30-09-08	2 X 6	2 X 6			Joint 6 Joint 7 Joint 11 271.3 lbs. 1355.6 lbs. 843.9 lbs. -17.2 lbs. -103.7 lbs. -48.3 lbs.
	1	-5.00	0.00	ROOF A09	30-09-08 30-09-08	2 X 6	2 X 6			Joint 6 Joint 10 1216.7 lbs. 1267.6 lbs. -71.1 lbs. -106.6 lbs.
	1	-5.00	0.00	ROOF A10	30-09-08 30-09-08	2 X 6	2 X 6			Joint 6 Joint 11 1216.7 lbs. 1279.7 lbs. -66.7 lbs. -112.3 lbs.

Reaction Summary of Order



REQ. QUOTE DATE	05/15/19	ORDER #	J1120-5401
ORDER DATE	11/17/20	QUOTE #	
DELIVERY DATE	//	CUSTOMER ACCT #	000030
DATE OF INVOICE	//	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	David Landry

SOLD TO	Watermark Homes, Inc. 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	JOB NAME: Lot 67 South Creek MODEL: Roof TAG: Blue Ash DELIVERY INSTRUCTIONS:	LOT # 67 SUBDIV: South Creek JOB CATEGORY: Residential - Roof
	Watermark Homes Lot 67 South Creek Harnett County, NC	SPECIAL INSTRUCTIONS: Like Lot 1 Oak Haven. (J0720-3074)	PLAN SEAL DATE: BY DATE

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	//
	END CUT	RETURN				LAYOUT	//
	PLUMB	NO	GABLE STUDS	16 IN. OC	JOBSITE	1	CUTTING

ROOF TRUSSES **LOADING INFORMATION** TOLL-TCDL-BCLL-BCDL STRESS INCR. **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)
 20.0,10.0,0.0,10.0 1.15

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		TOP	BOT			TOP	BOT	LEFT	RIGHT	
	1	-5.00	0.00	ROOF A11	30-09-08 30-09-08	2 X 6	2 X 6			Joint 6 Joint 11 1216.7 lbs. 1239.8 lbs. -58.9 lbs. -117.3 lbs.
	1	-5.00	0.00	ROOF A12	30-09-08 30-09-08	2 X 6	2 X 6			Joint 6 Joint 10 1216.7 lbs. 1216.7 lbs. -47.8 lbs. -121.5 lbs.
	1	-5.00	0.00	ROOF A13	30-09-08 30-09-08	2 X 6	2 X 6			Joint 6 Joint 11 1216.7 lbs. 1216.7 lbs. -60.6 lbs. -124.9 lbs.
	1 2 Ply	-5.00	0.00	ROOF A14-GR	30-09-08 30-09-08	2 X 6	2 X 6			Joint 6 Joint 11 2182.0 lbs. 2369.4 lbs. -304.3 lbs. -440.5 lbs.
	1 2 Ply	6.00	0.00	ROOF B1-GR	33-02-00 33-02-00	2 X 6	2 X 6	01-03-00		Joint 2 Joint 7 2081.5 lbs. 2767.8 lbs. -157.7 lbs. -318.9 lbs.
	1	6.00	0.00	ROOF B2	33-02-00 33-02-00	2 X 6	2 X 6	01-03-00		Joint 2 Joint 7 1388.1 lbs. 1313.7 lbs. -56.6 lbs. -118.9 lbs.
	1	6.00	0.00	ROOF B3	33-02-00 33-02-00	2 X 6	2 X 6	01-03-00		Joint 2 Joint 7 1388.1 lbs. 1313.7 lbs. -56.6 lbs. -118.9 lbs.
	1	6.00	0.00	HIP B4	33-02-00 33-02-00	2 X 6	2 X 6			Joint 1 Joint 5 1315.0 lbs. 1315.0 lbs. -39.3 lbs. -39.6 lbs.
	1	6.00	0.00	HIP B5	33-02-00 33-02-00	2 X 6	2 X 6			Joint 1 Joint 6 1382.3 lbs. 1381.6 lbs. -51.2 lbs. -51.5 lbs.
	1	6.00	0.00	HIP B6	33-02-00 33-02-00	2 X 6	2 X 6			Joint 1 Joint 9 1382.5 lbs. 1381.9 lbs. -61.9 lbs. -62.2 lbs.
	1	6.00	0.00	HIP B7	33-02-00 33-02-00	2 X 6	2 X 6			Joint 1 Joint 13 1382.5 lbs. 1381.9 lbs. -71.2 lbs. -71.5 lbs.

Reaction Summary of Order



ROOF & FLOOR
TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	05/15/19	ORDER #	J1120-5401
ORDER DATE	11/17/20	QUOTE #	
DELIVERY DATE	//	CUSTOMER ACCT #	000030
DATE OF INVOICE	//	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	David Landry

SOLD TO	Watermark Homes, Inc. 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	JOB NAME: Lot 67 South Creek MODEL: Roof TAG: Blue Ash DELIVERY INSTRUCTIONS:	LOT # 67 SUBDIV: South Creek JOB CATEGORY: Residential - Roof
	Watermark Homes Lot 67 South Creek Harnett County, NC	SPECIAL INSTRUCTIONS: Like Lot 1 Oak Haven. (J0720-3074)	PLAN SEAL DATE: BY DATE

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	//
	END CUT	RETURN				LAYOUT	//
	PLUMB	NO	GABLE STUDS	16 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING

ROOF TRUSSES	LOADING INFORMATION	TOLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	2	6.00	0.00	COMMON B8	33-02-00 33-02-00	2 X 6	2 X 6			Joint 1 1382.5 lbs. -79.1 lbs.	Joint 11 1381.9 lbs. -79.4 lbs.			
	3	6.00	0.00	COMMON C1	19-11-00 19-11-00	2 X 6	2 X 6	01-03-00		Joint 2 858.9 lbs. -64.3 lbs.	Joint 4 782.8 lbs. -47.0 lbs.			
	1	6.00	0.00	COMMON C1GE	19-11-00 19-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 155.2 lbs. -30.4 lbs.	Joint 12 155.2 lbs. -23.3 lbs.	Joint 14 152.1 lbs. -64.1 lbs.	Joint 15 161.6 lbs. -70.0 lbs.	Joint 16 160.3 lbs. -74.1 lbs.
	2	6.00	0.00	COMMON D1	15-05-00 15-05-00	2 X 6	2 X 6			Joint 1 605.0 lbs. -36.3 lbs.	Joint 3 605.0 lbs. -36.3 lbs.			
	1	6.00	0.00	COMMON D1GE	15-05-00 15-05-00	2 X 6	2 X 6			Joint 10 233.6 lbs. -44.4 lbs.	Joint 11 127.6 lbs. -89.5 lbs.	Joint 12 180.8 lbs. -61.7 lbs.	Joint 13 188.6 lbs. 46.9 lbs.	Joint 14 180.8 lbs. -60.9 lbs.
	3	6.00	0.00	COMMON D2	14-02-00 14-02-00	2 X 6	2 X 6			Joint 1 560.8 lbs. -35.9 lbs.	Joint 4 560.8 lbs. -29.3 lbs.			
	2	6.00	0.00	COMMON G1	17-05-00 17-05-00	2 X 6	2 X 6			Joint 1 685.0 lbs. -41.2 lbs.	Joint 3 685.0 lbs. -41.2 lbs.			
	1	6.00	0.00	COMMON G1GE	17-05-00 17-05-00	2 X 6	2 X 6			Joint 10 327.2 lbs. -76.0 lbs.	Joint 11 91.4 lbs. -81.2 lbs.	Joint 12 197.4 lbs. -61.9 lbs.	Joint 14 259.5 lbs. 58.3 lbs.	Joint 15 197.4 lbs. -61.1 lbs.
	5	6.00	0.00	COMMON G2	16-02-00 16-02-00	2 X 6	2 X 6			Joint 1 304.4 lbs. -50.9 lbs.	Joint 4 640.8 lbs. -34.2 lbs.	Joint 11 304.4 lbs. -76.7 lbs.	Joint 12 128.0 lbs. -34.3 lbs.	Joint 13 23.7 lbs. -23.7 lbs.
	19	6.00	0.00	JACK-OPEN X1	05-08-00 05-08-00	2 X 6	2 X 6			Joint 1 218.3 lbs. 0.6 lbs.	Joint 2 163.8 lbs. -80.2 lbs.	Joint 3 109.2 lbs. 32.8 lbs.		
	6	4.00	0.00	JACK-OPEN X1A	07-02-00 07-02-00	2 X 6	2 X 6			Joint 1 278.3 lbs. -11.0 lbs.	Joint 3 81.9 lbs. -39.1 lbs.	Joint 4 196.5 lbs. -9.6 lbs.		

Reaction Summary of Order



REQ. QUOTE DATE	05/15/19	ORDER #	J1120-5401
ORDER DATE	11/17/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	David Landry

SOLD TO	Watermark Homes, Inc. 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	JOB NAME: Lot 67 South Creek MODEL: Roof TAG: Blue Ash DELIVERY INSTRUCTIONS:	LOT # 67 SUBDIV: South Creek JOB CATEGORY: Residential - Roof
	Watermark Homes Lot 67 South Creek Harnett County, NC	SPECIAL INSTRUCTIONS: Like Lot 1 Oak Haven. (J0720-3074)	PLAN SEAL DATE: BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /								
Roof Order	<table border="1"> <tr> <td>END CUT</td> <td>RETURN</td> </tr> <tr> <td>PLUMB</td> <td>NO</td> </tr> </table>	END CUT	RETURN	PLUMB	NO	GABLE STUDS	16 IN. OC	<table border="1"> <tr> <td>JOBSITE</td> <td>1</td> </tr> </table>	JOBSITE	1	<table border="1"> <tr> <td>JOBSITE</td> <td>1</td> </tr> </table>	JOBSITE	1	LAYOUT	/ /
END CUT	RETURN														
PLUMB	NO														
JOBSITE	1														
JOBSITE	1														
						CUTTING	/ /								

ROOF TRUSSES

LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.
	20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT	Joint 1	Joint 3	Joint 4	Joint 5	Joint 6
	1	6.00	0.00	JACK-OPEN X2	05-08-00 05-08-00	2 X 6	2 X 6			Joint 1	Joint 3	Joint 4	Joint 5	Joint 6
										218.3 lbs.	148.7 lbs.	103.5 lbs.	181.8 lbs.	444.0 lbs.
										-3.2 lbs.	-41.4 lbs.	19.7 lbs.	14.7 lbs.	-137.0 lbs.
	1	6.00	0.00	JACK-OPEN X3	05-08-00 05-08-00	2 X 6	2 X 6			Joint 1	Joint 3	Joint 4		
										238.6 lbs.	169.7 lbs.	117.3 lbs.		
										-23.0 lbs.	-61.2 lbs.	23.0 lbs.		
	4	5.00	0.00	JACK-OPEN XB1	05-11-08 05-11-08	2 X 6	2 X 6			Joint 1	Joint 2	Joint 3		
										230.0 lbs.	172.5 lbs.	115.0 lbs.		
										-7.1 lbs.	-76.8 lbs.	34.5 lbs.		
	1	5.00	0.00	JACK-CLOSED XB1-GR	05-11-08 05-11-08	2 X 6	2 X 6			Joint 1	Joint 5			
	2 Ply									600.3 lbs.	1383.0 lbs.			
										-34.7 lbs.	-129.3 lbs.			
	1	5.00	0.00	JACK-OPEN XB2	05-11-08 05-11-08	2 X 6	2 X 6			Joint 1	Joint 3	Joint 4		
										258.9 lbs.	178.4 lbs.	124.1 lbs.		
										-18.6 lbs.	-61.2 lbs.	24.4 lbs.		
	2	5.00	0.00	JACK-OPEN Y1	02-10-00 02-10-00	2 X 6	2 X 6			Joint 1	Joint 2	Joint 3		
										105.0 lbs.	78.8 lbs.	52.5 lbs.		
										-2.5 lbs.	-35.8 lbs.	15.8 lbs.		
	1	6.00	0.00	JACK-OPEN YB1	03-00-00 03-00-00	2 X 6	2 X 6			Joint 1	Joint 2	Joint 3		
										111.7 lbs.	83.8 lbs.	55.8 lbs.		
										1.2 lbs.	-41.9 lbs.	16.8 lbs.		
	1	6.00	0.00	JACK-OPEN YB2	03-00-00 03-00-00	2 X 6	2 X 6			Joint 1	Joint 3	Joint 4		
										111.7 lbs.	76.0 lbs.	53.0 lbs.		
										-3.7 lbs.	-22.0 lbs.	9.8 lbs.		

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
2	Hangers, USP	HUS 26			SIMPSON (HUS26)
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	09-00-00		BM1
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	20-00-00		GDH

Reaction Summary of Order



ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	05/15/19	ORDER #	J1120-5401
ORDER DATE	11/17/20	QUOTE #	
DELIVERY DATE	//	CUSTOMER ACCT #	000030
DATE OF INVOICE	//	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	David Landry

SOLD TO	Watermark Homes, Inc. 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	JOB NAME: Lot 67 South Creek MODEL: Roof TAG: Blue Ash DELIVERY INSTRUCTIONS:	LOT # 67 SUBDIV: South Creek JOB CATEGORY: Residential - Roof
	Watermark Homes Lot 67 South Creek Harnett County, NC	SPECIAL INSTRUCTIONS: Like Lot 1 Oak Haven. (J0720-3074)	PLAN SEAL DATE: BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	//	
Roof Order	END CUT	RETURN				LAYOUT	//	
	PLUMB	NO	GABLE STUDS	16 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING	//

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
1	Hangers, USP	THD26-2			SIMPSON (HHUS26-2)