



Reilly Road Industrial Park Fayetteville, N.C. 28309 Phone: (910) 864-8787 Fax: (910) 864-4444

Bearing reactions less than or equal to 3000# are deemed to comply with the prescriptive Code requirements. The contractor shall refer to the attached Tables (derived from the prescriptive Code requirements) to determine the minimum foundation size and number of wood studs required to support reactions greater than 3000# but not greater than 15000#. A registered design professional shall be retained to design the support system for any reaction that exceeds those specified in the attached Tables. A registered design professional shall be retained to design the support system for all reactions that exceed 15000#.

Signature____

David Landry

LOAD CHART FOR JACK STUDS

(SAISED ON TABLES ROBEE(I) & (b))

NUMBER OF JACK STUDS REQUIRED & EA END OF

HEADER/STRIDER

			4EADER/	lo L l	OEK.			
END REACHON (UP 10)	REQ'D STUDS FOR (2) PLY HEADER		BNS REACTION (UP 10)	REO'D STUDS FOR	(3) ALY HEADER	BND REACTION	(01.10)	REQUE STUDS FOR (4) PLY HEADER
1700	1		2550		1	340	0	1
3400	2		5100		2	680	0	2
5100	3		7650		3	1020	ю	3
6800	4		10200		4	1360	00	4
8500	5		12750		5	1700	Ю	5
10200	6		15300		5_			
11900	7							
13600	8							
15300	9							

Ben Stout Real Estate	COUNTY	Harnett
The Fawnbrook		Roof
N/A	DATE REV. / /	//
Ouote #	DRAWN BY	DRAWN BY David Landry
J0221-0898	SALESMAN	SALESMAN Marshall Naylor

THIS IS A TRUSS PLACEMENT DIAGRAM ONLY. These trusses are designed as individual building components to be incorporated into the building design at the specification of the building design at the specification of the building designer. See individual design sheets for each truss design identified on the placement drawing. The building designer is responsible for temporary and permanent bracing of the roof and floor system and for the overall structure. The design of the truss support structure including headers, beams, walls, and columns is the responsibility of the building designer. For general guidance regarding bracing, consult BCSI-B1 and BCSI-B3 provided with the truss delivery package or online @ sbcindustry.com

PLAN

SEAL DATE

#

OUOTE 7

JOB NAME

BUILDER