## Harnett County Department of Public Health


#### Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 147 Young Farm Dr. (US 401 N.) ISSUED TO: D.R. Horton Inc. SUBDIVISION Morgan North NEW X EXPANSION Site Improvements required prior to Construction Authorization Issuance: REPAIR | Type of Structure: 38x46(4bed/2.5ba) Proposed Wastewater System Type: 25% Reduction System Projected Daily Flow: 480 Number of bedrooms: 4 Number of Occupants: 8 Basement Yes May be required based on final location and elevations of facilities X No Pump Required: Yes Type of Water Supply: Community Public Well Distance from well NA feet X Five years Permit valid for: ■ No expiration Permit conditions: Date: Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. PROPERTY LOCATION: 147 Young Farm Dr. (US 401 N.) ISSUED TO: D.R. Horton Inc. SUBDIVISION Morgan North Facility Type: 38x46(4bed/2.5ba) Expansion Basement? Yes ✓ No Basement Fixtures? Yes Type of Wastewater System\*\* 25% Reduction System (Initial) Wastewater Flow: 480 (See note below, if applicable ) 25% Reduction System Number of trenches 3 or Installation Requirements/Conditions Trench Spacing: 9 Exact length of each trench 100 or 800 Septic Tank Size 1000 gallons Pump Tank Size gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 18 (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. \_ MA inches below pipe Aggregate Depth: NA inches above pipe ~ A inches total Conditions: GARVITT TO DIBOX ERVAC DISTURSION WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: 1 understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH 65/03/2021

ANDREW COMM

Construction Authorization Expiration Date: 05/03/2026

#### Harnett County Department of Public Health Site Sketch




This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.

SOUTHEASTERN SOIL & ENVIRONMENTAL ASSOC., INC.

### PROPOSED SUBSURFACE WASTE DISPOSAL SYSTEM DETAIL SHEET

	SUBDIVISION: MORGAN FL	HAMS MORTH	LOT 6 Y
	INITIAL SYSTEM: APPROVED 259	6 REDUCTION	REPAIR APPROVED 25% REDUCTION
	DISTRIBUTION: 0-8.x	<u> </u>	DISTRIBUTION D-BOX
	BENCHMARK: 100.0		LOCATION PC 63/64
	NO. BEDROOMS: 4		LTAR O.Y OPO/FT
	LINE FLAG COLOR	ELEVATION	LENGTH
	71 0	107.42	100'
- Just	ζ ν W	106.84	100/
1n. 1a.	7 0	106.08	100'
341,	$\sim$ 9 $\omega$	105.42	100'
			TOO' AUALL
	5 0	104,75	100
	6 w	104.00	100
	7 0	103,42	100
	8 W	102.75	1001
			400 Augu
	BY MEAKER		DATE PECEUBER 2019/JAN 2020
	TYPICAL PROFILE		THERE SHALL BE NO GRADING,
	0-18 W/VF, w,1		CUTTING, LOGGING OR OTHER SOIL
	18-40+50c/Fi, 16	ul	DISTURBANCE IN SEPTIC AREA
	cr h > 36"		HEALTH DEPARTMENT USE ONLY.
	INSTAU AT 184		DESIGNS DO NOT GURANTEE FUNCTIONALITY

# Southeastern Soil & Environmental Associates, Inc.



SOIL/SITE EVALUATION • SOIL PHYSICAL ANALYSIS • LAND USE/SUBDIVISION PLANNING • WETLANDS GROUNDWATER DRAINAGE/MOUNDING • SURFACE/SUBSURFACE WASTE TREATMENT SYSTEMS, EVALUATION & DESIGN