

Rough Opening Schedule

SERVICE BLDG SUPPLY-RALEIGH

QUOTE#	QUOTE NAME	PROJECT NAME	PO NUMBER
349546	1154 CARRIAGE CIRCLE	CCH	2055823


LINE#	DESCRIPTION	QUANTITY
-------	-------------	----------

2 **BASE UNITS -**
 Rough: #1 6010 PIC 2-0 X 3-0 Call Size(BS) -COMPLETE UNIT
 24.0" X 36.0"

GENERAL OPTIONS:
 Vinyl : EW, EW/EW Int., No Screen,

Overall Unit: **GRILLE OPTIONS:**
 23.5" X 13/16" FLAT, EW/EW, Custom Colonial Pattern, 1H1V,
 35.5" **GLASS OPTIONS:**
 Low-E 270, Tempered, Double Strength (DSB)

AWS Design Pressure Ratings: DP 50;
Thermal Ratings: U-Factor=0.32; SHGC=0.29; VLT=0.52;




3 **BASE UNITS -**
 Rough: #1 6010 SH 2-8 X 4-6 Call Size(BS) -COMPLETE UNIT
 32.0" X 54.0"

GENERAL OPTIONS:
 Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh,

Overall Unit: **GRILLE OPTIONS:**
 31.5" X 13/16" FLAT, EW/EW, *Bottom A* : No Grilles *Top B* : Custom Colonial
 53.5" Pattern, 1H1V,
GLASS OPTIONS:
 Low-E 270, Double Strength (DSB)

AWS Design Pressure Ratings: DP 35;
Thermal Ratings: U-Factor=0.34; SHGC=0.27; VLT=0.5;




4 **BASE UNITS -**
 Rough: #1 6010 SH 2-8 X 4-6 Call Size(BS) -COMPLETE UNIT
 32.0" X 54.0"

GENERAL OPTIONS:
 Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh,

Overall Unit: **GRILLE OPTIONS:**
 31.5" X 13/16" FLAT, EW/EW, *Bottom A* : No Grilles *Top B* : Custom Colonial
 53.5" Pattern, 1H1V,
GLASS OPTIONS:
 Low-E 270, Tempered, Double Strength (DSB)

AWS Design Pressure Ratings: DP 35;
Thermal Ratings: U-Factor=0.34; SHGC=0.27; VLT=0.5;




LINE#	DESCRIPTION	QUANTITY
-------	-------------	----------

12 **BASE UNITS -**
Rough: #1 6010 SH 2-8 X 4-6 Call Size(BS) -COMPLETE UNIT
64.0" X 54.0" #2 6010 SH 2-8 X 4-6 Call Size(BS) -COMPLETE UNIT

GENERAL OPTIONS:
Overall Unit: Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh,
63.5" X
GRILLE OPTIONS:
53.5" 13/16" FLAT, EW/EW, *Bottom A* : No Grilles *Top B* : Custom Colonial
Pattern, 1H1V,
GLASS OPTIONS:
Low-E 270


AWS Design Pressure Ratings: DP 25;
Thermal Ratings: U-Factor=0.34; SHGC=0.28; VLT=0.51;



13 **BASE UNITS -**
Rough: #1 6010 SH 2-8 X 4-6 Call Size(BS) -COMPLETE UNIT
32.0" X 54.0"

GENERAL OPTIONS:
Overall Unit: Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh,
31.5" X
Drywall Clips,
GRILLE OPTIONS:
53.5" 13/16" FLAT, EW/EW, *Bottom A* : No Grilles *Top B* : Custom Colonial
Pattern, 1H1V,
GLASS OPTIONS:
Low-E 270, Double Strength (DSB)


AWS Design Pressure Ratings: DP 35;
Thermal Ratings: U-Factor=0.34; SHGC=0.27; VLT=0.5;



14 **BASE UNITS -**
Rough: #1 6010 SH 2-8 X 5-6 Call Size(BS) -COMPLETE UNIT
64.0" X 66.0" #2 6010 SH 2-8 X 5-6 Call Size(BS) -COMPLETE UNIT

GENERAL OPTIONS:
Overall Unit: Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh,
63.5" X
GRILLE OPTIONS:
65.5" 13/16" FLAT, EW/EW, *Bottom A* : No Grilles *Top B* : Custom Colonial
Pattern, 1H1V,
GLASS OPTIONS:
Low-E 270


AWS Design Pressure Ratings: DP 25;
Thermal Ratings: U-Factor=0.34; SHGC=0.28; VLT=0.51;




15 **BASE UNITS -**
Rough: #1 6010 SH 2-0 X 3-0 Call Size(BS) -COMPLETE UNIT
24.0" X 36.0"

GENERAL OPTIONS:
Overall Unit: Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh,
23.5" X
GRILLE OPTIONS:
35.5" 13/16" FLAT, EW/EW, *Bottom A* : No Grilles *Top B* : Custom Colonial
Pattern, 1H1V,
GLASS OPTIONS:
Low-E 270, Tempered, Double Strength (DSB)

AWS Design Pressure Ratings: DP 35;
Thermal Ratings: U-Factor=0.34; SHGC=0.27; VLT=0.5;



LINE#	DESCRIPTION	QUANTITY
16	BASE UNITS -	1
Rough: 48.0" X 48.0"	#1 6010 PIC 4-0 X 4-0 Call Size(BS) -COMPLETE UNIT	
Overall Unit: 47.5" X 47.5"	GENERAL OPTIONS: Vinyl : EW, EW/EW Int., No Screen,	
	GRILLE OPTIONS: 13/16" FLAT, EW/EW, Custom Colonial Pattern, 1H1V,	
	GLASS OPTIONS: Low-E 270, Tempered, Obscure, Double Strength (DSB)	
	AWS Design Pressure Ratings: DP 50;	
	Thermal Ratings: U-Factor=0.32; SHGC=0.29; VLT=0.52;	