HARNETT DEPARTMENT OF PUBLIC HEALTH PERMIT TO CONSTRUCT A DRINKING WATER SUPPLY WELL 070598 0090 Parcel #: ____ Application #: H. Parcel Subdivision: ____ Lot #: ____ licant Name: H.PAUL MALMOR TA. ress: 226 PIGAGE LW. ENWIN, X 28339 Type of Facility Served by Well: 500 Sewage System: 25% NEOWCTION STS. Permit Conditions: ____ General Permit Conditions: Drinking water supply well construction must meet 15A NCAC 02C.100 rules The permitted drinking water supply well shall be located in accordance with the SITE PLAN ANY ALTERATION of the site of the site (including location of structures and appurtenance) or modification in use of the well, may subject this Permit to revocation Authorized State Agent_____ Date 08/12/2021 Grouting self-certified by driller GW-1 provided? Yes No See attachment for construction sketch WELL CERTIFICATE OF COMPLETION Application #: 5F02 N5-COCH Date: Well Contractor: licant Name: H. PAUL MAINER 57. ress: 286 PIENCE LID. ENLOWD, NC 28339 Directions to Site: ____ Disinfection: Type ____ Amount Water Zone (depth) Casing Grout From ____ To ___ Diameter: ____ Material: ____ Thickness: ____ From 0 To _____ Material: _____ Method: ____ From ____ To ____ From ____ To ____ From To From ____ To ____ From To Material: ____ Method: ____ Diameter: Material: Thickness: From To ____ From ____ To ____ Diameter: Material: Thickness: Material: Method: Inspector: ____ On Hold Date: ____ Release Date: ___ Remarks:

Well Head Information Casing Height: 13 (above finished grade) Access Port: What Stack: What Stack:

rarks: Shallow JeT Pump

REHS Date 12/22/22

Well Construction Sketch	plicant Name: Subdivision: Lot #: H. PROL MATTOR
	SENT I DE LANGUE CONTINUE CONT
Il Completion Sketch	Sepric Arka

1. Well Contractor Information:			
Larm Willitord Jr	14. WATER ZONES		
Well Contractor Name	FROM TO DESCRIPTION		
28102 14	da al tan forminge sand		
NC Well Contractor Certification Number	ft. ft. l 15. OUTER CASING (for multi-cased wells) OR LINER (if applicable)		
1 (1) (1)	FROM TO DIAMETER THICKNESS MATERIAL		
Willitons Well Drilling	+1 11. 22 11. 2 in Sub40 PVC		
Company Name	16. INNER CASING OR TUBING (geothermal closed-loop) FROM TO DIAMETER THICKNESS MATERIAL		
2. Well Construction Permit #: 4758 51 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	ft. ft. in.		
3. Well Use (check well use):	ft. ft. in.		
Water Supply Well:	17. SCREEN FROM TO DIAMETER SLOT SIZE THICKNESS MATERIAL		
□Agricultural □Municipal/Public	221. 271. 2 in Ole Sch40 PVC		
□Geothermal (Heating/Cooling Supply) Residential Water Supply (single)	ft. ft. in.		
□Industrial/Commercial □Residential Water Supply (shared)	18. GROUT		
□Irrigation □Wells > 100,000 GPD	FROM TO MATERIAL EMPLACEMENT METHOD & AMOUNT		
Non-Water Supply Well:	C ac Denivitie Stage - Pour		
☐Monitoring ☐Recovery Injection Well:	n. n. D		
□ Aquifer Recharge □ Groundwater Remediation	ft. ft.		
□Aquifer Storage and Recovery □Salinity Barrier	19. SAND/GRAVEL PACK (if applicable) FROM TO MATERIAL EMPLACEMENT METHOD		
□Aquifer Test □Stormwater Drainage	20" 27" #25and Down		
□Experimental Technology □Subsidence Control	ft. ft.		
□Geothermal (Closed Loop) □Tracer	20. DRILLING LOG (attach additional sheets if necessary)		
□Geothermal (Heating/Cooling Return) □Other (explain under #21 Remarks)	FROM TO DESCRIPTION (color, hardness, soil/rock type, grain size, etc.)		
10/00/00	0 1 100561		
4. Date Well(s) Completed: 10 20 22 Well ID#	1 8 Franish Sanay City		
5a. Well Location:	8 For Tancing		
Paul Mayner Jr	22" 27" tuntoringesand		
Facility/Owner Name Facility ID# (if applicable)	ft. ft.		
286 Pierce La Envir NC 28339	ft. ft.		
Physical Address, City, and Zip	ft. ft.		
Marnul 070598-0090	21. REMARKS		
County Parcel Identification No. (PIN)			
5b. Latitude and longitude in degrees/minutes/seconds or decimal degrees:			
(if well field, one lat/long is sufficient)	22. Certification:		
35.351448 N -78. L83595 W	Language of 10 boles		
6. Is(are) the well(s): Permanent or Temporary	Signature of Certified Well Contractor Date		
/	By signing this form, I hereby certify that the well(s) was (were) constructed in accordance with 15A NCAC 02C .0100 or 15A NCAC 02C .0200 Well Construction Standards and that a copy		
7. Is this a repair to an existing well: Yes or If this is a repair, fill out known well construction information out a explain the nature of the	of this record has been provided to the well owner.		
repair under #21 remarks section or on the back of this form.	23. Site diagram or additional well details:		
8. For Geoprobe/DPT or Closed-Loop Geothermal Wells having the same	You may use the back of this page to provide additional well construction info (add 'See Over' in Remarks Box). You may also attach additional pages if necessary		
construction, only 1 GW-1 is needed. Indicate TOTAL NUMBER of wells			
drilled:	24. SUBMITTAL INSTRUCTIONS		
9. Total well depth below land surface: (ft.) For multiple wells list all depths if different (example-3@200' and 2@100')	Submit this GW-1 within 30 days of well completion per the following:		
10. Static water level below top of casing: (ft.) If water level is above casing, use "+"	24a. For All Wells: Original form to Division of Water Resources (DWR), Information Processing Unit, 1617 MSC, Raleigh, NC 27699-1617		
11. Borehole diameter: (in.)	24b. For Injection Wells: Copy to DWR, Underground Injection Control (IUC) Program, 1636 MSC, Raleigh, NC 27699-1636		
12. Well construction method: Mud Patary (i.e. auger, rotary, cable, direct push, etc.)	24c. For Water Supply and Open-Loop Geothermal Return Wells: Copy to the county environmental health department of the county where installed		
FOR WATER SUPPLY WELLS ONLY:	24d. For Water Wells producing over 100,000 GPD: Copy to DWR, CCPCUA Permit Program, 1611 MSC, Raleigh, NC 27699-1611		
13a. Yield (gpm) Method of test:	Termit Hogiani, 1011 Moc., Kaleiga, 190 27027-1011		
13h Disinfection type: HTH Amount: 14 Case			