Reaction Summary of Order

ROOF & FLOOR
TRUSSES & BEAMS
Reilly Road Industrial Park P.O. Box 40408

Fayetteville, N.C. 28309 (910) 864-TRUS

SOLD

T O

S H I P

T O

REQ. QUOTE DATE / / ORDER# J1020-4945 **ORDER DATE** 10/23/20 **QUOTE # DELIVERY DATE** 000030 11 **CUSTOMER ACCT#** / / DATE OF INVOICE **CUSTOMER PO#** ORDERED BY **Brady Rufenacht INVOICE #** COUNTY Harnett **TERMS** Net 10 Days Brady Rufenacht Anthony Williams **SUPERINTENDANT SALES REP** (910) 483-2229 Hampton Horrocks **JOBSITE PHONE # SALES AREA**

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

Watermark Homes, Inc. 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229

JOB NAME: Lot 114 Ballard Woods

MODEL: Roof

TAG: Red Camellia

JOB CATEGORY: Residential - Roof

DELIVERY INSTRUCTIONS:

Watermark Homes Lot 114 Ballard Woods Lillington, NC

ROOF TRUSSES

LOADING

SPECIAL INSTRUCTIONS:

TCLL-TCDL-BCLL-BCDL

PLAN SEAL DATE:

DATE BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-06-08 REQ. LAYOUTS QUOTE 11/01/20 **REQ. ENGINEERING** END CUT RETURN LAYOUT 11 Roof Order 11/01/20 CUTTING HH **GABLE STUDS** 16 IN. OC JOBSITE JOBSITE

STRESS INCR.

			IN	FORMATION	20.0,10.0,0	0.0,10.	0	1.15		1001 11000 01 A0110.24.0 111. 0.0. (111.)				
PROFILE	QTY	PIT		TYPE	BASE		IBER	OVER	HANG	REACTION	NS.			
	PLY	TOP	BOT	ID	O/A	TOP	BOT	LEFT	RIGHT					
	3	6.00	0.00	ROOF A1	46-11-00 46-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 1649.0 lbs. -29.7 lbs.	Joint 12 2659.6 lbs. -222.0 lbs.			
	1	6.00	0.00	ROOF A10	38-03-08 38-03-08	2 X 6	2 X 6	01-03-00		Joint 2 1720.7 lbs. -12.3 lbs.	Joint 11 1791.1 lbs. -25.4 lbs.			
	2	6.00	0.00	ROOF A11	38-03-08 38-03-08	2 X 6	2 X 6	01-03-00		Joint 2 1734.5 lbs. -7.3 lbs.	Joint 11 1830.4 lbs. -33.3 lbs.			
	1	6.00	0.00	ROOF A1GE	46-11-00 46-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 1649.0 lbs. -224.2 lbs.	Joint 20 2659.6 lbs. -508.0 lbs.			
	1	6.00	0.00	ROOF A2	46-11-00 46-11-00	2 X 6	2 X 6		01-03-00	Joint 9 507.7 lbs. -171.4 lbs.	Joint 12 1938.4 lbs. -176.9 lbs.	Joint 16 1705.5 lbs. -33.7 lbs.		
	1	4.00	0.00	ROOF A3	48-11-00 48-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 349.1 lbs. -92.9 lbs.	Joint 11 513.1 lbs. -168.5 lbs.	Joint 14 1978.6 lbs. -159.7 lbs.	Joint 19 1521.7 lbs. -75.8 lbs.	
	1	4.00	0.00	ROOF A4	48-11-00 48-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 398.7 lbs. -118.1 lbs.	Joint 11 516.0 lbs. -169.0 lbs.	Joint 14 1995.9 lbs. -162.3 lbs.	Joint 19 1445.6 lbs. -56.2 lbs.	
	4	4.00	0.00	ROOF A5	48-11-00 48-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 328.3 lbs. -132.2 lbs.	Joint 11 47.6 lbs. -110.9 lbs.	Joint 13 1907.5 lbs. -29.6 lbs.	Joint 19 2187.6 lbs. -19.3 lbs.	
	1	4.00	0.00	ROOF A5A	48-11-00 48-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 401.2 lbs. -119.7 lbs.	Joint 11 516.1 lbs. -169.0 lbs.	Joint 14 1996.7 lbs. -162.5 lbs.	Joint 19 1442.2 lbs. -56.1 lbs.	
	1	4.00	0.00	ROOF A6	44-05-00 44-05-00	2 X 6	2 X 6	01-03-00		Joint 2 332.4 lbs. -124.5 lbs.	Joint 12 1440.1 lbs. -37.7 lbs.	Joint 17 2188.5 lbs. -22.8 lbs.		
	1	4.00	0.00	ROOF A7	48-11-00 40-03-08	2 X 6	2 X 6	01-03-00		Joint 2 327.0 lbs. -90.3 lbs.	Joint 11 1281.0 lbs. -25.8 lbs.	Joint 16 1975.6 lbs. -60.1 lbs.		

Reaction Summary of Order

ROOF & FLOOR
TRUSSES & BEAMS
Reilly Road Industrial Park P.O. Box 40408

Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE / / ORDER# J1020-4945 **ORDER DATE** 10/23/20 **QUOTE # DELIVERY DATE** 000030 11 **CUSTOMER ACCT#** / / DATE OF INVOICE **CUSTOMER PO#** ORDERED BY **Brady Rufenacht INVOICE #** COUNTY Harnett **TERMS** Net 10 Days Brady Rufenacht Anthony Williams **SUPERINTENDANT SALES REP** (910) 483-2229 Hampton Horrocks **JOBSITE PHONE # SALES AREA**

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

Watermark Homes, Inc. 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229

JOB NAME: Lot 114 Ballard Woods

MODEL: Roof

TAG: Red Camellia

JOB CATEGORY: Residential - Roof

DELIVERY INSTRUCTIONS:

Watermark Homes Lot 114 Ballard Woods Lillington, NC

ROOF TRUSSES

SOLD

T O

SHIP

T O SPECIAL INSTRUCTIONS:

TCLL-TCDL-BCLL-BCDL

LOADING

INFORMATIO

PLAN SEAL DATE:

DATE BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-06-08 QUOTE 11/01/20 **REQ. LAYOUTS REQ. ENGINEERING** END CUT RETURN LAYOUT 11 Roof Order 11/01/20 CUTTING HH **GABLE STUDS** 16 IN. OC JOBSITE JOBSITE

STRESS INCR.

INFORMATION				20.0,10.0,0	0.0,10.	0	1.15			AOINO.24.0	0.0. (•,		
PROFILE	QTY		СН	TYPE	BASE O/A		IBER		HANG	REACTIO	NS			
	PLY	TOP	BOT	I D ROOF	46-11-00	TOP	вот	LEFT	RIGHT	Joint 9	Joint 10	Joint 14		
K Do	1	6.00	0.00		38-03-08	2 X 6	2 X 6			123.5 lbs.	1505.2 lbs.	1776.3 lbs.		
										-15.9 lbs.	-34.0 lbs.	-25.5 lbs.		
				ROOF	38-03-08					Joint 2	Joint 11			
	1	6.00	0.00	A9	38-03-08	2 X 6	2 X 6	01-03-00		1700.3 lbs.	1683.4 lbs.			
					1			1	1	-16.4 lbs.	-19.2 lbs.			
				COMMON	37-11-00					Joint 2	Joint 8			
	2	6.00	0.00			2 X 6	2 X 6	01-03-00	01-03-00	1736.5 lbs.	1736.5 lbs.			
										-22.5 lbs.	-22.5 lbs.			
1				GABLE	37-11-00					Joint 2	Joint 22	Joint 24	Joint 25	Joint 26
	1	6.00	0.00	B1GE	37-11-00	2 X 6	2 X 6	01-03-00	01-03-00	189.8 lbs.	189.8 lbs.	218.0 lbs.	141.5 lbs.	163.6 lbs.
					l I		1	1	1	-20.3 lbs.	5.9 lbs.	-87.0 lbs.	-45.9 lbs.	-52.3 lbs.
				COMMON	36-03-08					Joint 2	Joint 9			
	9	6.00	0.00			2 X 6	2 X 6	01-03-00		1512.2 lbs.	1435.4 lbs.			
										-24.7 lbs.	-4.3 lbs.			
*				ROOF	36-03-08					Joint 2	Joint 11			
	1	6.00	0.00	B3	36-03-08	2 X 6	2 X 6	01-03-00		1631.9 lbs.	1699.2 lbs.			
							1			-14.1 lbs.	-20.6 lbs.			
				GABLE	36-03-08					Joint 2	Joint 23	Joint 24	Joint 25	Joint 26
	1	6.00	0.00			2 X 6	2 X 6	01-03-00		186.7 lbs.	152.1 lbs.	124.0 lbs.	166.7 lbs.	159.0 lbs.
AIIIIIIIII										-32.7 lbs.	0.5 lbs.	-168.7 lbs.	-42.4 lbs.	-54.0 lbs.
				ROOF	33-11-00					Joint 2	Joint 10			
	6	9.00	0.00	C1	33-11-00	2 X 6	2 X 6	01-03-00	01-03-00	1586.5 lbs.	1551.7 lbs.			
							<u> </u>		l .	15.4 lbs.	-58.7 lbs.			
				GABLE	33-11-00					Joint 2	Joint 20	Joint 22	Joint 23	Joint 24
	1	9.00	0.00	C1GE		2 X 6	2 X 6	01-03-00	01-03-00	946.7 lbs.	172.2 lbs.	311.4 lbs.	92.6 lbs.	195.5 lbs.
V VIII										-118.2 lbs.	-38.6 lbs.	-79.4 lbs.	-34.1 lbs.	-28.4 lbs.
					İ	İ	İ	İ	İ					
				ROOF	33-11-00					Joint 1	Joint 9			
	3	9.00	0.00	C2	33-11-00	2 X 6	2 X 6		01-03-00	1523.3 lbs.	1559.1 lbs.			
					<u> </u>			1	<u> </u>	18.6 lbs.	-62.5 lbs.			
				ROOF	32-04-08					Joint 7	Joint 13			
	2	9.00	0.00	C3	32-04-08	2 X 6	2 X 6		01-03-00	1473.4 lbs.	1436.7 lbs.			
										-61.1 lbs.	6.8 lbs.			
														+

DATE 11/01/20 PAGE 3 **Reaction Summary of Order**

ROOF & FLOOR ComTech| TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

		DATE	1707/20 17(02 0
REQ. QUOTE DATE	11	ORDER#	J1020-4945
ORDER DATE	10/23/20	QUOTE #	
DELIVERY DATE	11	CUSTOMER ACCT#	000030
DATE OF INVOICE	11	CUSTOMER PO#	
ORDERED BY	Brady Rufenacht	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Brady Rufenacht	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 483-2229	SALES AREA	Hampton Horrocks

Watermark Homes, Inc. 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229

Watermark Homes

Lillington, NC

Roof Order

Lot 114 Ballard Woods

JOB NAME: Lot 114 Ballard Woods **LOT #** 114 **SUBDIV: Ballard Woods** MODEL: Roof TAG: Red Camellia JOB CATEGORY: Residential - Roof

DELIVERY INSTRUCTIONS:

SPECIAL INSTRUCTIONS:

PLAN SEAL DATE:

DATE BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-06-08 REQ. LAYOUTS REQ. ENGINEERING QUOTE 11/01/20 END CUT RETURN LAYOUT 11 11/01/20 GABLE STUDS CUTTING HH 16 IN. OC JOBSITE JOBSITE

ROOF TRUSSES				DADING FORMATION	TCLL-TCDL-BCLL-BCDL STRESS INCR. 20.0,10.0,0.0,10.0 1.15				ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)					
PROFILE	QTY PLY	PIT TOP	CH BOT	TYPE ID	BASE O/A		IBER BOT	OVER LEFT	HANG RIGHT	REACTIO	NS			
	1	-9.00	0.00	ROOF	21-07-00 21-07-00			LLI I	01-03-00	Joint 6 975.4 lbs. -43.8 lbs.	Joint 10 995.6 lbs. -77.8 lbs.			
	1	9.00	0.00	COMMON D1GE	21-11-00 21-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 245.0 lbs. -117.5 lbs.	Joint 14 209.3 lbs. -48.3 lbs.	Joint 16 133.5 lbs. -153.7 lbs.	Joint 17 180.2 lbs. -83.0 lbs.	Joint 18 172.2 lbs. -75.0 lbs.
	1	4.00	0.00	GABLE VC1	14-07-01 14-07-01	2 X 4	2 X 4			Joint 1 248.7 lbs. 20.4 lbs.	Joint 4 157.1 lbs. -13.6 lbs.	Joint 5 677.7 lbs. -57.8 lbs.		
	1	4.00	0.00	GABLE VC2	11-07-01 11-07-01	2 X 4	2 X 4			Joint 1 138.8 lbs. 20.5 lbs.	Joint 4 195.1 lbs. -16.8 lbs.	Joint 5 509.7 lbs. -43.4 lbs.		
	1	4.00	0.00	GABLE VC3	08-07-01 08-07-01	2 X 4	2 X 4			Joint 1 301.8 lbs. -2.6 lbs.	Joint 3 301.8 lbs. -25.9 lbs.			
	1	4.00	0.00	VALLEY VC4	05-07-01 05-07-01	2 X 4	2 X 4			Joint 1 181.8 lbs. -1.6 lbs.	Joint 3 181.8 lbs. -15.6 lbs.			
	1	4.00	0.00	VALLEY VC5	02-07-01 02-07-01	2 X 4	2 X 4			Joint 1 61.8 lbs. -0.5 lbs.	Joint 3 61.8 lbs. -5.3 lbs.			
	2	2.83	0.00	DIAGONAL HIP Z1	03-03-03 03-03-03	2 X 4	2 X 6	01-09-03		Joint 2 275.9 lbs. -105.7 lbs.	Joint 3 52.3 lbs. -21.3 lbs.	Joint 4 60.3 lbs. -10.5 lbs.		

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	07-00-00		BM2
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	22-00-00		GDH1
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	20-00-00		BM1

DATE 11/01/20 PAGE 4 **Reaction Summary of Order**

ROOF & FLOOR ComTech TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

11 **REQ. QUOTE DATE** ORDER# J1020-4945 **ORDER DATE** 10/23/20 **QUOTE #** 000030 **DELIVERY DATE** / / CUSTOMER ACCT# // DATE OF INVOICE CUSTOMER PO# ORDERED BY **Brady Rufenacht INVOICE #** COUNTY Harnett **TERMS** Net 10 Days Brady Rufenacht Anthony Williams **SUPERINTENDANT SALES REP** (910) 483-2229 Hampton Horrocks JOBSITE PHONE # **SALES AREA**

Watermark Homes, Inc. 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229

JOB NAME: Lot 114 Ballard Woods **SUBDIV: Ballard Woods LOT #** 114 MODEL: Roof TAG: Red Camellia JOB CATEGORY: Residential - Roof

DELIVERY INSTRUCTIONS:

Watermark Homes Lot 114 Ballard Woods Lillington, NC

SPECIAL INSTRUCTIONS:

PLAN SEAL DATE:

BUILDING DEPARTMENT	OVERHA	ANG INFO	HEEL HEIGHT	00-06-08	RE	Q. I	AYOUTS		REQ.	ENG	SINEERING		QUOTE	HH	11/01/20
Roof Order	END CUT	RETURN											LAYOUT		1.1
			GABLE STUDS	16 IN. OC			JOBSITE	1			JOBSITE	1	CUTTING	HH	11/01/20

ITEMS

SOLD

T

SHIP

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
_	IVI Doome (Sized)	LVL, 1-3/4" x 11-7/8" (S)	13-00-00		GDH2
	LVL Beams (Sizeu)	LVL, 1-3/4 X 11-7/6 (S)	13-00-00		GDRZ