
Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 32 Thorntons Creek Dr. (Old Stage Rd. S. ISSUED TO: Stand Cure Custom Homes Inc. SUBDIVISION Thorntons Creek EXPANSION Site Improvements required prior to Construction Authorization Issuance: REPAIR Type of Structure: 44x67 sfd, 4 beds 3 baths Proposed Wastewater System Type: 25% Reduction Sys. Projected Daily Flow: 480 GPD Number of Occupants: 8 Number of bedrooms: 4 Basement Yes X No Pump Required: Yes May be required based on final location and elevations of facilities Type of Water Supply: Community Public Well Distance from well NA feet Permit valid for: X Five years ■ No expiration Permit conditions: 12/07/2021 Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Stand Cure Custom Homes Inc. PROPERTY LOCATION: 32 Thorntons Creek Dr. (Old Stage Rd.) SUBDIVISION Thorntons Creek Facility Type: 44x67 sfd, 4 beds 3 baths New Expansion Basement Fixtures? Yes ☐ No Basement? Yes X No (Initial) Wastewater Flow: 480 Type of Wastewater System** 25% REDUCTION SISTEM (See note below, if applicable) 25% NEWLTION STS. (Repair) Number of trenches Installation Requirements/Conditions Trench Spacing: Exact length of each trench 115 Septic Tank Size 1000 gallons Pump Tank Size _____gallons Soil Cover: Trenches shall be installed on contour at a Maximum Trench Depth of: 20 (Maximum soil cover shall not exceed inches (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) NA inches below pipe Pump Requirements: ______ft. TDH vs. ___ Aggregate Depth: NA inches above pipe NA inches total Conditions: GANTY TO D-BOX EGUAL DISTUBUTION WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. 12/07/2021 Authorized State Agent: 12/07/2026 Construction Authorization Expiration Date: ANDREW CURIN

Harnett County Department of Public Health Site Sketch



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.