## Harnett County Department of Public Health

## Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 2919 Wire Rd (SR2031) ISSUED TO: Weaver Homes SUBDIVISION NEW X REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 46' x 35' SFD Proposed Wastewater System Type: pump to 25% reduction Projected Daily Flow: 360 GPD Number of Occupants: 6 Number of bedrooms: 3 Basement Yes X No Pump Required: 

Yes No May be required based on final location and elevations of facilities

Type of Water Supply: Community Dublic Well Distance from well feet Permit valid for:

Permit conditions: Class for and Call for System Layout and repair Analysis X Five years No expiration Date: 07-07-21 Authorized State Agent: Mu REHS The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: PROPERTY LOCATION: LOT # SUBDIVISION Facility Type: New Expansion Repair Basement? Yes No Basement Fixtures? Yes No Type of Wastewater System\*\* (Initial) Wastewater Flow: 480 GPD (See note below, if applicable ) Installation Requirements/Conditions Number of trenches Septic Tank Size \_\_\_\_\_ gallons Exact length of each trench Trench Spacing: \_\_\_\_\_ Feet on Center Soil Cover: Pump Tank Size \_\_\_\_\_gallons Trenches shall be installed on contour at a Maximum Trench Depth of: \_\_\_\_\_inches (Maximum soil cover shall not exceed 36" above the trench bottom) (Trench bottoms shall be level to +/-1/4" in all directions) Pump Requirements: \_\_\_\_\_\_ft. TDH vs. \_\_\_\_\_GPM inches below pipe WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: \_\_\_ This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent:

Construction Authorization Expiration Date: