

Reaction Summary of Order



ROOF & FLOOR
TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J1120-5315
ORDER DATE	11/12/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOB SITE PHONE #	(910) 759-1307	SALES AREA	Curtis Quick

SOLD TO	Watermark Homes, Inc. 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	JOB NAME: Lot 74 South Creek LOT # 74 SUBDIV: South Creek MODEL: Roof TAG: The Palmetto III / 3 Car / GR JOB CATEGORY: Residential - Roof
	Watermark Homes Lot 74 South Creek Harnett Co., NC	DELIVERY INSTRUCTIONS: SPECIAL INSTRUCTIONS: Like Lot 18 Oak Haven (J0720-3434)
		PLAN SEAL DATE: 11/4/20

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ 11/12/20
	PLUMB	NO	GABLE STUDS	16 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING CQ 11/12/20

ROOF TRUSSES

LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS					
		PLY	TOP			BOT	TOP	BOT	LEFT	RIGHT					
	5		9.50	0.00	ROOF A1	38-00-00 38-00-00	2 X 6	2 X 10	01-04-08	01-04-08	Joint 2 1507.4 lbs. -102.8 lbs.	Joint 13 2094.1 lbs. -296.5 lbs.			
	1		9.50	0.00	ROOF A1GE	38-00-00 38-00-00	2 X 6	2 X 6	01-04-08	01-04-08	Joint 2 294.7 lbs. -149.6 lbs.	Joint 23 213.9 lbs. -104.1 lbs.	Joint 25 210.7 lbs. -81.4 lbs.	Joint 26 142.7 lbs. -61.0 lbs.	Joint 27 164.4 lbs. -60.6 lbs.
	4		10.00	0.00	ATTIC B1	25-00-00 24-11-00	2 X 6	2 X 10	01-05-00	01-05-00	Joint 12 1704.2 lbs. 159.6 lbs.	Joint 16 1704.2 lbs. 159.6 lbs.			
	3		10.00	0.00	ATTIC B1A	24-08-08 24-08-00	2 X	2 X 10	01-08-00	01-05-00	Joint 12 1683.7 lbs. 163.2 lbs.	Joint 16 1734.8 lbs. 170.2 lbs.			
	5		10.00	0.00	ATTIC B2	24-08-08 24-08-00	2 X	2 X 10		01-05-00	Joint 11 1688.8 lbs. 165.7 lbs.	Joint 15 1641.5 lbs. 182.0 lbs.			
	3		6.00	0.00	FINK C1	32-00-00 32-00-00	2 X 6	2 X 6	01-04-08	01-04-08	Joint 2 1350.1 lbs. -126.4 lbs.	Joint 8 1350.1 lbs. -126.4 lbs.			
	1		6.00	0.00	GABLE C1GE	32-00-00 32-00-00	2 X 6	2 X 6	01-04-08	01-04-08	Joint 2 177.6 lbs. -42.5 lbs.	Joint 20 177.6 lbs. -13.2 lbs.	Joint 22 143.5 lbs. -94.4 lbs.	Joint 23 163.3 lbs. -74.4 lbs.	Joint 24 159.5 lbs. -72.7 lbs.
	4		6.00	0.00	FINK C2	32-00-00 32-00-00	2 X 6	2 X 6			Joint 1 1268.3 lbs. -107.2 lbs.	Joint 7 1268.3 lbs. -107.2 lbs.			
	1	2 Ply	6.00	0.00	HOWE C3GDR	32-00-00 32-00-00	2 X 6	2 X 12			Joint 1 5698.5 lbs. -1186.3 lbs.	Joint 7 5677.2 lbs. -1181.1 lbs.			
	10		10.00	0.00	COMMON D1	15-05-00 15-05-00	2 X 6	2 X 6		01-04-08	Joint 6 700.9 lbs. -3.5 lbs.	Joint 9 665.2 lbs. -133.2 lbs.			

Reaction Summary of Order



ROOF & FLOOR
TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J1120-5315
ORDER DATE	11/12/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	000030
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Justin Thomas	INVOICE #	
COUNTY	Harnett	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	Curtis Quick

SOLD TO	Watermark Homes, Inc. 1308 Ft Bragg Road Suite 201 Fayetteville, NC 28305 (910) 483-2229	JOB NAME: Lot 74 South Creek LOT # 74 SUBDIV: South Creek MODEL: Roof TAG: The Palmetto III / 3 Car / GR JOB CATEGORY: Residential - Roof
	Watermark Homes Lot 74 South Creek Harnett Co., NC	DELIVERY INSTRUCTIONS: SPECIAL INSTRUCTIONS: Like Lot 18 Oak Haven (J0720-3434)
PLAN SEAL DATE: 11/4/20		

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE		/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ	11/12/20
	PLUMB	NO	GABLE STUDS	16 IN. OC	JOBSITE	1	CUTTING	CQ
					JOBSITE	1		11/12/20

ROOF TRUSSES

LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		PLY	TOP			BOT	TOP	BOT	LEFT	RIGHT	Joint 7	Joint 8	Joint 9	Joint 10
	2		10.00	0.00	GABLE D1GE 15-05-00 15-05-00	2 X 6	2 X 6		01-04-08	Joint 7 274.4 lbs. -30.1 lbs.	Joint 8 142.5 lbs. -144.9 lbs.	Joint 9 78.0 lbs. 12.3 lbs.	Joint 10 534.9 lbs. -296.0 lbs.	Joint 11 123.9 lbs. 19.5 lbs.
	5		10.00	0.00	COMMON D2 15-05-00 15-05-00	2 X 6	2 X 6			Joint 5 627.9 lbs. 14.6 lbs.	Joint 7 668.1 lbs. -134.0 lbs.			
	6		6.00	0.00	QUEENPOST G1 22-00-00 22-00-00	2 X 6	2 X 6	01-04-08	01-04-08	Joint 2 950.1 lbs. -92.8 lbs.	Joint 6 950.1 lbs. -92.8 lbs.			
	1		6.00	0.00	GABLE G1GE 22-00-00 22-00-00	2 X 6	2 X 6	01-04-08	01-04-08	Joint 2 201.4 lbs. -35.8 lbs.	Joint 12 201.4 lbs. -34.5 lbs.	Joint 14 216.3 lbs. -105.6 lbs.	Joint 15 142.0 lbs. -64.6 lbs.	Joint 16 164.5 lbs. -80.4 lbs.
	3		-4.00	0.00	ROOF M1 08-00-00 08-00-00	2 X 4	2 X 6		01-04-08	Joint 2 405.4 lbs. -171.1 lbs.	Joint 4 295.9 lbs. -134.6 lbs.			
	5		3.00	0.00	KINGPOST P1 17-00-00 17-00-00	2 X 4	2 X 4	01-04-08	01-04-08	Joint 2 759.6 lbs. -310.8 lbs.	Joint 4 759.6 lbs. -310.8 lbs.			
	1		3.00	0.00	GABLE P1GE 17-00-00 17-00-00	2 X 4	2 X 4	01-04-08	01-04-08	Joint 2 759.6 lbs. -249.8 lbs.	Joint 4 759.6 lbs. -249.8 lbs.			

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
23	Hangers, USP	HUS 26			SIMPSON (HUS26)
2	Hangers, USP	LUGT2			SIMPSON (LGT2)